

2017













NATIONAL CART CO 2017 PRODUCT CATALOG

BAKERY
CART CORRALS
DISTRIBUTION
FIXTURES
FOOD SERVICE
MATERIAL HANDLING
MERCHANDISING
PICKING CARTS
SHOPPING CARTS
WAREHOUSE



Tational Cart Co. was founded in 1979 as a family owned and operated business. Over three decades later, the company continues to grow and prosper as a second generation family owned and operated business lead by Rob Unnerstall and John Unnerstall. National Cart is a leader in the design, manufacturing, and distribution of material handling products, food service products, and store fixtures. Our main campus is located in St. Charles, Missouri and is home to the corporate office. To better serve our west coast customers, a second manufacturing and distribution facility is located in Reno, Nevada. Total manufacturing and distribution space exceeds 350,000 sq. ft.

Our customer base ranges from single unit retailers to Fortune 100 companies. We serve many industries including supermarket, mass retail, home center, food service, distribution, government, and industrial. Our company motto of "Safer-Better-Faster" represents our commitment to customers, in the products we produce, as well as our associates neverending pursuit of excellence.

Our Code of Conduct:

RESPECT OTHERS
TELL THE TRUTH
TRY NEW IDEAS
ASK WHY
KEEP YOUR PROMISES
DO YOUR SHARE



Our Capabilities

Our production facility is well suited for flexible, rapid product development. With the use of laser cutting, tube bending, turret punching, welding, and other "soft tool" fabrication techniques, we are able to put products in front of customers in very short order. Transitions to production volumes are supported by in-house fixture design/build expertise, robotic weld stations, and multi-shift capacity.

We use only top quality aluminum, stainless steel, and steel raw materials in our products. Our tenured global sourcing team continually searches and qualifies sourcing opportunities to help keep costs down and remain competitive. We produce as much of our product as feasible, domestically.

Lean Manufacturing

We employ lean principles in both design and production, and are sensitive to the fact that operating support costs are a factor in every design to reduce the total cost of ownership.

This concept shines through in:

lower costs higher quality fewer defects with

less human effort less space

less capital

less time







Custom Manufacturing

Developing new products for our customers is a part of the culture at National Cart Co. Our New Product Development (NPD) process starts and ends with the customers' needs. Through the NPD process, we take a single idea or "pain" and create solutions that give our customers the greatest ROI. New products that come out of the NPD process are user friendly, cost effective, and meaningful to our customers. Whether your objective is to move product from your distribution center to your stores or to organize your back room and to improve your associates stocking efficiencies, our team will work with you to modify an existing product or design a custom solution to meet your specific needs. The best ideas often come from you, our customer. We encourage new opportunities to continually improve our product offering. Please inquire with one of our customer service representatives or sales representatives to start the design process. Then, let our innovative engineers and design team show you how we can improve your current operation. We would love to hear from you.

Strategy Statement

Our strategy is to design, manufacture, market, and distribute material handling equipment and store fixtures that provide exceptional value to our customers. We will concentrate our efforts on leveraging our associates talents, technology, processes, and facilities to drive cost out of our manufacturing process.

We will seek out market segments and customers where we can produce superior results which capitalize on our geographical locations and provide opportunities of growth for our valued associates and stakeholders alike.

Schedule Attainment

NCC takes its commitment to on-time delivery very seriously at the highest levels in the organization. Our products are often critical path items in larger supply chain rollouts, where delays are unacceptable. Our year-on-year retention of our customers is a testament to our execution and commitment to schedule attainment.

We continue to provide customer service, technical assistance, and a 1 year limited warranty on our products after the sale. We maintain a large inventory of replacement wheels and components to extend the life of your equipment.

It is our service after the sale that completes our reputation of a Best in Class supplier.

Ordering Information

When ordering please specify:

Order Number Model

Quantity Full Description of Product
Date Required Purchase Order Number

Billing Address Shipping Address

Contact Name Contact Phone Number

Prices -- quoted F.O.B. plant, unless otherwise specified. All prices and specifications are subject to change without notice. Reference the National Cart Co. website for current pricing.

Shipping – unless otherwise specified, shipment will be made the best and most economical way to meet customer delivery requirements. NCC is not responsible for delays in delivery which are beyond our control. NCC is not responsible for damage while in the hands of the carrier. Buyer must file a claim against carrier for any damage or loss.

Terms – Net 30 Days. Merchandise will be shipped on open account upon credit approval. Accounts over 30 days are subject to 1 ½% per month (18% APR) late charge. NCC accepts Visa, Master Card and American Express for your convenience.

Quotations - unless otherwise specified, are valid for 30 days.

Warranty - All National Cart Co. equipment is warranted to function properly for a period of one (1) year from the date of purchase. NCC reserves the right to repair or replace any defective equipment due to poor workmanship. NCC aluminum products come with a lifetime guarantee against rust and corrosion. This warranty excludes circumstances beyond our control, i.e. product abuse, failure to maintain as instructed, improper weight distribution, improper assembly or acts of God such as flood, fire, earthquake, etc. All warranties exclude wheels and casters which are subject to warranties issued by the manufacturer.

Returned Merchandise – All returned merchandise must receive prior authorization by NCC. All freight charges must be prepaid and merchandise is subject to a 15% restocking charge. Custom designed products are non-refundable.

Safety – For the most current safety information and product operation manuals, see www.nationalcart.com.

National Cart Co. reserves the right to change or modify the design of any product manufactured by NCC and to substitute materials equal to or superior to that originally specified.

Some of National Cart Co.'s products are manufactured and designed with High Sanitary standards certified by NSF International, the most widely recognized and respected independent certification organization for public health safety. For specific items, please refer to latest NSF Listing.

Phone: 800-455-3802 Local Phone: 636-947-3800 E-Mail: sales@nationalcart.com Online: www.nationalcart.com Mail: 3125 Boschertown Road St. Charles, MO 63301










CART CORRALS

MERCHANDISING





DISTRIBUTION

PICKING CARTS





FIXTURES

SHOPPING CARTS





FOOD SERVICE

WAREHOUSE

BAKERY

Bakery Oven Racks
PRODUCT APPLICATIONS: Bakery Oven Racks
NeXt Bakery Oven Rack
H-Nest Bakery Oven Rack
Carts
Aluminum Sani Carts
Bussing Cart
lcing Cart
Utility Marking Stocking Cart
Dollies
Dunnage Racks
Dunnage Racks
Plastic Dunnage Rack
Pan Racks
Aluminum End Loading Pan Rack
Aluminum Side Loading Pan Rack
Bread Display Rack
Channel Pan Carts
Enclosed Cabinets
Pan Tray Storage Carts
Valuline Platter and Bun Pan Racks
Z-Style Nesting Pan Rack
Shelving
Aluminum Wall Shelves
Adjustable Sani Shelving
Aluminum Cantilevered Shelving
Cooler Shelving
Mobile Cooler / Freezer Shelf Truck
Mobile Cooling Rack
Preparation Tables
Thermal Wrapper

CART CORRALS

PRODUCT APPLICATIONS: Quick Change Sign Frame & Custom Signage55-56 Accessories
Cart Corral Ballast
Standard Signage
Architectural
Ornamental Cart Corral
Ornamental Covered Cart Corral
Bumpered Corrals
Snap Too Bumper Corral - Arc Style
Snap Too Bumper Corral - Classic Style
Covered Corrals
Ornamental Covered Cart Corral
Canvas Covered Cart Corral
Metal Covered Cart Corral
Classic Series
360 Series Cart Corral
361 Series Cart Corral
600 Series Cart Corral
601 Series Cart Corral
602 Series Cart Corral
603 Series Cart Corral
720 Series Cart Corral
721 Series Cart Corral
900 Series Cart Corral
901 Series Cart Corral
Embedded Cart Corral

Express Carts Dual Cart Corral
Snap Too Series
Snap Too 360 Series
Snap Too 720 Series
Snap Too 721 Bidirectional
Snap Too 721 Series
Snap Too Bumper Corral - Arc Style 65-66
Snap Too Bumper Corral – Classic Style

DISTRIBUTION CARTS

Lean Distribution Process
2 Shelf Distribution Cart
Aluminum Distribution Cart
Dairy Distribution Cart
Distribution Security Cart
Forklift Order Picking Cart
Rocket Cart
Rolltainer
Un-Assisted Distribution Cart

FIXTURES

PRODUCT APPLICATIONS: Parking Lot Signage
Benches
Industrial Grade Park Bench
Metal Wait Bench
Bike Racks
Corner Guards.
Lockers
Employee Lockers
Electronic Storage Cabinet
Till Lockers
Poly Bag Stands
Receivers Desks
Safety Barricade Gates
Sampling Stand
Scale Hangers

FOOD SERVICE

Carts
Aluminum Sani Carts
Aluminum Transport Cart
Bulk Mover
Bussing Cart
Produce Stocking Marking Cart
Produce/Stocking Cart
Utility Marking Stocking Cart
Wet Movers
Can Racks
Dollies
Aluminum Dollies
Chicken Dollies
Dunnage Racks
Dunnage Racks
Plastic Dunnage Rack

TABLE OF CONTENTS - 2017 PRODUCT CATALOG - NATIONAL CART CO.

Pan Racks
Aluminum End Loading Pan Rack
Aluminum Side Loading Pan Rack
Aluminum Z-Style Nesting Pan Rack
Aluminum Valuline Platter and Bun Pan Rack
Enclosed Cabinets
Meat Platter Carts
Produce Crisping Rack
Product Lug Carts
Universal Pan Racks
Universal Shelf/Platter Carts
Platters and Lugs
Preparation Tables
Shelving
Adjustable Sani Shelving
Aluminum Cantilevered Shelving
Aluminum Wall Shelves
Boat Rack
Cooler Shelving
Mobile Cooler/Freezer Shelf Truck
Queen Mary
Thermal Wrapper

MATERIAL HANDLING

Carts	
Box Bin Cart	
Foldable Aluminum L-Cart	
Furniture Cart	
Metal Platform Trucks (Flat Cart)	
Nesting Carts	
Plastic Flat Carts	
Utility Carts	
Wire Nesting Carts	
Dollies	
Lock and Load Dolly	
Garden	
Garden Center Cart	
Garden Wagons	
Hand Trucks	
Lumber Carts	
Flat Lumber Cart	
Lumber Cart	
Ladder Cart	
Racks	
Garment Racks	
Stock Carts	
5 Shelf Back Stock Cart	
Back Stock Carts	
HBC Restock Advantage Cart	
Stock Picker Cart	
Security	
Mobile Security Cages	257-258
HBC Restock Advantage Cart	
U-Boat	
Aluminum Utility Carts (U-Boat)	
Heavy-Duty U-Boats	
Spring Loaded U-Boat	
U-Pick U-Boat	

MERCHANDISING

PRODUCT APPLICATIONS: Sign Frames
Bread Display Rack
Chalkboard Display
Flower & Plant Display Racks
A-Frame Basket Hanger
Fold-A-Bench
Rolling Plant Cart277-278
Sampling Stand
Slant Merchandiser281-282
Stack Basket
Wire Mini Platform

PICKING CARTS

PRODUCT APPLICATIONS: E-Commerce Picking Cart 287-288
Dollies
Lock and Load Dolly
Forklift Accepting Carts
Forklift Order Picking Cart
Stock Picker
Shelf Picking
2 Shelf Distribution Cart
Aluminum Distribution Cart
Bulk Pick Cart
Tote Pick Carts
Aisle Picking Cart
Tote Picking Cart w/ Ergonomic Handles
Tote Picking Cart w/ Stowable Dolly
U-Boat Picking
Spring Loaded U-Boat
U-Pick U-Boat

SHOPPING CARTS

PRODUCT APPLICATIONS: ReCoat Shopping Carts
PRODUCT APPLICATIONS: Used Shopping Carts
Express Shopping Cart
Hand Baskets
Recoated Technibilt 6242 Shopping Carts

WAREHOUSE

Dock Plate .321-327 Fork Extensions .323-324 Lockers	
Employee Lockers	ì
Electronic Storage Cabinet	
Till Lockers	
Mobile Security Cages	
Pallet Jacks	1
Receivers Desks	ć
Safety Barricade Gates	}

PRODUCT CATALOG 2017
BAKERY







Bakery Oven Racks
Product Applications: Bakery Oven Racks1-4
NeXt Bakery Oven Rack5-6
H-Nest Bakery Oven Rack7-8
Carts
Aluminum Sani Carts
Bussing Cart
lcing Cart13-14
Utility Marking Stocking Cart
Dollies
Dunnage Racks
Dunnage Racks
Plastic Dunnage Rack21-22
Pan Racks
Aluminum End Loading Pan Rack23-24
Aluminum Side Loading Pan Rack25-26
Bread Display Rack27-28
Channel Pan Carts29-30
Enclosed Cabinets31-32
Pan Tray Storage Carts33-34
Valuline Platter and Bun Pan Racks35-36
Z-Style Nesting Pan Rack37-38
Shelving
Aluminum Wall Shelves
Adjustable Sani Shelving41-42
Aluminum Cantilevered Shelving
Cooler Shelving
Mobile Cooler / Freezer Shelf Truck
Mobile Cooling Rack49-50
Tables
Preparation Tables
Thermal Wrapper









For Product Safety and Operation Manuals please visit our website at www.nationalcart.com

NCC PRODUCT APPLICATIONS - BAKERY OVEN RACKS

These sturdy all welded aluminum racks are used to bake goods in a variety of rotating ovens. Base racks can be equipped with any style lifting or centering device to accommodate any oven make or model.

Due to the large variety of ovens, we have created this guide to assist you in understanding and ordering bakery oven racks.

Features:

Heavy duty caster channel protects the caster from the environment and prolongs the useful life of the casters.

Heavy gauge angle runners to accommodate any style of 18" x 26" baking pans

Ships fully assembled for immediate use






Overall Height ~

Casters

We offer several options of wheels for our Bakery Oven Racks that include zinc plated and stainless steel models

This image highlights some of the most important features to consider when purchasing a Bakery Oven Rack









Loading Styles

The loading style of Bakery Oven Racks largely depends on what type of oven you have. Some ovens are more flexible than others in this regard. For instance, if you have an oven that accommodates a double side load rack, it could possibly work with two single side load racks.





Side Load



Double Side Load




Options

Aluminum vs. Stainless Steel

Aluminum Racks offer the same level of sanitation as stainless steel racks but are more economical.

Stainless Steel Racks offer strength, durability and are ideal for industrial baking applications.



Runner Spacing

Runner spacing should determined by the amount of runners desired and the type of products you will be baking.

A good rule of thumb is to add $1^1/4''$ to the height of the shortest product you make to provide adequate air flow and allow maximum capacity. (see diagram to right)

Shelf Spacing	Pan Capacity
6"	10
5"	12
4"	15
3"	20

NCC PRODUCT APPLICATIONS - BAKERY OVEN RACKS

These styles are some of the most common lifting devices. We are not limited to these four styles and can accommodate most any oven type.











Key Bakery Oven Info

The Illustration to the right highlights the most important factors to determine when ordering Bakery oven Racks. Getting this information right will help ensure the rack you order will work well with your oven. The overall height and lifting device type are the two most important pieces of information that will drive the design of your purchase.







Baker	v Oven	Rack	Orderina	Informati	on
	, –		-		• • • •

The following information helps us determine the exact rack for the oven(s) you have.

Oven Manufacturer and Model	#		
Style of Lifting Device			
Loading Style (circle one)	SINGLE SIDE LOAD	SINGLE END LOAD	DOUBLE SIDE LOAD
Rack Height in Inches (use illustr	ration on the previous pa	ge to help determine)	
Material (circle one)	STAINLESS STEEL	ALUMINUM	
Pan Capacity (circle one) 10	12 15 18	20	
Tray Stop (circle one) YES	NO		

After submitting this form to NCC we will send you a drawing that details the recommended rack for your situation.

Carefully inspect the drawing and take notice of all critical measurements and components. The drawing below shows what you can expect and highlights the most important things to double check. If the design is satisfactory, Sign and date it at the bottom

ZINC PLATED STEEL

and send it back to NCC so that we can start building your racks.

STAINLESS STEEL

Can't find exactly what you need? Give us a call and we'll help you with the perfect solution!



Casters (circle one)

The nesting capability of these bakery oven racks saves valuable space when storing in your bakery or back room.







FEATURES:

Stainless steel construction

The three-dimensional "X" base increases strength of the rack compared to "Z", "H", or "N" styles.

This rack has increased stability with 30% lower center of gravity compared to traditional bakery oven racks.

No hinges, swing-arms or moving parts to fail

Heavy duty base includes stainless steel base with tubular X-bracing

High-temp wheels on stainless steel casters


OPTIONS:


Available in "C" and "B" (shown) lifting styles

Available in pan capacities of 10, 12, 15, and 20

Tray stop available (inquire with your customer service representative)

10 NEXT Racks = 13.5 Sq. Ft.






10 Standard Racks = 34.7 Sq. Ft.



CENTER OF GRAVITY 8.2" LOWER





Freight Class: 300 NMFC Code: 164390-S2 17.83 -4.75 69.7 3.75 TYP

Stainless Steel B-Lift

Order#	Model	W	L	Н	Pan Capacity
8050100	SS-2610-BORB; BX SGL-2 SSC XN	17 3/4"	28 1/4"	69 3/4"	10
8050102	SS-2612-BORB; X-NEST-HOB 2 LIFT DEV	17 3/4"	28 1/4"	69 3/4"	12
8050104	SS-2615-BORB; X-NEST-HOB 2 LIFT DEV	17 3/4"	28 1/4"	69 3/4"	15
8050106	SS-2620-BORB; X-NEST-HOB 2 LIFT DEV	17 3/4"	28 1/4"	69 3/4"	20

1-800-455-3802

Stainless Steel C-Lift

Order#	Model	W	L	Н	Pan Capacity
8050116	SS-2610-BORC; UNIV SGL-2 XN	17 3/4"	28 1/4"	69 3/4"	10
8050117	SS-2612-BORC; UNIV SGL-2 XN	17 3/4"	28 1/4"	69 3/4"	12
8050118	SS-2615-BORC; UNIV SGL-2 XN	17 3/4"	28 1/4"	69 3/4"	15
8050119	SS-2620-BORC; UNIV SGL-2 XN	17 3/4"	28 1/4"	69 3/4"	20

H-NEST BAKERY OVEN RACKS

The nesting capability of these bakery oven racks saves valuable space when storing in your bakery or back room.



FEATURES:

Heavy duty stainless steel construction

High-temp wheels on stainless steel rigs

OPTIONS:

Available in "A" (shown), "B", "C", and "D" lifting styles

Aluminum or all-stainless steel construction available

Available in pan capacities of 10, 12, 15, and 20


REPLACEMENT PARTS:

(4) $4" \times 2"$ swivel high-temp wheels and caster. Replacement order #B001405

Zinc Nut. Replacement order #B001225

Carriage Bolt. Replacement order #B000503

5 NEXT Racks = 27.9 Sq. Ft.





5 Standard Racks = 35.9 Sq. Ft.





NMFC Code: 164390-S2





Order#	Model	W	L	Н	Pan Capacity
8050017	SS-2610-BORA-RV-DBL-N	28 1/2"	36"	71 1/2"	10
8050063	SS-26-12-BORA-RV-DBL-N, CAL CASTERS	28 1/2"	36"	71 1/2"	12
8050064	ss-2615-bora-rv-dbl-n, cal casters	28 1/2"	36"	71 1/2"	15
8050019	ss-26-bora-rv-dbl-n	28 1/2"	36"	71 1/2"	20


ALUMINUM SANI CARTS


This versatile sanitary aluminum cart can be used in all departments to transport or store dry goods and perishables.






NMFC Code: 164390-S2






8040475












8040479









Order#	Model	W	L	Н	Weight	Cart Capacity
8040472	AL-SAS-D-2036 SPEED CART DOLLY	20 1/2"	36 1/2"	8"	18 lbs.	750 lbs.
8040474	AL-SAS-D-2436 SPEED CART DOLLY	24 1/2"	36 1/2"	8"	20 lbs.	750 lbs.
8040475	AL-SAS-D-2442 SPEED CART DOLLY	24 1/2"	42 1/2"	8"	22 lbs.	750 lbs.
8040379	AL-SAS-D-2448 SPEED CART DOLLY	24 1/2"	48 1/2"	8"	24 lbs.	750 lbs.
8040473	AL-SAS-H-20 SPEED CART DOLLY HANDLE	19 3/4"	6 1/2"	34"	5 lbs.	-
8040380	AL-SAS-H-24 SPEED CART DOLLY HANDLE	23 3/4"	6 1/2"	34"	5 lbs.	=

BUSSING CART

Ideal 3 shelf cart for bussing, serving or general stocking. Unit comes in aluminum or stainless steel to fit any customer's need or preference.

The attractive design is appropriate for any occasion.



8040569 Shown

FEATURES:

All welded construction

400 lb. capacity

13" shelf spacing

OPTIONS:


Aluminum or stainless steel construction

REPLACEMENT PARTS:

5" x 1.25" polyurethane wheels . Replacement Order #B000325









NMFC Code: 164390-S2







Order#	Model	W	L	Τ	Capacity	Weight
8040569	AL-BC-2036-3	20"	36"	42 3/4"	400 lbs.	35 lbs.
8050009	SS-BC-2036-3	20"	36"	42 3/4"	400 lbs.	59 lbs.

ICING CART

This all-welded sanitary cart is perfect for transporting cakes, tools, icing, and decorations from the bakery, to a vehicle, and to a reception hall, all on one cart.

This cart transfers cakes and food conveniently and safely with raised lips around three sides of the top shelf and on the back of the bottom two shelves. The side rails on the bottom two shelves provide additional protection from possible accidents and carrying heavy cake tiers separately.

The four locking casters make this cart ideal for decorating, transporting and display!



FEATURES:

Four locking brakes to prevent cakes or decorations from possible accidents

Additional protection with raised lips on sides and back on top shelf and raised back on bottom two shelves

Protective side rails for bottom two shelves

Constructed from all welded sanitary aluminum


13" shelf spacing

REPLACEMENT PARTS:

(4) $5" \times 1.25"$ polyurethane wheels with brake. Replacement Order #8000491


Zinc Bolt Replacement Order #B000576

Zinc Nut Replacement Order #B000198





NMFC Code: 188560-S4



Order#	Model	W	L	Н	Weight
8040947	AL-IC-3, ICING CART	20"	28 1/2"	34 3/4"	34 lbs.

UTILITY MARKING STOCKING CARTS

This versatile stock cart is an excellent transporter for stock room and sales floor. Its heavy duty galvanized construction makes this unit suitable for produce as well as other departments.

The perfect solution to all your transportation requirements.



FEATURES:

All welded square galvanized tube frame

Solid upper shelf and a tube style lower shelf

Straight leg design along with 2 standard front bumpers

Innovative design virtually eliminate any marring or scratching of your cases

Convenient counter height top with large working surface

OPTIONS:

Full Perimeter Bumpers (FPB) version available (Contact your customer sales representative)

REPLACMENT PARTS:

2 rear swivel casters with 5" x 1.25" polyurethane wheels. Replacement Order #B000312


2 front rigid casters with 5" x 1.25" polyurethane wheels. Replacement Order #8000325




Radius bottom corners are Achilles heel friendly




NMFC Code: 188560-S4



8000151






Order#	Model	W	L	Н	Cart Capacity	Weight	Full Perimeter Bumpers	Material
8000151	ST-2042-A, HD GALV STOCK TRUCK	20"	47"	40"	1000 lbs.	54 lbs.	No	Steel
8000256	ST-2042-A-FPB HD GALV STOCK TRUCK	20"	47"	40"	1000 lbs.	54 lbs.	Yes	Steel
8000257	ST-1734-A GALV STOCK TRUCK	17"	38"	40"	1000 lbs.	61 lbs.	No	Steel
8041242	AL-ST-2044 AL STOCK TRUCK	20"	49 1/4"	41 1/2"	750 lbs	30 lbs	No	Aluminum

ALUMINUM DOLLIES

Traditionally used to transport product from loading dock to cooler and cooler to preparation areas. Conveniently sized to provide maximum efficiency while occupying minimal space.



FEATURES:

Solid unit is designed and constructed from heavy gauge sanitary aluminum

Solid unit comes with a flat surface that features folded edges and hole for an optional pull handle

Tubular unit is all welded heavy duty sanitary aluminum tube that allows for greater capacities and better air circulation

OPTIONS:

Pull Handle (PH) Order #8040408

REPLACEMENT PARTS:

(4) 5" x 1.25" flat plate swivel casters with polyurethane wheels.


Caster/Wheel Replacement Order number for all dollies except 8040476 #B000312. Fasteners Order #B000543 and #B001257.

8040476 Replacement Caster/Wheel Order #B000312. Fasteners Order #B000102 and #B000059.



Bakery






Order #8040297, 8040298, 8040408, 8040476

Freight Class: 300 NMFC Code: 164390-S2


Order #8040300, 8040301, 8040570, 8040299

Freight Class: 100

NMFC Code: 188560-S2



8040570









3.00"		4	V
4	33.00" -	-	


Terror T	U_U	
*		A A

Order#	Model	W	L	Н	Capacity	Weight	Platform
8040297	AL-BBD-2428 BOXED BEEF DOLLY	24"	28"	7"	1000 lbs.	20 lbs.	Solid Design
8040298	AL-BBD-2433 BOXED BEEF DOLLY	24"	33"	7"	1000 lbs.	25 lbs.	Solid Design
8040300	AL-BBD-2440 BOXED BEEF DOLLY	24"	40"	7"	1000 lbs.	30 lbs.	Solid Design
8040301	AL-BBD-2733 BOXED BEEF DOLLY	27"	33"	7"	1000 lbs.	25 lbs.	Solid Design
8040299	AL-BBD-2433-T TUBULAR BXD BEEF DOLY	24"	33"	8"	1000 lbs.	20 lbs.	Tube Design
8040476	AL-BBD-2428-T-TBLR BXD BEEF DOLLY	24"	28"	8"	1000 lbs.	19 lbs.	Tube Design
8040570	AL-UDK-2733 ALUM. UNIVERSAL DOLLY	27"	33"	8"	1000 lbs.	20 lbs.	Solid Design
8040408	PH-1 PULL HANDLE FOR CHICKEN DOLLY	-	30"	-	=	2 lbs.	-

DUNNAGE RACKS

Securely stores product off the floor and allows air to flow around the entire product.

Prolong package life while permitting cleaning under the product.



FEATURES:

All welded sanitary aluminum


Heavy duty tube provides a long and durable, rustproof life

Durable, yet light weight

Wide base for sturdy storage

REPLACEMENT PARTS:


Base cap replacement. Order #B000407









NMFC Code: 164390-S2



8040085





Order#	Model	W	L	Н	Capacity	Weight
8040065	AL-DR18368 DUNNAGE RACK, 3,000 LB	18"	36"	8"	3000 lbs.	9 lbs.
8040066	AL-DR18488 DUNNAGE RACK, 2,500 LB	18"	48"	8"	2500 lbs.	11 lbs.
8040067	8040067 AL-DR18608 DUNNAGE RACK, 2,000 LB		60"	8"	2000 lbs.	13 lbs.
8040068	AL-DR183612 DUNNAGE RACK, 3,000 LB	18"	36"	12"	3000 lbs.	10 lbs.
8040069	AL-DR184812 DUNNAGE RACK, 2,500 LB	18"	48"	12"	2500 lbs.	11 lbs.
8040070	AL-DR186012 DUNNAGE RACK, 2,000 LB	18"	60"	12"	2000 lbs.	13 lbs.
8040071	AL-DR20368 DUNNAGE RACK, 3,000 LB		36"	8"	3000 lbs.	9 lbs.
8040072	8040072 AL-DR20488 DUNNAGE RACK, 2,500 LB		48"	8"	2500 lbs.	11 lbs.
8040073	8040073 AL-DR20608 DUNNAGE RACK, 2,000 LB		60"	8"	2000 lbs.	13 lbs.
8040074	8040074 AL-DR20728 DUNNAGE RACK, 2,000 LB		72"	8"	2000 lbs.	15 lbs.
8040075	0075 AL-DR203612 DUNNAGE RACK, 3,000 LB		36"	12"	3000 lbs.	10 lbs.
8040076	AL-DR204812 DUNNAGE RACK, 2,500 LB	20"	48"	12"	2500 lbs.	12 lbs.
8040077	040077 AL-DR206012 DUNNAGE RACK, 2,000 LB		60"	12"	2000 lbs.	14 lbs.
8040078	AL-DR207212 DUNNAGE RACK, 2,000 LB	20"	72"	12"	2000 lbs.	16 lbs.
8040079	AL-DR24368 DUNNAGE RACK, 3,000 LB	24"	36"	8"	3000lbs.	11 lbs.

Order #	Model	W	L	Н	Capacity	Weight
48040080	AL-DR24488 DUNNAGE RACK, 2,500 LB	24"	48"	8"	2500 lbs.	13 lbs.
8040081	AL-DR24608 DUNNAGE RACK, 2,000 LB	24"	60"	8"	2000 lbs.	15 lbs.
8040082	AL-DR24728 DUNNAGE RACK, 2,000 LB	24"	72"	8"	2000 lbs.	17 lbs.
8040083	AL-DR243612 DUNNAGE RACK, 3,000 LB	24"	36"	12"	3000 lbs.	11 lbs.
48040084	AL-DR244812 DUNNAGE RACK, 2,500 LB	24"	48"	12"	2500 lbs.	14 lbs.
8040085	AL-DR246012 DUNNAGE RACK, 2,000 LB	24"	60"	12"	2000 lbs.	16 lbs.
8040086	0086 AL-DR247212 DUNNAGE RACK, 2,000 LB		72"	12"	2000 lbs.	21 lbs.
8040087	40087 AL-DR30368 DUNNAGE RACK, 3,000 LB		36"	8"	3000 lbs.	12 lbs.
8040088	AL-DR30488 DUNNAGE RACK, 2,500 LB	30"	48"	8"	2500 lbs.	14 lbs.
8040089	0089 AL-DR30608 DUNNAGE RACK, 2,000 LB		60"	8"	2000 lbs.	16 lbs.
8040090	AL-DR30728 DUNNAGE RACK, 2,000 LB	30"	72"	8"	2000 lbs.	18 lbs.
8040091	AL-DR303612 DUNNAGE RACK, 3,000 LB		36"	12"	3000 lbs.	13 lbs.
8040092	092 AL-DR304812 DUNNAGE RACK, 2,500 LB		48"	12"	2500 lbs.	16 lbs.
8040093	AL-DR306012 DUNNAGE RACK, 2,000 LB	30"	60"	12"	2000 lbs.	21 lbs.
8040094	AL-DR307212 DUNNAGE RACK, 2,000 LB	30"	72"	12"	2000 lbs.	25 lbs.

PLASTIC DUNNAGE RACK

Securely stores product off floor as well as permitting air flow around the entire product. Prolong package life while permitting cleaning under the product.

This plastic dunnage rack is very versatile looks great in back rooms and storage areas, or as a display merchandiser on the store floor.



FEATURES:

One piece seamless construction that requires no assembly

Rust and corrosion free

Heavy duty construction can hold up to 3,000 pounds

Molded of 100% recyclable material


Durable, yet light weight

Wide base for sturdy storage

Corner pockets allow dunnage rack to be stackable for storage or shipping needs
















NMFC Code:156600-S6







Order#	Model	W	L	Н	Capacity	Weight
5000150	PL-DR-224812-BLK, PLASTIC DUNNAGE RACK	22"	48"	12"	3000 lbs.	21 lbs.

ALUMINUM END LOADING PAN RACK

These sturdy aluminum pan racks are suitable for many different applications.

Available in both end loading and side loading models for 18" x 26" pans.



FEATURES:

Sanitary square aluminum tube

Radius corners for comfort when pushing

Heavy gauge aluminum angle runners with two position weld

Standard rack includes (4) swivel casters with polyurethane wheels

OPTIONS:

(4) 5" x 1.25" flat plate swivel casters with Heavy duty caster channel. Channel protects the caster from the environment and prolongs the useful life of the casters (inquire with your customer service representative)

Tray Stop (inquire with your customer service representative)

REPLACEMENT PARTS:


(4) 5" x 1.25" swivel casters with polyurethane wheels. Replacement order #B000025










NMFC Code: 164390-S2









Base assembly for plate swivel casters

Order#	Model	W	L	Н	Shelf Spacing	Pan Capacity	Weight
8040959	AL-1810B END LOAD PAN RACK	20 3/8"	26"	70"	6"	10	22 lbs.
8040960	AL-1812B END LOAD PAN RACK	20 3/8"	26"	70"	5"	12	37 lbs.
8040902	AL-1815B END LOAD PAN RACK	20 3/8"	26"	70"	4"	15	42 lbs.
8040903	AL-1818B END LOAD PAN RACK	20 3/8"	26"	70"	3"	18	42 lbs.
8040904	AL-1820B END LOAD PAN RACK	20 3/8"	26"	70"	3"	20	48 lbs.
8040905	AL-1830B END LOAD PAN RACK	20 3/8"	26"	70"	2"	30	61 lbs.

ALUMINUM SIDE LOADING PAN RACK

These sturdy aluminum pan racks are suitable for many different applications. Available in both end loading and side loading models for $18" \times 26"$ pans.



FEATURES:

Sanitary square aluminum tube

Radius corners for comfort when pushing

Heavy gauge aluminum angle runners

Standard Rack includes (4) swivel casters with polyurethane wheels

OPTIONS:

(4) 5" x 1.25" flat plate swivel casters with Heavy duty caster channel. Channel protects the caster from the environment and prolongs the useful life of the casters (inquire with your customer service representative)


Tray Stop (inquire with your customer service representative)

REPLACEMENT PARTS:

(4) 5" x 1.25" swivel casters with polyurethane wheels. Replacement order #B000025

Shown with optional flat plate swivel casters and protective hat channel.


Contact your customer service representative for more details.




nationalcart.com





NMFC Code: 164390-S2



8040907







Base assembly for plate swivel casters

Order#	Model	W	L	Н	Shelf Spacing	Pan Capacity	Weight
8040907	AL-2610B AL SIDE LOAD PAN RACK	28 3/8"	18"	70"	6"	10	32 lbs.
8040961	AL-2612B SIDE LOAD PAN RACK	28 3/8"	18"	70"	5"	12	35 lbs.
8040962	AL-2615B SIDE LOAD PAN RACK	28 3/8"	18"	70"	4"	15	35 lbs.
8040910	AL-2618B SIDE LOAD PAN RACK	28 3/8"	18"	70"	3"	18	37 lbs.
8040911	AL-2620B SIDE LOAD PAN RACK	28 3/8"	18"	70"	3"	20	42 lbs.
8040912	AL-2630B SIDE LOAD PAN RACK	28 3/8"	18"	70"	2"	30	49 lbs.

BREAD DISPLAY RACK

This adjustable rack is ideal for displaying daily bread specials.

Unit has unique angle design that showcases a product's best features for quick turnover.



Frame easily adjusts to accommodate different tray sizes

FEATURES:

Unique adjustable frame fits most bread trays

Durable beige powder coat finish (inquire with your customer service representative for other color options)

(4) 5" swivel casters for easy mobility, (2) with brakes

Ships knocked down for freight savings


Comes standard with two front brakes

REPLACEMENT PARTS:

(2) 5" x 1.25" swivel caster with polyurethane wheel. Order #B000025

(2) 5" x 1.25" swivel caster with polyurethane wheel and square stem. With Brake. Order #B000491

Fasteners: Hex head cap screw order #B000576 and two way lock nut order #B000198








27.00 "- 33.00"

Freight Class: 85 NMFC Code: 163980

8000158







Order#	Model	W	L	Н	Capacity	Weight
8000158	SAV-8-BR SLANT DISPLAY BREAD RACK	27"-33"	24"	79"	8	87 lbs.

CHANNEL PAN CART

Channel Pan Carts are ideal for the storage and transportation of low profile products. This Cart can also be used for general storage and transportation of pans and trays.



FEATURES:

Sanitary square aluminum tube

Radius corners for comfort when pushing

Channels are 5/8" deep and spaced 1.5" apart

OPTIONS:

End load and side load models available

REPLACEMENT PARTS:

(4) 5" x 1.25" swivel casters with polyurethane wheels. Replacement order #B000025







Bakery


Freight Class: 300

NMFC Code: 164390-S2









					Shelf	Pan	
Order#	Model	W	L	Н	Spacing	Capacity	Weight
8040224	AL-CPC-1836 AL END LOAD 36 PAN CAP	20 3/8"	26"	65"	1.5"	36	32 lbs.
8040225	AL-CPC-1840 AL END LOAD 40 PAN CAP	20 3/8"	26"	70"	1.5"	40	34 lbs.
8040227	AL-CPC-2636 AL SIDE LOAD 36 PAN CAP	28 3/8"	18"	65"	1.5"	36	28 lbs.
8040228	AL-CPC-2640 AL SIDE LOAD 40 PAN CAP	28 3/8"	18"	70"	1.5"	40	32 lbs.

ENCLOSED CABINETS

These mobile cabinets are ideal for in store use as well as shipping of product from commissary to store.

The cabinet is available in regular and heavy duty models.









8040552 Base - Heavy Duty

FEATURES:

All welded sanitary aluminum

1.5" spacing between pans

Door mounted with 3 heavy duty hinges that assure years of easy operation

Designed for use with pans sized 18 x 26" pan

REGULAR UNIT:

(4) $5" \times 1.25"$ swivel casters with polyurethane wheels. Replacement order #B000312

Fasteners replacement order #B5000543 and #B001257

HEAVY DUTY UNIT:

Reinforced under carriage (heavy duty only)

Heavy duty unit includes extra inside tubular support and 4 aluminum corner bumpers

Extra corner gussets provide increased support (heavy duty only)

(4) $5" \times 2"$ flat plate swivel casters with polyurethane wheels. Replacement order #8000626

Fasteners replacement order #B000060 and #B001225

















21.00"




1-800-455-3802

NOTE: CABINETS ARE DESIGNED FOR USE WITH PANS SIZED 17.813" to 18.125" IN WIDTH

8040169





99 lbs. 8040169 AL-1840-EC AL. 40 PAN CAP. LT. DUTY 21" 27" 68" 1 1/2" (40) 18" x 26" Pans 8040552 AL-1840-EC-HD, ENCL CABINET 21" 27" 68" 1 1/2" (38) 18" x 26" Pans 118 lbs.

PAN TRAY STORAGE CARTS

These heavy duty bun pan carts are ideal for the transportation and storage of your trays and bread pan sets.



FEATURES:

All welded frame

Aluminum or galvanized steel construction

OPTIONS:

Pull handle for 8000021 and 8040789 (inquire with your customer service representative)

REPLACEMENT PARTS:

All units roll easily on polyurethane wheels (see table below for more details and replacement ordering)



Part #	Material	Wheels	Wheel and Caster Order #	Fastener Order#
8000021	Galvanized Steel	(4) Plate Swivel 3" x 1.25" Polyurethane	B001166	B000061 B001257
8000022	Galvanized Steel	(4) Plate Swivel 4" x 1.25" Polyurethane	B000617	B000061 B001257
8040004	Aluminum	(2) Rigid and (2) Swivel 5" x 1.25" Polyurethane	B000312 B000325	B000062 B001257
8040789	Aluminum	(4) Swivel 5" x 1.25" Polyurethane	B000312	B000543 B001257




Bakery





8000021 and 8000022 Freight Class: 150 NMFC Code: 188560-S4

8040004 and 80407889 Freight Class: 300 NMFC Code: 164390-S2













8040789










27.00"

8000022



8040004







Order#	Model	W	L	H	Capacity	Weight
8000021	BPD-1026, PAN TRAY STORAGE CART	10 5/8"	26 3/4"	5 5/8"	600 lbs.	22 lbs.
8000022	BPD-1826, PAN TRAY STORAGE CART	20 5/8"	27"	40"	850 lbs.	57 lbs.
8040004	AL-BPD-1826, PAN/TRAY STORAGE CART	22"	27"	32"	600 lbs.	25 lbs.
8040789	AL-BPD-2026-WOH, PAN/TRAY STORAGE	20"	27"	7"	600 lbs.	20 lbs.

Can't find exactly what you need? Give us a call and we'll help you with the perfect solution!

40.00"

VALULINE PLATTER AND BUN PAN RACK

These sturdy aluminum racks offer an economical and durable alternative to transporting and storing product on meat platters and bun pans.



FEATURES:

Sanitary aluminum materials

Valuline racks are 70% pre-assembled

Ship K.D. (knocked down) which saves money and reduces freight damage

Easy and quick assembly

Robotically welded (no rivets)

Unique corner clamping design ensures strength and reliability

REPLACEMENT PARTS:

(4) 5×1.25 " polyurethane stem casters. Replacement order #B000025




Easy bolt together assembly











Freight Class: 85 NMFC Code: 163980





Order#	Model	W	L	Н	Shelf Spacing	Pan Capacity	Weight
5040001	AL-1820-B-KD, KNOCK-DOWN RACK	20 1/2"	26"	69"	3"	20	25 1/2 lbs.

Z-STYLE NESTING PAN RACK

Ideal pan rack for the crowded back rooms. Racks are nestable when not in use to help conserve space, yet equal in strength to standard units.



FEATURES:

Z-Style nesting capabilities

Fully welded aluminum design

Save valuable space when storing these carts


Heavy duty construction

REPLACEMENT PARTS:


(4) 5" x 1.25" swivel casters with polyurethane wheels. Replacement order #B000312


Fasteners: Hex head cap screw order #B000221 and lock washer order #B000090

Shown Nested














Order#	Model	W		Н	Shelf Spacing	Pan Capacity	Weight
8041244	AL-1820, HD Z RACK	20 3/8"	26 5/8"	69 1/4"	3"	20 pans	55 lbs.

ALUMINUM WALL SHELVES

Maximize your square footage with an ideal product to help organize any working or storage area. Perfect for use above sinks and working surfaces for storage and organization without using valuable floor space. Creatively install our shelves to fit your individual needs.



FEATURES:

All aluminum construction


All welded sanitary aluminum tube

Easy installation

Sizes to fit any need


Solid surface shelves ship knocked down and require assembly





Bakery





Order#	Model	Description	W	D	Shelf Capacity	Weight
8040715	AL-WS-TB-2036, T-BAR WALL SHELF	Tube Shelf	36"	20"	700 lbs.	11 lbs
8040565	AL-WS-TB-2048, T-BAR WALL SHELF	Tube Shelf	48"	20"	600 lbs.	13 lbs.
8040716	AL-WS-TB-2060, T-BAR WALL SHELF	Tube Shelf	60"	20"	500 lbs.	16 lbs.
8040717	AL-WS-TB-2460, T-BAR WALL SHELF	Tube Shelf	60"	24"	500 lbs.	26 lbs.
8040718	AL-WS-TB-2036-PH, T-BAR WALL SHELF	Shelf With Pot Holders	36"	20"	700 lbs	15 lbs.
8040566	AL-WS-TB-2048-PH, T-BAR WALL SHELF	Shelf With Pot Holders	48"	20"	600 lbs.	21 lbs.
8040719	AL-WS-TB-2060-PH, T-BAR WALL SHELF	Shelf With Pot Holders	60"	20"	500 lbs.	26 lbs.
8040697	AL-WS-1224-KD SET	Solid Surface Shelf	24"	12"	200 lbs.	6 lbs.
8040698	AL-WS-1236-KD SET	Solid Surface Shelf	36"	12"	150 lbs.	8 lbs.
8040699	AL-WS-1248-KD SET	Solid Surface Shelf	48"	12"	125 lbs.	9 lbs.
8040700	AL-WS-1260-KD SET	Solid Surface Shelf	60"	12"	100 lbs.	10 lbs.

ADJUSTABLE SANI SHELVING

Adjustable Sani Shelving can be used in all of your departments. These shelves are perfect for coolers, freezers, prep areas, or wherever product or supplies must be stored. This product allows you to design shelving to meet your specific needs or situation, like using a tubular shelf for heavy boxed items on the bottom with solid shelves for small items on the top.





All welded sanitary aluminum tube

Great cleanliness and air circulation


2000 lb. unit capacity with evenly distributed weight

Heavy duty solid reinforced shelves are constructed from aluminum sheet metal with double reinforced and hemmed edges

All shelves of similar length and width are interchangeable

Uprights are made from heavy duty aluminum tube

Casters and wheels can be purchased and installed easily to increase shelf mobility.





To assemble, slide shelves in place and secure with set screw





48040165




Freight Class: 110 NMFC Code: 82273-S1

48040165 and 48040131 shown assembled







Order#	Model	Description	W	L	Laterals	Weight
8040103	AL-SAS-T-1530 HD ADJ SANI-SHELF	Tube Style	15"	30"	3	5 lbs.
8040104	AL-SAS-T-1536 HD ADJ SANI-SHELF	Tube Style	15"	36"	3	5 lbs.
8040105	AL-SAS-T-1542 HD ADJ SANI-SHELF	Tube Style 15" 42" 3		7 lbs.		
8040106	AL-SAS-T-1548 HD ADJ SANI-SHELF	Tube Style	15"	48"	3	8 lbs.
8040107	AL-SAS-T-1554 HD ADJ SANI-SHELF	Tube Style	15"	54"	3	9 lbs.
8040108	AL-SAS-T-1560 HD ADJ SANI-SHELF	Tube Style	15"	60"	3	9 lbs.
8040109	AL-SAS-T-1566 HD ADJ SANI-SHELF	Tube Style	15"	66"	3	10 lbs.
8040110	AL-SAS-T-1572 HD ADJ SANI-SHELF	Tube Style	15"	72"	3	11 lbs.
8040111	AL-SAS-T-1830 HD ADJ SANI-SHELF	Tube Style	18"	30"	3	7 lbs.
8040112	AL-SAS-T-1836 HD ADJ SANI-SHELF	Tube Style	18"	36"	3	8 lbs.
8040113	AL-SAS-T-1842 HD ADJ SANI-SHELF	Tube Style	18"	42"	3	9 lbs.
8040114	AL-SAS-T-1848 HD ADJ SANI-SHELF	Tube Style	18"	48"	3	10 lbs.
8040115	AL-SAS-T-1854 HD ADJ SANI-SHELF	Tube Style	18"	54"	3	11 lbs.
8040116	AL-SAS-T-1860 HD ADJ SANI-SHELF	Tube Style	18"	60"	3	12 lbs.
8040117	AL-SAS-T-1866 HD ADJ SANI-SHELF	Tube Style	18"	66"	3	13 lbs.
8040118	AL-SAS-T-1872 HD ADJ SANI-SHELF	Tube Style	18"	72"	3	14 lbs.
8040119	AL-SAS-T-2030 HD ADJ SANI-SHELF	Tube Style	20"	30"	4	7 lbs.
8040120	AL-SAS-T-2036 HD ADJ SANI-SHELF	Tube Style	20"	36"	4	8 lbs.
8040121	AL-SAS-T-2042 HD ADJ SANI-SHELF	Tube Style	20"	42"	4	9 lbs.
48040122	AL-SAS-T-2048 HD ADJ SANI-SHELF	Tube Style	20"	48"	4	10 lbs.
8040123	AL-SAS-T-2054 HD ADJ SANI-SHELF	Tube Style	20"	54"	4	11 lbs.
8040124	AL-SAS-T-2060 HD ADJ SANI-SHELF	Tube Style	20"	60"	4	12 lbs.
8040125	AL-SAS-T-2066 HD ADJ SANI-SHELF	Tube Style	20"	66"	4	13 lbs.
8040126	AL-SAS-T-2072 HD ADJ SANI-SHELF	Tube Style	20"	72"	4	14 lbs.
8040127	AL-SAS-T-2096 HD ADJ SANI-SHELF	Tube Style	20"	96"	4	19 lbs.
8040128	AL-SAS-T-2430 HD ADJ SANI-SHELF	Tube Style	24"	30"	5	9 lbs.
8040129	AL-SAS-T-2436 HD ADJ SANI-SHELF	Tube Style	24"	36"	5	10 lbs.
8040130	AL-SAS-T-2442 HD ADJ SANI-SHELF	Tube Style	24"	42"	5	11 lbs.
48040131	AL-SAS-T-2448 HD ADJ SANI-SHELF	Tube Style	24"	48"	5	12 lbs.
8040132	AL-SAS-T-2454 HD ADJ SANI-SHELF	Tube Style	24"	54"	5	14 lbs.
8040133	AL-SAS-T-2460 HD ADJ SANI-SHELF	Tube Style	24"	60"	5	15 lbs.
8040134	AL-SAS-T-2472 HD ADJ SANI-SHELF	Tube Style	24"	72"	5	18 lbs.
8040135	AL-SAS-T-2496 HD ADJ SANI-SHELF	Tube Style	24"	96"	5	24 lbs.
8040136	AL-SAS-SR-1530 HD SLD DK ADJ SANI-S	Solid Reinforced	15"	30"	1	6 lbs.
8040137	AL-SAS-SR-1536 HD SLD DK ADJ SANI-S	Solid Reinforced	15"	36"	1	7 lbs.

Order#	Model	Description	W	L	Laterals	Weight
8040138	AL-SAS-SR-1542 HD SLD DK ADJ SANI-S	Solid Reinforced	15"	42"	1	7 lbs.
8040139	AL-SAS-SR-1548 HD SLD DK ADJ SANI-S	Solid Reinforced	15"	48"	1	8 lbs.
8040140	AL-SAS-SR-1554 HD SLD DK ADJ SANI-S	Solid Reinforced	15"	54"	1	9 lbs.
8040141	AL-SAS-SR-1560 HD SLD DK ADJ SANI-S	Solid Reinforced	15"	60"	2	12 lbs.
8040142	AL-SAS-SR-1830 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	30"	1	6 lbs.
8040143	AL-SAS-SR-1836 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	36"	1	7 lbs.
8040144	AL-SAS-SR-1842 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	42"	1	8 lbs.
8040145	AL-SAS-SR-1848 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	48"	1	9 lbs.
8040146	AL-SAS-SR-1854 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	54"	2	12 lbs.
8040147	AL-SAS-SR-1860 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	60"	2	13 lbs.
8040148	AL-SAS-SR-2030 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	30"	2	8 lbs.
8040149	AL-SAS-SR-2036 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	36"	2	9 lbs.
8040150	AL-SAS-SR-2042 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	42"	2	10 lbs.
8040151	AL-SAS-SR-2048 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	48"	2	11 lbs.
8040152	AL-SAS-SR-2054 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	54"	2	12 lbs.
8040153	AL-SAS-SR-2060 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	60"	2	13 lbs.
8040154	AL-SAS-SR-2430 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	30"	2	8 lbs.
8040155	AL-SAS-SR-2436 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	36"	2	10 lbs.
8040156	AL-SAS-SR-2442 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	42"	2	11 lbs.
48040157	AL-SAS-SR-2448 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	48"	2	12 lbs.
8040158	AL-SAS-SR-2454 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	54"	2	13 lbs.
8040159	AL-SAS-SR-2460 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	60"	2	15 lbs.
8040515	AL-SAS-TB-1536 HD ADJ SANI-SHELF	T-Bar Style	15"	36"	9	7 lbs.
8040522	AL-SAS-TB-1830 HD ADJ SANI-SHELF	T-Bar Style	18"	30"	7	7 lbs.
8040523	AL-SAS-TB-1846 HD ADJ SANI-SHELF	T-Bar Style	18"	36"	9	8 lbs.
8040525	AL-SAS-TB-1848 HD ADJ SANI-SHELF	T-Bar Style	18"	48"	11	10 lbs.
8040526	AL-SAS-TB-1854 HD ADJ SANI-SHELF	T-Bar Style	18"	54"	12	11 lbs.
8040542	AL-SAS-TB-2448 HD ADJ SANI-SHELF	T-Bar Style	24"	48"	11	12 lbs.
8040160	AL-SAS-P12 POLE W/PLUG B.E.	Upright Poles	-	12"	-	1.0 lbs.
8040161	AL-SAS-P34 POLE W/PLUG B.E.	Upright Poles	-	34"	-	2.0 lbs.
8040162	AL-SAS-P48 POLE W/PLUG B.E.	Upright Poles	-	48"	-	2.5 lbs.
48040164	AL-SAS-P68 POLE W/PLUG B.E.	Upright Poles	-	68"	-	3.5 lbs.
48040165	AL-SAS-P76 POLE W/PLUG B.E.	Upright Poles	-	76"	-	4.0 lbs.
48040166	AL-SAS-P84 POLE W/PLUG B.E.	Upright Poles	-	84"	-	4.5 lbs.
1500036	AL-SAS-C5	5 x 1.25" Swivel Caster	-	-	-	2.25 lbs.

ALUMINUM CANTILEVERED SHELVING

This versatile shelving system can be used in all departments. Its cantilevered design allows easy access from three sides and has a fully welded aluminum frame for extra strength.

These units are usually placed in rows along cooler walls and are perfect for use in freezers, coolers, or preparation areas.



FEATURES:

Fully welded heavy duty aluminum frame

Custom design shelving system to fit specific areas

Virtually eliminates wasted floor space.

No anchoring required

Easily adjustable (no tools required)

700 lb. capacity per shelf

Available in tubular, T-bar, and solid reinforced styles

REPLACEMENT PARTS:

Comes with leg levelers. Replacement Order #B000194





into frame






2. Push shelf

3. Installation complete





Order#	Model	W	L	Н	Weight
8041022	AL-CS-2436 CANTILEVERED SHELF FRAME	24"	36"	72"	26.5 lbs.
8041023	AL-CS-2448 CANTILEVERED SHELF FRAME	24"	48"	72"	28 lbs.
8041024	AL-CS-2460 CANTILEVERED SHELF FRAME	24"	60"	72"	39 lbs.
8041025	AL-2436-SCS, SOLID CANTILEVER SHELF	24"	32 3/4"	2.5"	12.5 lbs.
8041026	AL-2436-TBCS, TBAR CANTILEVER SHELF	24"	32 3/4"	2.5"	11 lbs.
8041027	AL-2436-TUCS, TUBE CANTILEVER SHELF	24"	32 3/4"	2.5"	8.5 lbs.
8041028	AL-2448-SCS, SOLID CANTILEVER SHELF	24"	44 3/4"	2.5"	15.5 lbs.
8041029	AL-2448-TBCS, TBAR CANTILEVER SHELF	24"	44 3/4"	2.5"	13.5 lbs.
8041030	AL-2448-TUCS, TUBE CANTILEVER SHELF	24"	44 3/4"	2.5"	10 lbs.
8041031	AL-2460-SCS, SOLID CANTILEVER SHELF	24"	56 3/4"	2.5"	19 lbs.
8041032	AL-2460-TBCS, TBAR CANTILEVER SHELF	24"	56 3/4"	2.5"	16 lbs.
8041033	AL-2460-TUCS, TUBE CANTILEVER SHELF	24"	56 3/4"	2.5"	24 lbs.

COOLER SHELVING

This free standing unit is perfect for all coolers and prep rooms.

Cooler Shelving keeps merchandise off of the floor while allowing maximum air flow and maintaining product freshness.

These are also a great way to increase the storage capacity of your walk in coolers.



FEATURES

Heavy duty aluminum sanitary tube construction


Unit comes fully welded with 4 leg levelers for sloping cooler floors

Spacing of shelves allows for maximum air flow

Convenient shelf height


REPLACEMENT PARTS:

Optional leg levelers available. Replacement Order #B000194









Order#	Model	W	L	Н	# of Shelves	Weight	Capacity per Shelf
8040309	AL-CS-2060-2, AL COOLER SHELF W/2	20"	60"	60"	2	35 lbs.	1,500 lbs.
8040312	AL-CS-2072-2, AL COOLER SHELF W/2	20"	72"	60"	2	38 lbs.	1,500 lbs.
8040315	AL-CS-2436-2, AL COOLER SHELF W/2	24"	36"	60"	2	31 lbs.	1,500 lbs.
8040318	AL-CS-2448-2, AL COOLER SHELF W/2	24"	48"	60"	2	35 lbs.	1,500 lbs.
8040321	AL-CS-2460-2, AL COOLER SHELF W/2	24"	60"	60"	2	40 lbs.	1,500 lbs.
8040324	AL-CS-2472-2, AL COOLER SHELF W/2	24"	72"	60"	2	44 lbs.	1,500 lbs.
8040304	AL-CS-2036-3, AL COOLER SHELF W/3	20"	36"	60"	3	33 lbs.	1,500 lbs.
8040307	AL-CS-2048-3, AL COOLER SHELF W/3	20"	48"	60"	3	39 lbs.	1,500 lbs.
8040310	AL-CS-2060-3, AL COOLER SHELF W/3	20"	60"	60"	3	45 lbs.	1,500 lbs.
8040313	AL-CS-2072-3, AL COOLER SHELF W/3	20"	72"	60"	3	51 lbs.	1,500 lbs.
8040316	AL-CS-2436-2, AL COOLER SHELF W/2	24"	36"	60"	3	39 lbs.	1,500 lbs.
8040319	AL-CS-2448-3, AL COOLER SHELF W/3	24"	48"	60"	3	46 lbs.	1,500 lbs.
8040322	AL-CS-2460-3, AL COOLER SHELF W/3	24"	60"	60"	3	54 lbs.	1,500 lbs.
8040325	AL-CS-2472-3, AL COOLER SHELF W/3	24"	72"	60"	3	61 lbs.	1,500 lbs.
8040323	AL-CS-2460-4, AL COOLER SHELF W/4	24"	60"	60"	4	67 lbs.	1,500 lbs.
8040320	AL-CS-2448-4, AL COOLER SHELF W/4	24"	48"	60"	4	59 lbs.	1,500 lbs.
8040317	AL-CS-2436-4, AL COOLER SHELF W/4	24"	36"	60"	4	47 lbs.	1,500 lbs.

MOBILE COOLER/FREEZER SHELF TRUCK

This all welded sanitary aluminum shelf truck is perfect for storage in meat, produce, dairy, deli and bakery coolers.

Saves labor by putting your product on wheels.



FEATURES:

Constructed from rectangular heavy duty aluminum tube

Moves easily under heavy loads


Will withstand drastic temperature changes from freezer to prep area

REPLACEMENT PARTS:

(2) rigid 6" x 2" polyurethane casters. Replacement Order #B000507.


(2) swivel 6" x 2" polyurethane casters. Replacement Order #B000508.

Fastener Replacement Order #B000060 and #B001225











Freight Class: 150

NMFC Code: 164390-S4





Order#	Model	W	L	Н	# of Shelves	Weight	Cart Capacity
8040236	AL-AMC-2051-2 MOBILE COOLER TRUCK	20"	51"	67 1/2"	2	63 lbs.	2000 lbs.
8040237	AL-AMC-2051-3 MOBILE COOLER TRUCK	20"	51"	67 1/2"	3	55 lbs.	2000 lbs.
8040239	AL-AMC-2063-3 MOBILE COOLER TRUCK	20"	63"	67 1/2"	3	65 lbs.	2000 lbs.
8040240	AL-AMC-2451-2 MOBILE COOLER TRUCK	24"	51"	67 1/2"	2	65 lbs.	2000 lbs.
8040382	AL-AMC-2451-3 MOBILE COOLER TRUCK	24"	51"	67 1/2"	3	63 lbs.	2000 lbs.
8040243	AL-AMC-2463-2 MOBILE COOLER TRUCK	24"	63"	67 1/2"	2	65 lbs.	2000 lbs.
8040244	AL-AMC-2463-3 MOBILE COOLER TRUCK	24"	63"	67 1/2"	3	66 lbs.	2000 lbs.
8040246	AL-AMC-2763-2 MOBILE COOLER TRUCK	27"	63"	67 1/2"	2	72 lbs.	2000 lbs.
8040248	AL-AMC-2763-3 MOBILE COOLER TRUCK	27"	63"	67 1/2"	3	65 lbs.	2000 lbs.

MOBILE COOLING RACK

The ideal rack for the cooling, storage, transporting or merchandising of bakery and other departmental products.



8040170 Shown

FEATURES:

Welded sanitary aluminum tube

Removable shelves constructed from heavy gauge zinc plated steel wire

Shelves allow maximum air circulation and product visibility

OPTIONS:

Two foot brakes on opposite corners of rack (inquire with your customer service representative)

REPLACEMENT PARTS:

(4) 5" x 1.25" swivel stem caster with polyurethane wheel. Replacement order #B000025


Replacement Shelf #B000163















Order#	Model	W	L	т	Shelf Spacing	Weight	Cart Capacity
8040170	AL-CR-2448-6-WS MOBILE COOLING RACK	26"	48"	68"	11"	95 lbs.	800 lbs.

PREPARATION TABLES

These heavy duty tables are perfect for all departments that require food preparation and will provide the perfect surface for all preparation needs.



8040286

8040262



FEATURES:

Table frame constructed from all welded sanitary aluminum tube

Adjustable leg levelers on all models

Unit comes in a variety of sizes and styles

Can be supplied with a stainless steel or thick polytop

Back splashes are constructed from Stainless Steel

Lower shelves are constructed from aluminum

Table Frames with Stainless Steel Top and Backsplash

Order#	Model	W	L	Н	Weight
8041018	AL-ATF-2436-ST-BS,SS TOP W/BACKSPSH	24"	36"	40"	20 lbs.
8041035	AL-ATF-2448-ST-BS,SS TOP W/BACKSPSH	24"	48"	40"	22 lbs.
8040973	AL-ATF-2460-ST-BS,SS TOP W/BACKSPSH	24"	60"	40"	24 lbs.
8041136	AL-ATF-2472-ST-BS TABLE W/SS TOP+BS	24"	72"	40"	26 lbs.
8041137	AL-ATF-2484-ST-BS TABLE W/SS TOP+BS	24"	84"	40"	29 lbs.
8041138	AL-ATF-2496-ST-BS TABLE W/SS TOP+BS	24"	96"	40"	31 lbs.
8040974	AL-ATF-3036-ST-BS,SS TOP W/BACKSPSH	30"	36"	40"	21 lbs.
8041134	AL-ATF-3048-ST-BS,SS TOP W/BACKSPSH	30"	48"	40"	23 lbs.
8040975	AL-ATF-3060-ST-BS,SS TOP W/BACKSPSH	30"	60"	40"	25 lbs.
8040976	AL-ATF-3072-ST-BS,SS TOP W/BACKSPSH	30"	72"	40"	27 lbs.
8040977	AL-ATF-3084-ST-BS,SS TOP W/BACKSPSH	30"	84"	40"	30 lbs.
8040978	AL-ATF-3096-ST-BS,SS TOP W/BACKSPSH	30"	96"	40"	32 lbs.

Table Frames with Stainless Steel Top and No Backsplash

Order#	Model	W		Н	Weight
8040273	AL-ATF-2436-ST TABLE FRAME W/SS TOP	24"	36"	34"	37 lbs.
8040274	AL-ATF-2448-ST TABLE FRAME W/SS TOP	24"	48"	34"	48 lbs.
8040275	AL-ATF-2460-ST TABLE FRAME W/SS TOP	24"	60"	34"	53 lbs.
8040276	AL-ATF-2472-ST TABLE FRAME W/SS TOP	24"	72"	34"	63 lbs.
8040277	AL-ATF-2484-ST TABLE FRAME W/SS TOP	24"	84"	34"	73 lbs.
8040278	AL-ATF-2496-ST TABLE FRAME W/SS TOP	24"	96"	34"	84 lbs.
8040279	AL-ATF-3036-ST TABLE FRAME W/SS TOP	30"	36"	34"	44 lbs.
8040280	AL-ATF-3048-ST TABLE FRAME W/SS TOP	30"	48"	34"	54 lbs.
8040281	AL-ATF-3060-ST TABLE FRAME W/SS TOP	30"	60"	34"	63 lbs.
8040282	AL-ATF-3072-ST TABLE FRAME W/SS TOP	30"	72"	34"	73 lbs.
8040283	AL-ATF-3084-ST TABLE FRAME W/SS TOP	30"	84"	34"	84 lbs.
8040284	AL-ATF-3096-ST TABLE FRAME W/SS TOP	30"	96"	34"	93 lbs.






Table Frames with Poly Top and No Back Splash

Order#	Model	W	L	Н	Weight
8040261	AL-ATF-2436-PT TABLE FRAME W/POLY	24"	36"	34"	43 lbs.
8040262	AL-ATF-2448-PT TABLE FRAME W/POLY	24"	48"	34"	53 lbs.
8040263	AL-ATF-2460-PT TABLE FRAME W/POLY	24"	60"	34"	62 lbs.
8040264	AL-ATF-2472-PT TABLE FRAME W/POLY	24"	72"	34"	72 lbs.
8040265	AL-ATF-2484-PT TABLE FRAME W/POLY	24"	84"	34"	83 lbs.
8040266	AL-ATF-2496-PT TABLE FRAME W/POLY	24"	96"	34"	92 lbs.
8040267	AL-ATF-3036-PT TABLE FRAME W/POLY	30"	36"	34"	44 lbs.
8040268	AL-ATF-3048-PT TABLE FRAME W/POLY	30"	48"	34"	54 lbs.
8040269	AL-ATF-3060-PT TABLE FRAME W/POLY	30"	60"	34"	63 lbs.
8040270	AL-ATF-3072-PT TABLE FRAME W/POLY	30"	72"	34"	73 lbs.
8040271	AL-ATF-3084-PT TABLE FRAME W/POLY	30"	84"	34"	84 lbs.
8040272	AL-ATF-3096-PT TABLE FRAME W/POLY	30"	96"	34"	93 lbs.

Under Shelf for Both Sets of Table Frames

Order#	Model	W	L	Н	Weight
8040285	AL-AUS-2436 AL. UNDER SHELF	12 1/2"	36"	NA	9 lbs.
8040286	AL-AUS-2448 AL. UNDER SHELF	12 1/2"	48"	NA	11 lbs.
8040287	AL-AUS-2460 AL. UNDER SHELF	12 1/2"	60"	NA	13 lbs.
8040288	AL-AUS-2472 AL. UNDER SHELF	12 1/2"	72"	NA	16 lbs.
8040289	AL-AUS-2484 AL. UNDER SHELF	12 1/2"	84"	NA	18 lbs.
8040290	AL-AUS-2496 AL. UNDER SHELF	12 1/2"	96"	NA	20 lbs.
8040291	AL-AUS-3036 AL. UNDER SHELF	18 1/4"	36"	NA	12 lbs.
8040292	AL-AUS-3048 AL. UNDER SHELF	18 1/4"	48"	NA	14 lbs.
8040293	AL-AUS-3060 AL. UNDER SHELF	18 1/4"	60"	NA	17 lbs.
8040294	AL-AUS-3072 AL. UNDER SHELF	18 1/4"	72"	NA	20 lbs.
8040295	AL-AUS-3084 AL. UNDER SHELF	18 1/4"	84"	NA	23 lbs.
8040296	AL-AUS-3096 AL. UNDER SHELF	18 1/4"	96"	NA	25 lbs.

Backsplashes for Tables with Poly Top


Order#	Model	W	L	Н	Weight
8040404	BACKSPLASH, 48.00 SS	NA	48"	6"	13 lbs
8040405	BACKSPLASH, 36.00 SS	NA	36"	6"	11 lbs.
8040406	BACKSPLASH, 96.00 SS	NA	96"	6"	21 lbs.
8040407	BACKSPLASH, 72.00 SS	NA	72"	6"	17 lbs.
8040409	BACKSPLASH, 60.00 SS	NA	60"	6"	15 lbs.
8040479	BACKSPLASH, 84.0 SS	NA	84"	6"	19 lbs.

WHEN ORDERING SHELVES, MATCH UP THE LENGTH OF YOUR TABLE WITH THE LENGTH OF THE SHELF

THERMAL WRAPPER

Easily seal in the freshness and prolong the shelf life of your products.

Our new Thermal Wrapping station is an essential edition to any meat, seafood or prepared foods department.



Stainless steel and aluminum prep tables are also available. Contact your sales representative for more information

FEATURES:

Constructed from heavy duty aluminum and stainless steel

Heated cut off rod

Non stick Teflon cover on hot plate

Powered by standard US power outlet

Fully assembled and ready to use

Can ship Fed Ex / UPS

1 year warranty

REPLACEMENT PARTS:

Fuse order# 5000148

Cut Off Bar Assembly order# 5000565

Teflon Cover order# 5000553


Hot Plate Assembly order# 5000569


Film Bar Assembly order# 5000573






Freight Class: 85 NMFC Code: 186590







Order#	Model	W	اــ	Η	Weight
5000156	THERMAL HANDWRAP 1-ROLL	23"	26"	8"	28 lbs.

CART CORRALS







PRODUCT APPLICATIONS: Custom Cart Corral Signage55-56
Accesories
Cart Corral Ballast57-58
Standard Signage59-60
Architectural
Ornamental Cart Corral
Ornamental Covered Cart Corral63-64
Bumpered Corrals
Snap Too Bumper Corral - Arc Style 65-66
Snap Too Bumper Corral - Classic Style67-68
Covered Corrals
Ornamental Covered Cart Corral63-64
Canvas Covered Cart Corral
Metal Covered Cart Corral
Classic Series
360 Series Cart Corral73-74
361 Series Cart Corral75-76
600 Series Cart Corral
601 Series Cart Corral79-80
602 Series Cart Corral81-82
603 Series Cart Corral83-84
720 Series Cart Corral
721 Series Cart Corral
900 Series Cart Corral
901 Series Cart Corral91-92
Embedded Cart Corral93-94
Express Carts Dual Cart Corral95-96
Sidewalk Cart Corral97-98
Snap Too Series
Snap Too 360 Series99-100
Snap Too 720 Series
Snap Too 721 Bidirectional
Snap Too 721 Series
Snap Too Bumper Corral - Arc Style65-66
Snap Too Bumper Corral - Classic Style









NATIONAL CART CO. CAN REDUCE YOUR FREIGHT COSTS WITH SPECIAL VOLUME AND FREIGHT DISCOUNTS!

Inquire with one of our customer service representatives when ordering.

For Product Safety and Operation Manuals please visit our website at www.nationalcart.com

QUICK CHANGE SIGN FRAME & CUSTOM SIGNAGE

Quickly customize your cart corral signage and get the most out of your parking lot!

Why not make an impression on your customers right when they enter the parking lot? Get the most out of your cart corral by supporting your branding messages and add additional features to your cart corrals. Cart corral signs and ballards are the perfect height and location to catch customers' attention The possibilities are endless!

QUICK CHANGE SIGN FRAME:

The quick change sign frame can be mounted to any of our standard cart corrals for the fastest way to update your parking lot signage! Great for advertising store specials or greeting customers during the holidays.



FEATURES:

Custom signage easily slides in from the side

Mountable retrofit sign frame with hardware included

Holds signs 20" x 55.5"


Available for ordering as factory-mounted with cart corral included. Inquire within.


Ship Weight: 15 lbs

Overall Dims: 58.6" W x 20.4" H x 1" D

Order #8030482

Model: CC SIGN FRAME, CHANGEABLE








STORE PROMOTIONS

"Bring Your Returnable Bags"

"Get Your Prescription Filled Here"

"Visit Our Full Service Bakery"



CUSTOM GRAPHICS

Silk screening and printing option

Add your stores logo, motto, and branded colors



ADVERTISING

"Double Coupons"

Consumer Product Group Advertising opportunities



HOW TO ORDER CUSTOM SIGNAGE:

- 1. Call your customer service representative
- 2. Provide your cart corral model and order number
 - 3. Full description of your cart corral signage vision


Standard signage is also available.

Refer to our Standard Signage page for options.



CART CORRAL BALLAST

Provide additional holding power without losing the flexibility of moving your cart corrals. This ballast will save your parking lot from permanenant drill holes.



FEATURES:

18-Galv powder-coated lid mounts to plastic ballast using phillips and 8 fasteners provided

Plastic ballast made of polyethylene plastic


Ballast attaches to cart corral side rail with strategic molded design

No protruding edges to damage vehicles or carts

Ballast is designed to hold 100 lbs. of sand (sand not included)

OPTIONS:

Blue UV protected color (inquire to your customer service representative for addional color options)





Ballast attaches to cart corral rail



Freight Class: 250

NMFC Code: 164390-S3







Order#	Model	W	L	Н	Weight
5030002	CC-BALLAST W/GALV LID, PMS 285C	5"	47.5"	9.8"	16 lbs.

STANDARD SIGNAGE

Cart Corrals are not complete without our weather resistant signs.

These durable signs are legible from all areas of your parking lot. Custom signage is also available to meet your special needs.



FEATURES:

Heavy gauge galvanized steel substrate for 24" x 48" & larger

Durable powder coated finish

High quality silk screen printing

OPTIONS:

Custom signage available (Refer to our signage capabilities page for more options)

Bilingual signs available (inquire with your customer service representatives)

3030059

PLEASE RETURN **CARTS HERE** THANK YOU

Please Return Carts Here We cannot be responsible for damage caused

Your cooperation helps us keep prices low. We cannot be responsible for damage call by shopping carts left in our parking lot.

by shopping carts left in our parking lot.

Please Return Carts Here 3030181 Your cooperation helps us keep prices low. We cannot be responsible for damage caused by shopping carts left in our parking lot.

3030067

SAFE

3030054

PLEASE RETURN **CARTS HERE**

THANK YOU 3030288



Freight Class: 70


NMFC Code: 176050-9





3030054

3030059







THANK YOU

48.00"

Order#	Model	W	Н
3030051	CCS-1216-1030 SIGN, 2-FACED RED/WHT	16"	12"
3030054	CCS-1622-1424 SIGN RED/WHT	22"	16"
3030067	CCS-2448-1424 SIGN RED/WHT	48"	24"
3030059	CCS-2448-0597B, WHT BKG/RED PRNT	48"	24"
3030181	CCS-2766-1424 WHITE BG/RED PRINT	66"	27"
3030288	CCS-2766-0597B, WHT BKG/RED PRNT	66"	27"



ORNAMENTAL CART CORRAL

Enjoy all of the benefits of our quality cart corrals with added ornamental iron design and durability.

This upscale corral has heavy-duty, durable construction and can endure years of tough usage in parking lots. These units are designed to increase the architectural aesthetics of your parking lot.











FEATURES:

Upscale ornamental iron style

Constructed of heavy-duty galvanized mechanical square tubing that provides years of superior durability

Heavy-duty design helps keep unit in place, but can be moved for snow plow operations or repositioned for traffic flow

Steel is topcoated with Super Durable Siliconized Polyester powder-coat, specifically formulated for outdoor use

Increased visibility with upscale design

Ships knocked down for freight savings

Quick and easy assembly

OPTIONS:

Single or Double entry

Anchors

Header available in the entry or rear of the corral

Shopping cart rub rail can be galvanized finish or powder coat finish

Available with or without center lane divider


Custom signage available, sold separately







Freight Class: 250

NMFC Code: 164390-S3







PLEASE CALL TO ORDER CUSTOM COLORS, DESIGN, AND HEADER ENTRY'S AVAILABLE ALSO AVAILABLE IN ROOF STYLE

ORNAMENTAL COVERED CART CORRAL

National Cart's Ornamental Covered Cart Corral is designed to make a lasting first impression when customers first enter your parking lot.

This upscale corral has a heavy-duty, durable construction that can endure years of tough usage in your parking lot. The architectural styling of the corral can easily be modified to meet local city ordinances and the ornamental, iron look will add style and compliment your store's brand in the parking lot.









Shown with concrete ballast



Shown with decorative lattice and finials



Shown with decorative lattice

Custom Colors Available



FEATURES:

The high visibility of the peaked roof welcomes customers and leads them to proper cart return

Upscale ornamental iron, covered style increases store branding opportunities

Custom engineered pre-cast concrete curbs secure the corral without the need of anchors, core drilling, or pouring cement

Constructed of heavy duty galvanized mechanical square tubing that provides years of interior and exterior corrosion protection

Steel is top coated with Super Durable
Siliconized Polyester powder-coat specifically
formulated for longevity in outdoor service

Stainless steel hardware and hot-dip galvanized leg levelers allow the corral to be leveled across inconsistent parking lot grade

Tinted twin-wall polycarbonate roof panels let light shine through, while protecting your assets from the elements

Full length exterior and interior bumpers protect car doors and shopping carts

Shopping cart return signage

Ships knocked down for freight savings

OPTIONS:


Additional roof styles, designs, and colors available

Decorative lattice and finials

Decorative flower boxes


Single or Double entry






Freight Class: 250

NMFC Code: 164390-S3





PLEASE CALL TO ORDER.


CUSTOM COLORS, DESIGN, COLORS, AND ROOF STYLES AVAILABLE.

SNAP TOO BUMPER CORRAL - ARC STYLE

Enjoy all of the benefits of our quality cart corrals with less work. National Cart's SNAP TOO Bumper Cart Corral is specifically designed to reduce damage to your customers car doors.

These units can be designed to match your store's color identity/logo and increase branding opportunities. Just like our other cart corrals, this one has a modular design that makes replacement parts a snap, while providing a hassle free assembly that takes minutes and requires no tools or skilled labor.







Red, Blue, Green, and Gray Standard Colors



Full Colored Graphics available on Side Bumpers

Custom Colors Available



FEATURES:

Increased visibility

Bumpered side panels protect your customers car doors from scratches and dents

Keeps loose carts secure while reducing loss prevention claims

Heavy gauge galvanized mechanical steel tubing provides superior durability

Durable powder coat finish on entry hoop and sign frame


Recessed base plate reduces tripping hazard

Corral comes with Shopping Cart Sign

OPTIONS:

Single or Double entry


Anchors







78.00" OD or 101.00" OD

Freight Class: 250 NMFC Code: 164390-S3







Please indicate color when ordering. Red, Blue, Green, and Gray come standard. Custom colors available.

Order#	Model	W	L	Н	Entry	Weight
8030390	Snap Too Bumper Corral - Arc Style Two Bay	78"	170"	110"	Single	265 lbs.
8030391	Snap Too Bumper Corral - Arc Style Four Bay	78"	340"	110"	Double	480 lbs.
8030392	Snap Too Bumper Corral - Arc Style Three Bay	101"	170"	110"	Single	281 lbs
8030393	Snap Too Bumper Corral - Arc Style Six Bay	101"	340"	110"	Double	502 lbs.

SNAP TOO BUMPER CORRAL - CLASSIC STYLE

Enjoy all of the benefits of our quality cart corrals with less work. National Cart's SNAP TOO Bumper Cart Corral is specifically designed to reduce damage to your customers car doors.


These units can be designed to match your store's color identity/logo and increase branding opportunities. Just like our other cart corrals, this one has a modular design that makes replacement parts a snap while providing a hassle free assembly that takes minutes and requires no tools or skilled labor.



EDBUHÁ BE YONED



Red, Blue, Green, and Gray Standard Colors





Full Colored Graphics available on Side Bumpers

Custom Colors Available



FEATURES:

Increased visibility

Bumpered side panels protect your customers car doors from scratches and dents

Keeps loose carts secure while reducing loss prevention claims

Heavy gauge galvanized mechanical steel tubing provides superior durability

Recessed base plate reduces tripping hazard

Corral comes with "Please Return Carts Here" sign

OPTIONS:

Single or Double entry

Anchors










Optional Anchor




Freight Class: 250 NMFC Code: 164390-S3









Please indicate color when ordering. Red, Blue, Green, and Gray come standard. Custom colors available.

Order#	Model	W	L	Н	Entry	Weight
8030394	Snap Too Bumper Corral - Classic Style Two Bay	78"	170"	92"	Single	265 lbs.
8030395	Snap Too Bumper Corral - Classic Style Four Bay	78"	340"	92"	Double	480 lbs.
8030396	Snap Too Bumper Corral - Classic Style Three Bay	101"	170"	92"	Single	281 lbs.
8030397	Snap Too Bumper Corral - Classic Style Six Bay	101"	340"	92"	Double	502 lbs.


Can't find exactly what you need? Give us a call and we'll help you with the perfect solution!

CANVAS COVERED CART CORRAL

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts. Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.

Covered cart corrals provide superior protection for your carts from harmful weather conditions and ultra violet rays.





FEATURES:

Heavy duty flow coat galvanized mechanical steel

tubing provides superior durability

Canvas roof provides superior protection of carts

18-gauge galvanized steel signs with durable powder coated finish and silk screen printing

Easily assembled and can be anchored for maximum stability

Interior corrosion resistant coating

Comes with required anchors

OPTIONS:

Canvas comes in a variety of colors to coordinate


with your store identity (red, blue, and green)

 (custom colors are also available, inquire with your customer service representative)

Custom signage is available

Installation is available

Disclaimer: Check your local wind load ordinance before ordering. Unit may not meet requirements. (Inquire with your local building ordinance)








8030054 Shown

Freight Class: 250

NMFC Code: 164390-S3







Cart Corral Order #	Model	W	L	Н	Weight
8030054	CC-NCCT-14 3-BAY,1-ENTRY UNIT WITHOUT CANVAS	7'4"	14′ 7″	9'	690 lbs.

When ordering, please indicate the cart corral unit order number and the tarp order number. Custom colors are also available.

Tarp Order #	Model	W	L	Н	Weight
5000541	CANVAS, HUNTER GREEN	15"	30"	15"	20 lbs.
5000542	CANVAS, BLUE	15"	30"	15"	20 lbs.
5000543	CANVAS, RED	15"	30"	15"	20 lbs.

METAL COVERED CART CORRAL

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts. Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.

Covered cart corrals provide superior protection for your carts from harmful weather conditions and ultra violet rays.

8030289 Shown

FEATURES:

Engineered to meet most wind load ordinances (inquire with NCC's engineering staff for further details)

Heavy duty galvanized square tube frame

29-gauge corrugated Galvalume roof panels

18-gauge galvanized steel signs with durable powder coated finish and silk screen printing

Easily assembled and anchored (required) for maximum stability. Unit will NOT move like competitors units have while under normal weather conditions

Polycarbonate side panels

OPTIONS:

Roof panels come in a variety of colors to coordinate with your store identity (red, white, or blue) • • (custom colors are also available, inquire with your customer service representative)

Installation is available


Standard sign: #3030288 Size 27" x 66" Text Style: 0597B

Disclaimer sign: #3030181 Size 27" x 66" Text Style:1424

Custom Signage Available



core drill and mix concrete to anchor J-Bolts



bolt together assembly



3030288




3030181 disclaimer sign




Cart Corrals




8030289 Shown



Freight Class: 250 NMFC Code: 164390-S3








Cart Corral Order#	Model	W	L	Н	Weight
8030341	CC-COVERED CART CORRAL 30' WHITE TOP	8′ 9″	30′	8′	1400 lbs.
8030342	CC-COVERED CART CORRAL 15' WHITE TOP	8' 9"	15′	8′	800 lbs.
8030351	CC-COVERED CART CORRAL 30' RED TOP	8' 9"	30′	8′	1400 lbs.
8030352	CC-COVERED CART CORRAL 15' RED TOP	8' 9"	15′	8′	800 lbs.
8030401	CC-COVERED CART CORRAL 30' BLUE TOP	8' 9"	30′	8′	1400 lbs.
8030289	CC-TYSFMR-15 COVERED CART CORRAL BLUE TOP	8′ 9″	15′	8′	700 lbs.

One sign per cart corral is included. Please indicate the sign order number when placing your order. To customize your sign, please contact your service representative. Other sign features are available on our sign page!

Sign Order#	Model	Н	W
3030181	CCS-2766-1424 WHITE BG/RED PRINT	27"	66"
3030288	CCS-2766-0597B, WHT BKG/RED PRNT	27"	66"

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts.

Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.





Single Entry Assembly



3030051

Double Entry Assembly

FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates

High density polyethylene sign with silk screen printing

Easily assembled and can be anchored for maximum stability

OPTIONS:

Side rail Length: 10 ft., 14 ft.

Single Entry or Double Entry

Anchors

Powder coat finish available (Inquire with your customer service representative)

Standard Sign #3030051 Size 12" x 16" Text Style: 1030


Disclaimer Sign: #3030054 Size 16" x 22" Text Style: 1424





Freight Class: 250

NMFC Code: 164390-S3



Cart Corral Order#	Model	W	L	Н	Entry	Weight
8030130	CC-360-10 3Wx10Lx8H SEGP	3′	10'	8′	Single	138 lbs.
8030131	CC-360-14 3Wx14Lx8H SEGP	3′	14′	8′	Single	184 lbs.
8030133	CC-360-20 3Wx20Lx8H DEGP	3′	20′	8′	Double	254 lbs.
8030134	CC-360-28 3Wx28Lx8H DEGP	3′	28′	8′	Double	325 lbs.
B000108	5" Lag Bolt Anchor	-	-	=	-	=

One sign per cart corral is included. Please indicate the sign order number when placing your order. To customize your sign, please contact your customer service representative. Other sign features are available on our sign page!

Sign Order #	Model	Τ	W
3030051	CCS-1216-1030 SIGN, 2-FACED RED/WHT	12"	16"
3030054	CCS-1622-1424 SIGN RED/WHT	16"	22"

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts.

Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.

LEASE RETURN CARTS HERE THANK YOU 8030136 Shown **Optional Anchor** 3030059 standard sign

Double Entry Assembly

FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates

18- gauge galvanized steel signs with durable powder coated finish and silk screen printing

Easily assembled and can be anchored for maximum stability

OPTIONS:

Side rail Length: 10 ft., 14 ft.

Single Entry or Double Entry

Anchors

Powder coat finish available (Inquire with your customer service representative)

Standard Sign #3030059 Size 24" x 48" Text Style: 0597B

Disclaimer sign #3030067 Size 24" x 48" Text Style: 1424


Custom Signage Available



Single Entry Assembly

Cart Corrals






Cart Corral Order #	Model	W	L	Н	Entry	Weight
8030136	CC-361-10 3Wx10Lx8H SEGP	3′	10'	8′	Single	169 lbs.
8030137	CC-361-14 3Wx14Lx8H SEGP	3′	14′	8′	Single	215 lbs.
8030139	CC-361-20 3Wx20Lx8H DEGP	3′	20′	8′	Double	269 lbs.
8030140	CC-361-28 3Wx28Lx8H DEGP	3′	28′	8′	Double	338 lbs
B000108	5" Lag Bolt Anchor	-	-	-	-	-

One sign per cart corral is included. Please indicate the sign order number when placing your order. To customize your sign, please contact your service representative. Other sign features are available on our sign page!

Sign Order #	Model	Н	W		
3030067	3030067 CCS-2448-1424 SIGN RED/WHT				
3030059	CCS-2448-0597B, WHT BKG/RED PRNT	24"	48"		


Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts.

Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.









FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates

High density polyethylene sign with silk screen printing

Easily assembled and can be anchored for maximum stability

OPTIONS:

Side rail Length: 10 ft., 14 ft.

Single Entry or Double Entry

Anchors

Powder coat finish available (Inquire with your customer service representative)

Standard Sign #3030051 Size 12" x 16" Text Style:1030

Disclaimer sign: #3030054 Size 16" x 22" Text Style: 1424






Double Entry Assembly




8030142 Shown


Freight Class: 250 NMFC Code: 164390-S3





Double Entry






Cart Corral Order#	Model	W	L	Н	Entry	Weight
8030142	CC-600-10 5Wx10Lx8H SEGP	5′	10'	8′	Single	156 lbs.
8030143	CC-600-14 5Wx14Lx8H SEGP	5′	14′	8′	Single	203 lbs.
8030145	CC-600-20 5Wx20Lx8H DEGP	5′	20′	8′	Double	276 lbs.
8030146	CC-600-28 5Wx28Lx8H DEGP	5′	28′	8′	Double	346 lbs.
B000108	5" Lag Bolt Anchor	-	-	-	-	-

One sign per cart corral is included. Please indicate the sign order number when placing your order. To customize your sign, please contact your service representative. Other sign features are available on our sign page!

Sign Order #	Model	Н	W
3030051	CCS-1216-1030 SIGN, 2-FACED RED/WHT	12"	16"
3030054	CCS-1622-1424 SIGN RED/WHT	16"	22"

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts.

Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.





Single Entry Assembly

Double Entry Assembly

FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates

High density polyethylene sign with silk screen printing

Easily assembled and can be anchored for maximum stability

OPTIONS:

Side rail Length: 10 ft., 14 ft.

Single Entry or Double Entry

Anchors

3030051

standard sign

Powder coat finish available (Inquire with your customer service representative)

Standard Sign #3030051 Size 12" x 16" Text Style:1030

Disclaimer sign: #3030054 Size 16" x 22" Text Style: 1424






8030148 Shown







NMFC Code: 164390-S3



Double Entry





Cart Corral Order #	Model	W	L	Н	Entry	Weight
8030148	CC-601-10 5Wx10Lx8H SECLGP	5′	10'	8′	Single	208 lbs.
8030149	CC-601-14 5Wx14Lx8H SECLGP	5′	14′	8′	Single	276 lbs.
8030151	CC-601-20 5Wx20Lx8H DECLGP	5′	20′	8′	Double	284 lbs.
8030152	CC-601-28 5Wx28Lx8H DECLGP	5′	28′	8′	Double	489 lbs.
B000108	5"Lag Bolt Anchor	-	-	- 1	-	=


One sign per cart corral is included. Please indicate the sign order number when placing your order. To customize your sign, please contact your service representative. Other sign features are available on our sign page!

Sign Order#	Model	Τ	W
3030051	CCS-1216-1030 SIGN, 2-FACED RED/WHT	12"	16"
3030054	CCS-1622-1424 SIGN RED/WHT	16"	22"

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts.

Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.





FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates

18-gauge galvanized steel signs with durable powder coated finish and silk screen printing

Easily assembled and can be anchored for maximum stability

OPTIONS:

Side rail Length: 10 ft., 14 ft.

Single Entry or Double Entry

Anchors

3030059 standard sign Powder coat finish available (Inquire with your customer service representative)


Standard sign: #3030059 Size 24" x 48" Text Style: 0597B

Disclaimer sign: #3030067 Size 24" x 48" Text Style:1424






8030154 Shown



Freight Class: 250 NMFC Code: 164390-S3



8'-0"



Cart Corral Order #	Model	W	L	Н	Entry	Weight
8030154	CC-602-10 5Wx10Lx8H SEGP	5′	10′	8′	Single	188 lbs.
8030155	CC-602-14 5Wx14Lx8H SEGP	5′	14′	8′	Single	234 lbs.
8030157	CC-602-20 5Wx20Lx8H DEGP	5′	20′	8′	Double	298 lbs.
8030158	CC-602-28 5Wx28Lx8H DEGP	5′	28′	8′	Double	368 lbs.
B000108	5" Lag Bolt	-	-	-	-	-

One sign per cart corral is included. Please indicate the sign order number when placing your order. To customize your sign, please contact your service representative. Other sign features are available on our sign page!

Sign Order#	Model	Н	W	
3030067	3030067 CCS-2448-1424 SIGN RED/WHT			
3030059	CCS-2448-0597B, WHT BKG/RED PRNT	24"	48"	

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts.

Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.



FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates

18-gauge galvanized steel signs with durable powder coated finish and silk screen printing

Easily assembled and can be anchored for maximum stability

OPTIONS:

Side rail Length: 10 ft., 14 ft.

Single Entry or Double Entry

Anchors

3030059


standard sign

Powder coat finish available (Inquire with your customer service representative)

Standard sign: #3030059 Size 24" x 48" Text Style: 0597B

Disclaimer sign #3030067 Size 24" x 48" Text Style:1424

Custom Signage Available



Double Entry Assembly





Cart Corrals





8030160 Shown

1-800-455-3802












Cart Corral Order #	Model	W	L	Н	Entry	Weight
8030160	CC-603-10 5Wx10Lx8H SECLGP	5′	10'	8′	Single	240 lbs.
8030161	CC-603-14 5Wx14Lx8H SECLGP	5'	14′	8′	Single	309 lbs.
8030163	CC-603-20 5Wx20Lx8H DECLGP	5'	20'	8′	Double	383 lbs.
8030164	CC-603-28 5Wx28Lx8H DECLGP	5'	28′	8′	Double	521 lbs.
B000108	5" Lag Bolt Anchor	-	-	-	-	-

One sign per cart corral is included. Please indicate the sign order number when placing your order. To customize your sign, please contact your service representative. Other sign features are available on our sign page!

Sign Order#	Model	Н	W	
3030067	3030067 CCS-2448-1424 SIGN RED/WHT			
3030059	CCS-2448-0597B, WHT BKG/RED PRNT	24"	48"	

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts.

Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.



FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates

18-gauge galvanized steel signs with durable powder coated finish and silk screen printing

Easily assembled and can be anchored for maximum stability

OPTIONS:

Side rail Length: 10 ft., 14 ft.


Single Entry or Double Entry

Anchors

Powder coat finish available (Inquire with your customer service representative)

Standard sign: #3030288 Size 27" x 66" Text Style: 0597B

Disclaimer sign: #3030181 Size 27" x 66" Text Style:1424







Freight Class: 250


NMFC Code: 164390-S3

8030166 Shown





Double Entry






Cart Corral Order #	Model	W	L	Н	Entry	Weight
8030166	CC-720-10 6Wx10Lx8H 27s SEGP	6'	10′	8′	Single	212 lbs.
8030167	CC-720-14 6Wx14Lx8H 27s SEGP	6'	14′	8′	Single	258 lbs.
8030169	CC-720-20 6Wx20Lx8H 27s DEGP	6'	20′	8′	Double	407 lbs.
8030170	CC-720-28 6Wx28Lx8H 27s DEGP	6'	28′	8′	Double	512 lbs.
B000108	5"Lag Bolt Anchor	-	-	-	-	-

One sign per cart corral is included. Please indicate the sign order number when placing your order. To customize your sign, please contact your service representative. Other sign features are available on our sign page!

Sign Order #	Model	Н	W
3030181	CCS-2766-1424 WHITE BG/RED PRINT	27"	66"
3030288	CCS-2766-0597B, WHT BKG/RED PRNT	27"	66"

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts.

Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.



FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates

18-gauge galvanized steel signs with durable powder coated finish and silk screen printing

Easily assembled and can be anchored for maximum stability

OPTIONS:

Side rail Length: 10 ft., 14 ft.

Single Entry or Double Entry


Anchors

Powder coat finish available (Inquire with your customer service representative)

Standard sign: #3030288 Size 27" x 66" Text Style: 0597B

Disclaimer sign: #3030181 Size 27" x 66" Text Style:1424

Custom Signage Available



PLEASE RETURN
CARTS HERE
THANK YOU

3030288


standard sign




3030181 disclaimer sign




8030172 Shown



Freight Class: 250 NMFC Code: 164390-S3



Double Entry






Cart Corral Order #	Model	W	L	Н	Entry	Weight
8030172	CC-721-10 6Wx10Lx8H 27s SECLGP	6′	10'	8′	Single	266 lbs.
8030173	CC-721-14 6Wx14Lx8H 27s SECLGP	6′	14′	8′	Single	335 lbs.
8030175	CC-721-20 6Wx20Lx8H 27s DECLGP	6′	20′	8′	Double	411 lbs.
8030176	CC-721-28 6Wx28Lx8H 27s DECLGP	6	28′	8′	Double	549 lbs.
B000108	5" Lag Bolt	-	-	-	-	=

One sign per cart corral is included. Please indicate the sign order number when placing your order. To customize your sign, please contact your service representative. Other sign features are available on our sign page!

Sign Order #	Model	Н	W		
3030181	3030181 CCS-2766-1424 WHITE BG/RED PRINT				
3030288	CCS-2766-0597B, WHT BKG/RED PRNT	27"	66"		

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts.

Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.



FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates

18-gauge galvanized steel signs with durable powder coated finish and silk screen printing

Easily assembled and can be anchored for maximum stability

OPTIONS:

Side rail Length: 10 ft., 14 ft.


Single Entry or Double Entry

Anchors

Powder coat finish available (Inquire with your customer service representative)


Standard sign: #3030288 Size 27" x 66" Text Style: 0597B


Disclaimer sign: #3030181 Size 27" x 66" Text Style:1424







8030178 Shown








Double Entry






Cart Corral Order #	Model	W	L	Н	Entry	Weight
8030178	CC-900-10 7.5Wx10Lx8H 27s SEGP	7.5′	10′	8′	Single	224 lbs.
8030179	CC-900-14 7.5Wx14Lx8H 27s SEGP	7.5′	14′	8′	Single	270 lbs.
8030181	CC-900-20 7.5Wx20Lx8H 27s DEGP	7.5′	20′	8′	Double	330 lbs.
8030182	CC-900-28 7.5Wx28Lx8H 27s DEGP	7.5′	28′	8′	Double	404 lbs.
B000108	5" Lag Bolt Anchor	-	-	- 1	-	=

One sign per cart corral is included. Please indicate the sign order number when placing your order. To customize your sign, please contact your service representative. Other sign features are available on our sign page!

Sign Order#	Model	Н	W
3030181	CCS-2766-1424 WHITE BG/RED PRINT	27"	66"
3030288	CCS-2766-0597B, WHT BKG/RED PRNT	27"	66"

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts.

Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.



FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates

18-gauge galvanized steel signs with durable powder coated finish and silk screen printing

Easily assembled and can be anchored for maximum stability

OPTIONS:

Side rail Length: 10 ft., 14 ft.


Single Entry or Double Entry

Anchors

Powder coat finish available (Inquire with your customer service representative)


Standard sign: #3030288 Size 27" x 66" Text Style: 0597B


Disclaimer sign: #3030181 Size 27" x 66" Text Style:1424







8030178 Shown







Double Entry





Cart Corral Order #	Model	W	L	Н	Entry	Weight
8030184	CC-901-10 7.5Wx10Lx8H 27s SECLGP	7.5′	10'	8′	Single	334 lbs.
8030185	CC-901-14 7.5Wx14Lx8H 27s SECLGP	7.5′	14′	8′	Single	412 lbs.
8030187	CC-901-20 7.5Wx20Lx8H 27s DECLGP	7.5′	20′	8′	Double	551 lbs.
8030188	CC-901-28 7.5Wx28Lx8H 27s DECLGP	7.5′	28′	8′	Double	696 lbs.
B000108	5" Lag Bolt Anchor	-	-	-	-	-

One sign per cart corral is included. Please indicate the sign order number when placing your order. To customize your sign, please contact your service representative. Other sign features are available on our sign page!

Sign Order#	Model		W
3030181	CCS-2766-1424 WHITE BG/RED PRINT	27"	66"
3030288	CCS-2766-0597B, WHT BKG/RED PRNT	27"	66"

EMBEDDED CART CORRAL

Cart corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers vehicles from stray carts.

Covered cart corrals provide superior protection for your carts from harmful weather conditions and ultra violet rays.

This embedded, covered corral is permanently embedded to the parking lot grade and its corrosive resistant coating is of the highest standard.







FEATURES:

Substantial cart corral is permanently embedded into the parking lot grade for maximum stability

Engineered to meet building code standards

Constructed of heavy-duty hot-dipped galvanized pipe

Corrosive resistant coating is of the highest standard

Corrugated Galvalume roof panels

Increased visibility with covered design

Keeps carts secure while reducing shopping cart claims

Ships knocked down for freight savings

OPTIONS:

Available with or without roof


Single or Double entry

Additional roof styles, designs, and colors available

Custom Signage Available, sold separately


Cart Corrals






8030477 Shown

Freight Class: 250 NMFC Code: 164390-S3





Order#	Model	W		Τ	Entry	Roof Style	Weight
8030466	CC-EMBEDDED SINGLE ENTRY CART CORRAL	8′ 7"	16′ 9"	4′	Single	Open	608 lbs.
8030467	CC-EMBEDDED DOUBLE ENTRY CART CORRAL	8′ 7″	33′ 5"	4′	Double	Open	984 lbs.
8030487	CC-COVERED EMBEDDED SE CC GRAY TOP	8′ 7″	16′ 9"	8′	Single	Covered	1,020 lbs.
8030477	CC-COVERED EMBEDDED DE CC GRAY TOP	8′ 7″	33′	8′	Double	Covered	1,688 lbs.

EXPRESS CART DUAL CART CORRAL

This Cart Corral has all the benefits of our quality cart corrals with the addition of a divider to organize express shopping carts and regular shopping carts.

Cart Corrals ensure the safety and simplicity of gathering your carts while decreasing damage to customers' vehicles from stray carts. Strategically place our corrals throughout your parking lot to reduce the labor costs of cart retrieval and enhance the shopping experience of your customers.



FEATURES:

Middle lane divider that organizes express carts from standard shopping carts

Heavy gauge flow coat galvanized mechanical steel fubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates

18-gauge galvanized steel signs with durable powder coated finish and silk screen printing and additional Express Cart Sign included

Easily assembled and can be anchored for maximum stability

OPTIONS:

Side rail Length: 10 ft., 14 ft.

Single Entry or Double Entry

Anchors

Powder coat finish available (Inquire with your customer service representative)

Standard sign: #3030288 Size 27" x 66" Text Style: 0597B


Disclaimer sign: #3030181 Size 27" x 66" Text Style:1424

Custom Signage Available




standard sign











Freight Class: 250 NMFC Code: 164390-S3







Cart Corral Order #	Model	W	L	Н	Entry	Weight
8030441	CC-721-10 6Wx10Lx8H EXP CRT	6'	10′	8′	Single	266 lbs.
B000108	5" Lag Bolt Anchor	-	-	-	-	-

One sign per cart corral is included. Please indicate the sign order number when placing your order.

To customize your sign, please contact your customer service representative.

Other sign features are available on our sign page!


Sign Order#	Model		W
3030181	CCS-2766-1424 WHITE BG/RED PRINT	27"	66"
3030288	CCS-2766-0597B, WHT BKG/RED PRNT	27"	66"
3030725	CCS-1722-SMALL CART RETURN	17"	22.5"

SIDEWALK CART CORRAL

Our new sidewalk cart corral is the perfect size to fit on the sidewalk of any store when limited space is available. This smaller corral will accommodate a single or double row of shopping carts and keep carts from being scattered across a parking lot.

Prevent damage to your customers vehicles and organize your shopping cart retrieval process with National Cart's cart corrals.







Single Entry Assembly



Optional Anchor

FEATURES:

Keeps carts secure while reducing shopping cart claims

Recessed base plate

Ships knocked down for freight savings

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

Interior corrosion resistant coating

Hot dipped, galvanized bar base plates


Easily assembled and can be anchored for maximum stability

OPTIONS:

Single Entry or Double Entry

Anchors


Powder coat finish available (Inquire with your customer service representative)






Freight Class: 250

NMFC Code: 164390-S3








Cart Corral Order#	Model		L	Н	Entry	Weight	
8030405	CC-30-18-ST-SIDEWALK	2' 5"	18′	3′5″	Single	146 lbs.	
8030465	CC-60-18-ST-SECLGP-SIDEWALK	5'	18′	3'5'	Single	226 lbs.	

SNAP TOO 360 SERIES CART CORRAL

Enjoy all the benefits of our quality cart corrals with less work. The modular design of National Cart's SNAP TOO cart corral makes replacement parts a snap and provides a hassle free assembly that takes minutes and requires no tools.



FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

High density polyethylene signs with silk screen printing

Modular design allows for easy repairs and replacement parts

Assembles in minutes with NO TOOLS or hardware required

Recessed base plate reduces tripping hazard

Reduced labor cost for installation

OPTIONS:

Single Entry or Double Entry

Anchors

Powder coat finish available (Inquire with your customer service representative)

Standard sign: #3030051 Size 12" x 16" Text Style: 1030

Disclaimer sign: #3030054 Size 16" x 22" Text Style: 1424

Custom Signage Available







Double Entry Assembly

RETURN
CARTS HERE
3030051
standard sign

To a constraint helps as least parter law.

In a constraint helps as least parter law.

In a constraint helps as least parter law.

In a constraint helps as least parter law.

3030054

disclaimer sign




8030370 Shown


Freight Class: 250

NMFC Code: 164390-S3





8'-0"



Cart Corral Order #	# Model		L	Н	Entry	Weight
8030370	CC-360-14-ST 3'WX14'LX8'H SEGP	3′	14′	8′	Single	169 lbs.
8030371	CC-360-28-ST 3'WX28'LX8'H DEGP	3′	28′	8′	Double	289 lbs.
B000108	5" Lag Bolt Anchor	-	-	-	-	-

One sign per cart corral is included. Please indicate the sign order number when placing your order.

To customize your sign, please contact your customer service representative.

Other sign features are available on our sign page!

Sign Order # Model		Н	W
3030051	CCS-1216-1030 SIGN, 2-FACED RED/WHT	12"	16"
3030054	CCS-1622-1424 SIGN RED/WHT	16"	22"

SNAP TOO 720 SERIES CART CORRAL

Enjoy all the benefits of our quality cart corrals with less work. The modular design of National Cart's SNAP TOO cart corral makes replacement parts a snap and provides a hassle free assembly that takes minutes and requires no tools.





Single Entry Assembly



Double Entry Assembly

FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

18-gauge steel signs with durable powder coated

finish and silk screen printing

Modular design allows for easy repairs and replacement parts

Assembles in minutes with NO TOOLS or hardware required

Recessed base plate reduces tripping hazard

Reduced labor cost for installation

OPTIONS:

Single Entry or Double Entry

Anchors

Powder coat finish available (Inquire with your customer service representative)

Standard sign: #3030288 Size 27" x 66" Text Style: 0597B

Disclaimer sign: #3030181 Size 27" x 66" Text Style:1424

Custom Signage Available



3030288 standard sign



3030181 disclaimer sign





Freight Class: 250

NMFC Code: 164390-S3

8030372 Shown









Cart Corral Order #	Model	W	L	Н	Entry	Weight
8030372	CC-720-14-ST 6'WX14'LX8'H SEGP	6'	14′	8′	Single	214 lbs.
8030373	CC-720-28-ST 6'WX28'LX8'H DEGP	6'	28′	8′	Double	345 lbs.
B000108	5" Lag Bolt Anchor	=	-	-	-	-

One sign per cart corral is included. Please indicate the sign order number when placing your order.

To customize your sign, please contact your customer service representative.

Other sign features are available on our sign page!


Sign Order # Model		Н	W
3030181	CCS-2766-1424 WHITE BG/RED PRINT	27"	66"
3030288	CCS-2766-0597B, WHT BKG/RED PRNT	27"	66"

SNAP TOO 721 SERIES BIDIRECTIONAL CART CORRAL

Enjoy all of the benefits of our quality cart corrals while lowering your cost. National Cart's SNAP TOO Bidirectional cart corral is specifically designed for use with electric cart retrieval systems.

These units significantly reduce your labor costs while additionally reducing wear on shopping cart wheels. Just like our other SNAP TOO cart corrals, this one has a modular design that makes replacement parts a snap while providing a hassle free assembly that takes minutes and requires no tools.





Place SNAP TOO Bidirectional Cart Corrals throughout your parking lot to create a cart retrieval flow that will cut labor costs, reduce lane blockage and minimize wear on shopping cart wheels

FEATURES:

Reduction in labor to retrieve carts by up to 50%

Reduces cart blockage of customer drive aisles

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

18-gauge steel signs with durable powder coated finish and silk screen printing

Modular design allows for easy repairs and replacement parts

Assembles in minutes with NO TOOLS or hardware required

Recessed base plate reduces tripping hazard

Self closing gate

Cart comes with sign shown. Size 18" x 66"

OPTIONS:


Anchors

Custom Signage Available



8030376 Shown





Freight Class: 250

NMFC Code: 164390-S3








Optional Anchor

8030376 Shown








Order#	Order # Model 8030376 CC-721-28-ST-BIDIRECTIONAL DEGP B000108 5" Lag Bolt		L	Η	Entry	Weight
8030376			28′	8′	Double	289 lbs.
B000108			-	-	=	=

SNAP TOO 721 SERIES CART CORRAL

Enjoy all the benefits of our quality cart corrals with less work. The modular design of National Cart's SNAP TOO cart corral makes replacement parts a snap and provides a hassle free assembly that takes minutes and requires no tools.



Optional Anchor



Single Entry Assembly

Double Entry Assembly

FEATURES:

Heavy gauge flow coat galvanized mechanical steel tubing provides superior durability

18-gauge steel signs with durable powder coated

finish and silk screen printing

Modular design allows for easy repairs and replacement parts

Assembles in minutes with NO TOOLS or hardware required

Recessed base plate reduces tripping hazard

Reduced labor cost for installation

OPTIONS:

Single Entry or Double Entry


Anchors

Powder coat finish available (Inquire with your customer service representative)

Standard Sign #3030059 Size 24" x 48" Text Style: 0597B

Disclaimer sign #3030067 Size 24" x 48" Text Style: 1424

Custom Signage Available



Cart Corrals










Freight Class: 250


NMFC Code: 164390-S3

8030374 Shown









Cart Corral Order # Model		W	L	Н	Entry	Weight
8030374	CC-721-14-ST 6'WX14'LX8'H SEGP	6'	14′	8′	Single	273 lbs.
8030375	CC-721-28-ST 6'WX28'LX8'H DEGP	6'	28′	8′	Double	460 lbs.
B000108	5" Lag Bolt Anchor	=	=	=	-	=

One sign per cart corral is included. Please indicate the sign order number when placing your order.

To customize your sign, please contact your customer service representative.

Other sign features are available on our sign page!

Sign Order #	Τ	W	
3030067	CCS-2448-1424 SIGN RED/WHT	24"	48"
3030059	CCS-2448-0597B, WHT BKG/RED PRNT	24"	48"

PRODUCT CATALOG 2017 DISTRIBUTION







Lean Distribution Process

2 Shelf Distribution Cart
Aluminum Distribution Cart
Dairy Distribution Cart
Distribution Security Cart
Forklift Order Picking Cart
Rocket Cart
Rolltainer
Un-Assisted Distribution Cart









For Product Safety and Operation Manuals please visit our website at www.nationalcart.com.


DISTRIBUTION CARTS

LEAN DISTRIBUTION PROCESS:

Our Distribution Carts can help your supply chain evolve from a linear procedure into an efficient system.

Carts are packed by store aisle at distribution centers so that they can immediately be used to stock shelves.

Empty carts are returned to the distribution warehouse for the next rotation.



2 SHELF DISTRIBUTION CART

Invest in your supply chain with our 2 Shelf Distribution Carts. These nestable carts are perfect for replacing your need for pallets, pallet jacks, and shrink wrap while providing extra storage space. They are capable of carrying 500 lbs of goods per shelf from your warehouses to your stores. A durable zinc plated finish and a convenient cardboard holder come standard.





FEATURES:

Nestable "L" design saves space when nested together

Convenient cardboard holder

Durable zinc plated finish

500 lb. capacity per shelf

Heavy duty steel construction

REPLACEMENT PARTS:

(2) 5" x 2" polyurethane wheels with rigid casters. Replacement Order #B001090.

(2) 5" x 2" polyurethane wheels with swivel casters. Replacement Order #B0001091.

Fasteners Replacement Order #B000543 (bolt) and #B001257 (nut).



Cardboard holder folds out when needed



 Clear shelf of any material



2. Fold up shelves



3. Fold in left side of cart




4. Nest carts together for storing





Freight Class: 175

NMFC Code: 189430-S2









Order#	Description	W	L	Ι	Cart Capacity	Weight
48000363	HDSC-2852-2S-COL, 2 SHLF STOCK CART	28 1/2"	53 1/2"	70"	1000 lbs.	200 lbs.

ALUMINUM DISTRIBUTION CART

This Aluminum Distribution Cart is an innovative offering from National Cart that provides you the flexibility and speed needed for applications including warehouse, distribution centers, truck and route delivery.

The lightweight aluminum construction is durable and easy to maneuver, while the heavy duty nylon straps and buckles will ensure a long useful life.



nationalcart.com

1. Release buckles and fold up shelves

FEATURES:

Lightweight, yet durable aluminum construction

Nestable "L" design saves space when nested together

Ease of mobility reduces damage done to products on the cart and store fixtures

Strong adjustable nylon strapping and buckles keep boxes and totes safely on the cart

1000 lb. capacity

Ergonomic pull handles on both sides of the cart

Ships fully assembled and ready for immediate use

REPLACEMENT PARTS:

Cart moves easily on hard surfaces with (4) 6" x 2" polyurethane wheels with swivel casters.

Replacement Order #B000507




3. Nest carts together for storing





Distribution Carts





Freight Class: 150 NMFC Code: 188560-S4





Order#	Model	W	L	Ι	Cart Capacity	Weight
8041184	AL-FRD-4767	22.3"	47"	70.1"	1000 lbs.	120 lbs.

DAIRY DISTRIBUTION CART

This distribution cart can be used in a variety of distribution, storage, stocking, and merchandising applications. The dairy industry has used this type of cart for years to transport from the dairy to the retailer, then reverse logistics back to the dairy.





FEATURES:

Ease of mobility reduces damage done to products on the cart and store fixtures

Shelves are slanted to keep products from falling off cart, but still allows products to be pulled off easily

Nestable design folds completely flat

Durable zinc plated finish

Heavy duty steel construction

1000 lb. capacity

Cart moves easily on hard surfaces with (4) 5" x 2" phenolic wheels with swivel casters. Replacement Order #B001009



1. Fold up shelves



2. Fold in sides individually



3. Secure folded cart when storing



30.50"

Freight Class: 175

NMFC Code: 189430-S2





Order#	Model	W	L	Η	Cart Capacity	Weight
48000457	DC-2629-2S-ZP, DAIRY CART, 2 SHELF	25 7/8"	30 1/2"	67 7/8"	1000 lbs.	135 lbs.

DISTRIBUTION SECURITY CART

This cart is the ultimate security cage for all industrial applications. The Distribution Security Cage Cart allows you to sort and transport a wide range of products, all while keeping items secured and locked up when needed. The four sided enclosure offers increased security, while the wire grid on all sides offers complete visibility of products within.



FEATURES:

Heavy-duty electro plated zinc construction

Nestable "L" design saves space when nested or cart folds flat for maximum space reduction

Wire grid is sturdy but lightweight to secure products within cart

Locking handle secures cart

Industrial foot activated floor lock secures cart in place

Document holder with flap cover

Pull handle easily maneuvers cart

Foot release for door increases efficiency

Ships fully assembled and ready for immediate use

High quality polyurethane wheels

1,500 lb. capacity

REPLACEMENT PARTS:

(2) 6" x 2" polyurethane swivel casters, replacement order #B000507

(2) 6" x 2" polyurethane rigid casters, replacement order #B000508.



Engage floor lock
 fold back right door



2. Fold back left



3. Slide out shelf



4. Fold up bottom shelf



5. Fold down top piece



6. Fold in left door




7. Nest with other Security Carts

Distribution Carts



Freight Class: 150

NMFC Code: 188560-S4



Order#	Model	W	L	Н	Cart Capacity	Weight
5000189	MB 14-034 SMALL SECURITY CART	31.18"	45"	71.5"	1,500 lbs.	48 lbs.
5000188	MB 1434 LARGE SECURITY CART	31.18"	70"	71.5"	1,500 lbs.	59 lbs.




FORKLIFT ORDER PICKING CART

This versatile order picking cart can be adapted for use via man power or vertical forklift. Featuring heavy duty steel pockets that accept forklifts, as well as heavy duty polyurethane and phenolic wheels and casters for man powered movement. The removable and stowable shelves allow you to adjust your cart as needed.







FEATURES:

Heavy duty steel construction

Wire grid is sturdy but lightweight to secure products within cart

Ships fully assembled and ready for immediate use

Designs for Raymond, Crown, and Hyster fork lifts

2" x 4" wooden grip board secures forklift in place

Removable/stowable shelves allow you to adjust your cart as needed

Shelves stow away vertically in the rear of the cart when not in use

Ease of mobility with swivel casters reduces damage done to products on the cart and store fixtures

1000 lb. capacity

REPLACEMENT PARTS:

8000509

(2) $6" \times 2"$ polyurethane swivel casters in the rear, replacement order #B000507.

(2) 6" x 2" polyurethane rigid casters at the front, replacement order #B000508.


8000574 & 8000575

(2) 6" x 2" phenolic swivel casters in the rear, replacement order #B001242

(2) 6" x 2" phenolic rigid casters at the front, replacement order #B001243

Distribution Carts





Order#	Model	W	L	Н	Cart Capacity	Weight	Lift Type
8000509	BLPC-4048-2, PICKING CART, RAYMOND	40"	54.6"	76.7"	1000 lbs.	378 lbs.	Raymond
8000574	BLPC-4048-2, PICK CRT, CROWN, ORNG	40"	54.6"	77.5"	1000 lbs.	390 lbs.	Crown
8000575	BLPC-4048-2, PICK CART, HYSTER,ORNG	40"	54.6"	78.4"	1000 lbs.	403 lbs.	Hyster

-12.0

ROCKET CART

The Rocket Cart is the fastest way to get products from your store room and onto store shelves while freeing up space at the same time. The superior ergonomics of this cart allow it to be safer and more mobile in your store than the average pallet. Employees will have everything they need to stock shelves at their fingertips with the included cardboard holder, paper towel holder, pull handle and flat work surface.







Bonus area for folded boxes or small items



Integrated paper towel holder

FEATURES:

Ease of mobility reduces damage done to store fixtures

Cardboard holder

Second shelf allows for strategically sorting loads

Nestable design

Durable zinc plated finish

Heavy duty steel construction

750 lb. capacity

Integrated paper towel holder

Comes with standard pull handle

REPLACEMENT PARTS:

(2) 5" x 1.25" polyurethane rigid, replacement order #B000001.

(2) $5" \times 1.25"$ polyurethane swivel casters, replacement order #B000312.



Clear shelf of any material



2. Fold up shelves



3. Fold in left side of cart




4. Nest carts together for storing

Distribution Carts





Freight Class: 175

NMFC Code: 189430-S2









Order#	Model	W	L	Н	Cart Capacity	Weight
48000305	ST-ROCKET CART-MD-ZN 26 INCH W/PH	27 1/2"	41 1/2"	69"	750 lbs.	135 lbs.

ROLLTAINER

The Rolltainer is an innovative offering from National Cart that provides the fastest way from the warehouse to the shelf. With this cart you can transform your supply chain and stocking methodologies by greatly reducing the need for shrink wrap, pallets, and storage space. A durable zinc plated finish comes standard with the Rolltainer as well as a heavy duty net that will ensure a long useful life.



Shown loaded



Shown with net stowed

FEATURES:

Reduce damage done to products while in transit

Nestable folding design

Heavy duty net reduces need for shrink wrap

Rolltainers are towable by themselves or in groups

Durable zinc plated finish

Net stows away when not in use

Heavy duty steel construction

1000 lb. capacity

REPLACEMENT PARTS:

(2) 6" x 2" polyurethane wheels. Replacement Order #B000035

(2) 6" x 2" polyurethane wheel with swivel casters. Replacement Order #B000507



1. Clear shelf and stow net



2. Fold up Shelf



3. Fold in front panel



with front panel



4. Fold in first side panel 5. Fold all three panels into back




6. Nest carts together for storing

Distribution Carts



Freight Class: 175

NMFC Code: 189430-S2



Order#	Model	W	L	Ι	Cart Capacity	Weight
5000566	ROLLTAINER, BLANK LABEL PLATE	24"	42"	72"	1000 lbs.	114 lbs.

UN-ASSISTED DELIVERY CART

Our Un-Assisted Delivery Carts are the perfect solution for any business looking to save money and increase the efficiency of their supply chain.

These carts feature a heavy duty wrap around net to secure payloads and are designed to work well in both hot and cold environments.





1. Clear shelf of any material and stow net



2. Fold up shelf

FEATURES:

Heavy duty net eliminates the need for shrink wrap

Convenient lift handle eases access over thresholds

Nestable design

Built to function in both hot and cold environments

Net stows away when not in use

1000 lb. capacity

REPLACEMENT PARTS:

(2) 6" x 2" phenolic wheels with rigid caster. Replacement Order #B001153.

(2) 6" x 2" phenolic wheel with swivel casters and wheel. Replacement Order #B000322.



Wrap-around net holds product secure and in place




3. Nest carts together for storing

Distribution Carts





Freight Class: 175

NMFC Code: 189430-S2









Order#	Model	W	L	Ι	Cart Capacity	Weight
48000355	STC-2942-UAD, STEEL TRANSPORT CART	29"	41 7/8"	72"	1000 lbs.	102 lbs.

FIXTURES







PRODUCT APPLICATIONS: Parking Lot Signage
Benches
Industrial Grade Park Bench
Metal Wait Bench
Bike Racks
Corner Guards
Lockers
Employee Lockers
Electronic Storage Cabinet
Till Lockers
Poly Bag Stands
Receivers Desks
Safety Barricade Gates
Sampling Stand
Scale Hangers



For Product Safety and Operation Manuals please visit our website at www.nationalcart.com

NCC PRODUCT APPLICATIONS

PARKING LOT SIGNAGE


Customize your parking lot signage to reflect the architectural aesthetics of your store!

Why not make an impression on your customers right when they enter the parking lot?!

Get the most out of your parking lot signage by supporting your branding messages.

Parking lot signs and stop signs are the perfect height and location to catch customers' attention.

The possibilities are endless!





ALL SIGN FEATURES

UV rated silk screening and printing options Add your stores logo, motto, and branded colors

STOP SIGN FEATURES

Available in attractive hoop design or custom
Posts are embedded into the parking lot
Maximum stability
Engineered to meet building code standards

EMBEDDED BASE FEATURES

Posts are embedded into the parking lot

Maximum stability

Break away bolt for easy replacement

Engineered to meet building code standards

UV rated plastics


PORTABLE BASE FEATURES


Heavy duty, outdoor rated plastic base
Bases are not mounted, so they are portable
Fill bases with weights to stabilize
Signs can be easily changed

HOW TO ORDER CUSTOM SIGNAGE:

Call your customer service representative
 2. Provide Type of Signage Needed:
Standard square base, Embedded posts, and/or Stop signs
3. Full description of your parking lot signage vision

Standard signage is also available. Inquire within.





INDUSTRIAL GRADE PARK BENCH

These high quality industrial grade benches are perfect to show appreciation to your customers, students or visitors.

They are perfect for indoor or outdoor use and will provide an attractive accent to any store, office, park or home.



FEATURES:

Heavy duty steel tube frame with black powder coated finish

New plastic seating never has to be refinished

Attractive seating will not crack, chip, or fade

Ships knocked down and must be assembled

Slats can be silk screened or hot stamped with your stores logo and name (inquire with your customer service representative)

REPLACEMENT PARTS:


For 8020003 replacement plastic slats order# B000330

For 8020004 replacement plastic slats order# B000329

For 8020005 replacement plastic slats order# B000328







Order#	Model	W	L	Н	Weight
8020003	PL-PB-48, 4' PARK BENCH	20 1/2"	48"	34"	65 lbs.
8020004	PL-PB-60, 5' PARK BENCH	20 1/2"	60"	34"	70 lbs.
8020005	PL-PB-72, 6' PARK BENCH	20 1/2"	72"	34"	85 lbs.

METAL WAIT BENCH

These high quality benches are perfect to show appreciation to your customers, students or visitors. They are perfect for indoor or outdoor use and will provide an attractive accent to any store, office, park or home.

Steel design ensures durability and comfort.





FEATURES:

Constructed of heavy gauge steel for strength and durability

Standard black or silver powder coating gives them a durable and attractive finish

Benches are equally appropriate for indoor or outdoor applications

Light design for easy positioning

Comes fully welded, assembled and ready for use

Includes leg levelers

OPTIONS:

Custom colors are available (Inquire with your customer service representative)


Bench is available with or without anchors









NMFC Code: 79940-S2



8020066





Order#	Model	W	L	Н	Weight	Color	Comes w/ Anchors
8020064	MPB-48-DBL SILV MTL PK BENCH 2/UNIT	46"	48"	34"	76 lbs.	SILVER	NO
8020066	MPB-48-SGL SILV MTL PK BENCH 1/UNIT	23"	48"	34"	38 lbs.	SILVER	NO
8020077	MPB-48-SGL BLK MTL BENCH W/ANCHORS	23"	48"	34"	43 lbs.	BLACK	YES
8020078	MPB-48-SGL SLVR METL BENCH W/ANCHRS	23"	48"	34"	43 lbs.	SILVER	YES

BIKE RACKS

These attractive bike racks can be placed anywhere to park bikes in selected areas. This fixture will minimize bikes being secured in customer traffic areas. Show your customers and associates that you support alternative modes of transportation and the environment.





Constructed from heavy duty corrosive resistant galvanized tube

Offered in various sizes and in one and two way entry units

Feet provide a solid anchoring base


All units ship knocked down for freight savings except 8010105, 8010247 & 8010186 ship fully assembled

Easy assembly

Wedge anchors are included with all

Earth mount design available (inquire with your customer sales representative)


Standard black powder coating applied over galvanized for 8010105 and 8010291





nationalcart.com





Order#	Model	W	L	Н	Weight	Finish
8010026	BR-105, 5 BIKES 1 WAY ENTRY	18"	80"	37"	79 lbs.	GALVANIZED
8010027	BR-210, 10 BIKES 2 WAY ENTRY	36"	80"	37"	103 lbs.	GALVANIZED
8010028	BR-110, 10 BIKES 1 WAY ENTRY	18"	176"	37"	139 lbs.	GALVANIZED
8010029	BR-220, 20 BIKES 2 WAY ENTRY	36"	176"	37"	163 lbs.	GALVANIZED
8010105	BR-1-7A, 7 BIKE CAPCITY, SERPENTINE	6"	62"	36"	46 lbs.	GALVANIZED
8010247	BR-1-7A-PC, 7 BIKE SERPENTINE, BLK	6"	62"	36"	46 lbs.	POWDER COATED BLACK
8010291	BR-2436,SINGLE BR BLK W/ANCHORS	6"	24"	36"	30 lbs.	POWDER COATED BLACK

CORNER GUARDS

These stainless steel corner protectors are typically used to protect your cases, fixtures, and high traffic passage ways.

Case protectors will withstand impacts up to 4000 pounds from floor scrubbers, pallet jacks, etc.



FEATURES:

High quality stainless steel corner guards will not chip or rust under any conditions

HEAVY DUTY 10 gauge 304 stainless steel Construction

Brushed stainless steel finish enhances the appearance of your store

Comes with expandable anchors for fast and easy installation that is unexposed

5050004 only:


Tubular case guards are core drilled into floor with male and female connection

Sleek removable design allows posts to be removed for cleaning of store floors




5050004

Base is core drilled into floor and top is removable for easy floor cleaning









Order#	Model	W	D	Н	Weight
5050002	SSCG-12RD, 7.250 DIA. x 12 TALL	7 1/2"	4"	12"	9 lbs.
5050003	SSCG-24RD, 7.250 DIA. x 24 TALL	7 1/2"	4"	24"	17 lbs.
5050008	SSCG-18RD, 7-1/4 DIA. X 18 TALL	7 1/2"	4"	18"	14 lbs.
5050004	SSCG-POST, 2.0 DIA x 36.063 TALL	2 1/8"	2 1/8"	36 1/4"	8 lbs.

Can't find exactly what you need? Give us a call and we'll help you with the perfect solution!

← 7.50" −

EMPLOYEE LOCKERS

Show your associates you care by protecting the things they care about.

Lockers provide a secure organized storage area for employee personal items. A coat rod can be added to organize employee garments.



FEATURES:

Grid doors provide secure environment to reduce shrink and allow maximum ventilation


Units ship fully assembled in group of: 18 (NC-618), 18 (NC-618-KP), 6 (NC-600). Assembly required: 16 with coat rod (NC-16U-GR)

Comes with standard friction catch door hasp with padlock latch. (Padlocks not included)

Can also be fitted with built-in lock

Beige baked enamel finish


For safety purposes we strongly recommend that all lockers be either floor or wall anchored



nationalcart.com







Order#	Model	Description	W	Н	D	Weight
5000119	NC-618	18 Lockers, 6 High x 3 Wide	36"	85"	12"	152 lbs.
8010122	NC-618-KP	18 Lockers, 6 High x 3 Wide w/ Kickplate	36 "	85"	12"	160 lbs.
5000125	NC-600-KP	6 Lockers, 6 High x 1 Wide w/ Kickplate	12"	85"	12"	51 lbs.
5000060	NC-16-GR	16 Lockers w/Garment Rod and Kickplate	70"	78"	18"	162 lbs.

ELECTRONIC STORAGE CABINET

The Electronic Storage Cabinet provides a secure and organized area for store supplies and valuables. The top shelves provide easy access to everyday items, while the lower locked shelves offer a secured environment to reduce shrink.

Lower grid side and rear panels allow maximum ventilation for

safe electronic storage.





FEATURES:

(3) Adjustable shelves allow you to customize shelf heights

Fixed center shelf has additional tube support for heavy items

Lower grid side and rear panels allows maximum ventilation for electronics and provide secure environment to reduce shrink

Barrel keyed cam-lock prevents theft and makes it difficult to pick the lock or duplicate keys

Silver smooth powder-coat finish

Units ship fully assembled for immediate use


Adjustable leg levelers for sloping floors included

For safety purposes we strongly recommend that all lockers be either floor or wall anchored





Freight Class: 100 NMFC Code: 111755-S1




Order#	Model	W		Ι	Weight
8010146	1832 LOCKABLE CABINET	17.75"	31.5"	79.3"	690 LBS.

TILL LOCKERS

Till lockers provide secure storage for cash register trays and other valuables. These till lockers function either as stand alone lockers or can be installed around cabinetry for a finished look.







FEATURES:

Units ship fully assembled

Solid panel doors provide secure environment to reduce shrink and theft

For safety and secrecy purposes we strongly recommend that all lockers be either floor or wall anchored

8010045

(2) large single drawers at top of cabinet secure any valuables with lock.

Large drawer dims: 35" W x 20" L x 5.3" H

(12) numbered till lockers lock individually with double lock for additional security. Access requires both a employee and manager key.

Till drawer dims: 17.6" W x 20" L x 4" H

Plastic perimeter bumpers protects locker from damage

Silver smooth powder coat finish

Wedge anchors secure cabinet to the floor

8010137

Standard full piano hinge secure all tills

(10) till drawers lock with single padlock (Padlock not included)

Till drawer dims: 11.75" W x 15.75" L x 3.25" H

Electric grey powder coat finish


Kick plate protects locker from damage and prevents shin injury

Bolt through anchor points at base secure unit to floor

REPLACEMENT PARTS:

For 8010045, replacement anchor wedge order #B000052





Order#	Model	W	L	Н	Weight
8010045	TILL LOCKER 12-DRAWER, CSM POD	20"	36.2"	47.4"	420 LB.
8010137	tillocker-sch-stacked	12.10"	16.46"	39"	78 LBS.

POLY BAG STANDS

This attractive fixture conveniently dispenses poly bags to your customers.

An optional bag tie holder is mounted on top of the unit for customer use. This unit is easily moved for changing display options and cleaning purposes.





FEATURES:

All welded steel

Durable black powder coat finish

Heavy duty base provides a free standing unit

No need for required anchors

OPTIONS:


Bag Tie Holder (BTH)






NMFC Code: 178690-S3











Order#	Model #	W	L	Н	Capacity	Weight
8010020	FSBH-1A-PC, 1-ROLL POLY BAG STAND	12"	12"	43"	1 roll	24 lbs.
8050002	ss-bs, s/s bag stand	16"	16"	43 1/2"	1 roll	25 lbs.
B000619	BAG TIE HOLDER	-	-	-	-	-

RECEIVERS DESKS

Perfect work desk for receivers and all department managers.

This unit features a convenient work surface height for maximum comfort and can be fitted with casters to provide additional versatility.





Sloping front to provide a comfortable and convenient writing surface

Cabinet unit comes with a built-in lock on doors and all units with drawers are lockable

All Units except 8000394 and 8000356 ship knocked down (KD) for freight savings

REPLACEMENT PARTS:

For 8000356. (2) 5" x 1.25" polyurethane swivel casters with brakes. Replacement order #B000491.

(2) $5" \times 1.25"$ polyurethane stem casters, replacement order #B000025. Fasteners replacement order #B000236 (bolt) and #B000198 (nut).

For 8000394. (4) 5" x 1.25" polyurethane swivel casters with brakes. Replacement order #8000491.

Fasteners replacement order #B000236 (bolt) and #B000198 (nut).

For 8000387. (2) 3" \times 1" rubber swivel casters with brakes. Replacement order #B000431. (2) 3" \times 1" rubber swivel casters, replacement order #B000432.












8000394 & 8000356 Freight Class: 100 NMFC Code: 81190-S1

8000387, 5000023, 5000049

NMFC Code: 81190-S2



Order#	Model	W	L	Н	Weight	Color	Base Type	Wheels/Size	Drawer
5000145	RD-650 SHOP DESK, WALL MOUNT	24"	22 3/8"	12"	35 lbs.	BLUE	Wall Mount	No	No
5000023	RD-620 SHOP DESK, OPEN	29"	34 7/10"	52"	90 lbs.	GREY	Open Base	No	Yes
5000049	RD-640 SHOP DESK, CABINET, NO WHLS	34 3/4"	29 1/8"	52"	150 lbs.	GREY	Cabinet Base	No	Yes
8000394	enclosed shop desk	24"	24"	50 1/2"	150 lbs.	RED	Cage Base	Yes / 5"	Yes
8000387	RD-620 SHOP DESK WITH WHEELS	34 3/4"	30"	55"	60 lbs.	GREY	Open Base	Yes / 3"	Yes
8000356	RD-620-MU SHOP DESK ROLLING	24"	24"	50"	105 lbs.	BLUE	Open Base	Yes / 5"	No

SAFETY BARRICADE GATES

This unique product is ideal to temporarily block access to restricted areas.

Keep customers and employees safe with this attractive gate.





FEATURES:

Heavy duty steel frame with aluminum slats

8000291 & 8000292 expands up to 20 feet in length and is 45" high when fully open

8000338 expands up to 15 1/2 feet in length and is 40" high when fully open

Powder coated in bright safety colors to promote visibility

Comes with standard safety signage


REPLACEMENT PARTS:

(6) 3" x 1" swivel casters, replacement order #B000684.

Fastener order #B000708 (nut)








nationalcart.com



Freight Class: 77.5

NMFC Code: 68025-03



Order#	Model	W	L	Н	Max. Length	Weight	Color
8000291	EXPANDABLE SAFTY GATE -THD(ORANGE)	20′	18"	55"	237.00"	116 lbs.	ORANGE
8000292	expandable Safty Gate -(yellow)	20′	18"	55"	237.00"	116 lbs.	YELLOW
8000338	EXPANDABLE GATE, 21 X 41 YELLOW/BLK	15 1/2′	14 1/2"	41"	185.00"	98 lbs.	YELLOW/BLACK

SAMPLING STAND

This self-service food sampling display is the perfect way to entice customers to try new products and recipes in your store.

Stainless steel construction looks great and is easy to clean and sanitize.



Made of heavy duty stainless steel construction

The open top design allows customers to access goods from any direction

Anti-slip mat on the base prevents the stand from moving on the floor

Raised edges keep products in place

OPTIONS:

FEATURES:


Plastic turn n' serve dome keeps food fresh

Plastic serving tray allows food to be easily transported from prep areas to the sales floor











NMFC Code: 178690-S3





Order#	Model	W	Н	Weight
8050003	SS-SS, S/S SAMPLING STAND	16 3/8"	321/4"	25 lbs.
5000128	PLASTIC TURN N SERVE DOME, 15 X 8	15"	8"	1 lb.
5000129	PLASTIC TRAY, 15 X 1, BLACK	15"	1"	1 lb.

SCALE HANGERS

These attractive chrome plated scale hangers are designed to enhance your stores appearance while providing a convenient place to hang your scales



FEATURES:


Constructed from heavy duty chrome plated steel

Scales secured in place by hooks

Order #8010014 comes with a welded flat base that allows for easy placement on top of a case

OPTIONS:

Order #8010015 and #8010016 do not come with mounting hardware. Indicate scale hanger mounting kit order #7010007 when placing your order. Includes (2) conduit clamps and (4) screws.




Free-Standing




Mounted



NMFC Code: 178690-S3





Order#	Model	W	Н	Weight	Туре
8010014	SH-2028, 1-SCALE HANGER	35 3/8"	20 1/2"	10 LBS.	MOUNTED
8010015	SH-8718, 1-SCALE HANGER	19 5/8"	87"	10 LBS.	free-standing
8010016	SH-8736, 2-SCALE HANGER	38"	87"	15 LBS.	free-standing

FOOD
SERVICE







FOOD SERVICE

Carts
Aluminum Sani Carts
Aluminum Transport Cart
Bulk Mover
Bussing Cart
Produce Stocking Marking Cart
Produce/Stocking Cart
Utility Marking Stocking Cart
Wet Movers
Can Racks
Dollies
Aluminum Dollies
Chicken Dollies
Dunnage Racks
Dunnage Racks
Plastic Dunnage Rack
Pan Racks
Aluminum End Loading Pan Rack
Aluminum Side Loading Pan Rack
Aluminum Z-Style Nesting Pan Rack
Aluminum Valuline Platter and Bun Pan Rack
Enclosed Cabinets
Meat Platter Carts
Produce Crisping Rack
Product Lug Carts
Universal Pan Racks
Universal Shelf/Platter Carts
Platters and Lugs
Preparation Tables
Shelving
Adjustable Sani Shelving
Aluminum Cantilevered Shelving
Aluminum Wall Shelves
Boat Rack
Cooler Shelving
Mobile Cooler/Freezer Shelf Truck
Queen Mary
Thermal Wranner 213-214







For Product Safety and Operation Manuals please visit our website at www.nationalcart.com


ALUMINUM SANI CARTS

This versatile sanitary aluminum cart can be used in all departments to transport or store dry goods and perishables.





NMFC Code: 164390-S2




Order#	Model	W	L	Н	Weight	Cart Capacity
8040472	AL-SAS-D-2036 SPEED CART DOLLY	20 1/2"	36 1/2"	8"	18 lbs.	750 lbs.
8040474	AL-SAS-D-2436 SPEED CART DOLLY	24 1/2"	36 1/2"	8"	20 lbs.	750 lbs.
8040475	AL-SAS-D-2442 SPEED CART DOLLY	24 1/2"	42 1/2"	8"	22 lbs.	750 lbs.
8040379	AL-SAS-D-2448 SPEED CART DOLLY	24 1/2"	48 1/2"	8"	24 lbs.	750 lbs.
8040473	AL-SAS-H-20 SPEED CART DOLLY HANDLE	19 3/4"	6 1/2"	34"	5 lbs.	-
8040380	AL-SAS-H-24 SPEED CART DOLLY HANDLE	23 3/4"	6 1/2"	34"	5 lbs.	-



ALUMINUM TRANSPORT CART

The aluminium transport cart is ideal for transporting perishable boxes on and off trucks during distribution. The reinforced frame and heavy-duty plate casters make this cart a breeze to move heavy boxes, lugs or platters.



FEATURES:

Heavy-duty polyurethane wheels with plate casters allow for ease of transportation during distribution

Reinforced heavy- duty frame supports heavy loads

Fully welded sanitary aluminum design


Radius corners for comfort when pushing

Cart suitable for pans, lugs, or boxed goods

750 lbs cart capacity


REPLACEMENT PARTS:

(4) 5" x 2" swivel casters with polyurethane wheels. Replacement order #B000626





NMFC Code: 164390-S2



Order#	Model	W	L	Н	Number of Shelves	Weight
8041280	AL-TRPB-2126	20.85"	26.56"	69.83"	3	60 lbs.

BULK MOVER

This popular pack-out cart is ideal for receiving wrapped and labeled products off conveyors. The Bulk Mover eliminates the use of unsanitary wire shopping carts to move bulk items through your prep room.

This cart is ideal for all departments.



FEATURES:

Sanitary aluminum

Legs are reinforced to handle heavy loads

Tub is constructed of sanitary, washable polyethylene

Sanitary aluminum square tube frame


REPLACEMENT PARTS:

Rolls easily on (4) 5" x 1.25" polyurethane swivel casters. Replacement Order #B000025













Freight Class: 300 NMFC Code: 164390-S2











Order#	Model	Description	W	L	Η	Weight
8040011	AL-2029BM, AL 6-BUSHEL BULK MOVER	Frame	20"	28"	28"	22 lbs.
B000167	BULK MOVER TUB, WHT PLASTIC SL-6	Tub	23"	33"	28"	20 lbs.
8040012	2029BMPT, AL 6 BUSHEL BULK MOVER	Frame & Tub	23"	33"	36"	57 lbs.

BUSSING CART

Ideal 3 shelf cart for bussing, serving or general stocking. Unit comes in aluminum or stainless steel to fit any customer's need or preference.

The attractive design is appropriate for any occasion.



FEATURES:

All welded construction

400 lb. capacity

13" shelf spacing

OPTIONS:

Aluminum or stainless steel construction


REPLACEMENT PARTS:

5" x 1.25" polyurethane wheels . Replacement Order #B000325







8040569



Freight Class: 300

NMFC Code: 164390-S2





Order#	Model	W	L	Η	Capacity	Weight
8040569	AL-BC-2036-3	20"	36"	42 3/4"	300 lbs.	35 lbs.
8050009	SS-BC-2036-3	20"	36"	42 3/4"	300 lbs.	59 lbs.

PRODUCE STOCKING MARKING CARTS

This versatile cart is a transporter of both dry and perishable goods with convenient work height.







Optional galvanized deck is removable for washing. Only available for 8000071. Order #3000083

FEATURES:

Constructed from all welded steel tubing.

Economical yet durable cart will provide years of trouble free service

Cart comes powder coated green (Solid top unit comes with galvanized deck 8000071)

OPTIONS:

Full perimeter bumper (inquire with your customer service representative)

Corner bumpers available on no handle unit only

Galvanized deck (inquire with your customer service representative)

REPLACEMENT PARTS:

8000029 and Model: (2) 5" x 1.25" rigid casters with polyurethane wheels, Order #B000325 and (2) 5 " x 1.25" swivel casters with polyurethane wheels, Order #B000312. Fasteners Replacement Order #B000543 and #B001257.


8000071 Model: (4) 5" x 1.25" swivel casters with polyurethane wheels, Order #B000312. Fasteners Replacement Order #B000543 and #B001257.

8000166 Model: (2)5" x 1.25" polyurethane swivel casters. Replacement order #B000359. Fasteners replacement order #B000332 (nut) #B000075 (flat washer) . (2) 5" x 1.25" swivel casters with polyurethane wheels, Order #B000312. Fasteners Replacement Order #B000543 and #B001257.





NMFC Code: 188560-S4



Order#	Model	W	L	Н	Cart Capacity	Weight	Material	Full Perimeter Bumpers
8000029	ST-1841-PC, PRODUCE/STOCK CART	18"	43"	39"	700 lbs.	51 lbs.	Steel	No
8000071	ST-1841-PC-TGNH PRODUCE/STOCK CART	18"	41"	30 1/2"	700 lbs.	60 lbs.	Steel	No
8000166	ST-1841-PC-FPB PRODUCE STOCK CART	20"	43 1/2"	30 1/2"	700 lbs.	65 lbs.	Steel	Yes



PRODUCE/STOCKING CARTS

This versatile cart is an ideal transporter from back room to sales floor. Its heavy duty all sanitary aluminum construction is suitable for produce as well as other departments.





FEATURES:

All welded sanitary aluminum frame

Heavy duty t-bar cross members

Sanitary cart comes fully assembled for immediate use

Welded handle for superior control

OPTIONS:

Full Perimeter Bumper (FPB) version available (Contact your customer service representative)

REPLACEMENT PARTS:

4 Wheel Design: (2) $5" \times 1.25"$ front rigid polyurethane casters and (2) $5" \times 1.25"$ rear swivel polyurethane casters


6 Wheel Design: (2) 5" x 1.25" polyurethane casters and (4) swivel polyurethane corner casters

Rigid Casters Replacement Order #B000325

Swivel Casters Replacement Order #B000312


Fasteners Replacement Order #B000221 and #B000090






NMFC Code: 164390-S2







Order#	Model	W	L	Н	Capacity	Weight	Full Perimeter Bumpers
8040328	ST-1942-4-SAS AL STOCK TRUCK	19"	42"	39"	500 lbs.	38 lbs.	No
8041224	ST-1942-4-SAS-FPB AL STOCK TRUCK	19"	42"	39"	500 lbs.	38 lbs.	Yes
8040329	ST-1942-6-SAS AL STOCK TRUCK	19"	42"	39"	750 lbs.	59 lbs.	No
8040330	ST-2746-4-SAS AL STOCK TRUCK	27"	46"	39"	1000 lbs.	61 lbs.	No
8040331	ST-2746-6-SAS AL STOCK TRUCK	27"	46"	39"	1000 lbs.	57 lbs.	No

UTILITY MARKING STOCKING CARTS

This versatile stock cart is an excellent transporter for stock room and sales floor. Its heavy duty galvanized construction makes this unit suitable for produce as well as other departments.

The perfect solution to all your transportation requirements.



FEATURES:

All welded square galvanized tube frame

Solid upper shelf and a tube style lower shelf

Straight leg design along with 2 standard front bumpers

Innovative design virtually eliminate any marring or scratching of your cases

Convenient counter height top with large working surface

OPTIONS:

Full Perimeter Bumpers (FPB) version available (Contact your customer service representative)

REPLACEMENT PARTS:

2 rear swivel casters with 5" x 1.25" polyurethane wheels. Replacement Order #B000312

2 front rigid casters with 5" x 1.25" polyurethane wheels. Replacement Order #B000325


Replacement Bumpers Order #B001075






NMFC Code: 188560-S4

8000151







40.00*	
40.00	
	47.00"

Order#	Model	W	L	Н	Cart Capacity	Weight	Full Perimeter Bumpers	Material
8000151	ST-2042-A, HD GALV STOCK TRUCK	20"	47"	40"	1000 lbs.	54 lbs.	No	Steel
8000256	ST-2042-A-FPB HD GALV STOCK TRUCK	20"	47"	40"	1000 lbs.	54 lbs.	Yes	Steel
8000257	ST-1734-A GALV STOCK TRUCK	17"	38"	40"	1000 lbs.	61 lbs.	No	Steel
8041242	AL-ST2044HD AL STOCK TRUCK	20"	52"	43"	750 lbs	30 lbs	No	Aluminum

WET MOVERS

Ideal cart to transport wet items such as produce, flowers, or any other products that may leak. Reversible pan design captures moisture and reduces slip and fall accidents while efficiently transporting products.



ALUMINUM UNIT FEATURES:

(8040332) Constructed from all welded heavy duty sanitary aluminum

Both shelves are removable and reversible for easy cleaning

Cart comes with either (4) wheels or the heavy duty (6) wheel design

Ships fully assembled for immediate use

GALVANIZED UNIT FEATURES:

(8000072) Ships fully assembled for immediate use

All welded heavy duty galvanized steel

Top shelf is removable and reversible for easy cleaning.

OPTIONS:

Full Perimeter Bumper (FPB) (inquire with your customer service representative for ordering)

REPLACEMENT PARTS:

8040332 and 8041059 4-Wheel Model: (2) front 5" x 1.25" rigid casters with polyurethane wheels, Order #B000325 and (2) rear 5 " x 1.25" swivel casters with polyurethane wheels, Order #B000312. Fasteners Replacement Order #B000543 and #B001257.


8040333 and 8041060 6-Wheel Model: (2) center 5" x 1.25" rigid casters with polyure-thane wheels, Order #B000325. (4) corner 5" x 1.25" swivel casters with polyurethane wheels, Order #B000312. Fasteners Replacement Order #B000543, #B001257, and #B000923.

80000072 4-Wheel Model: (2) front 5" x 1.25" rigid casters with polyurethane wheels, Order #B000325 and (2) rear 5 " x 1.25" swivel casters with polyurethane wheels, Order #B000312. Fasteners Replacement Order #B000062 and #B001257.

Top shelf is reversible on

aalvanized model





Order#	Model	W	L	Н	# of Casters	Cart Capacity	Weight	Full Perimeter Bumpers
8040332	AL-WPM-2746-4 WET PRODUCE MOVER	27"	46"	41"	4	750 lbs.	54 lbs.	No
8041059	AL-WPM-2746-4 FPB WET PRODUCE MOVER	27"	46"	41"	4	750 lbs.	54 lbs.	Yes
8040333	AL-WPM-2746-6 WET PRODUCE MOVER	27"	46"	41"	6	1000 lbs.	58 lbs.	No
8041060	AL-WPM-2746-6 FPB WET PRODUCE MOVER	27"	46"	41"	6	1000 lbs.	58 lbs.	Yes

CAN RACKS

Can racks are the ideal way to organize over crowded shelves. They insure first in, first out stock rotation while allowing easy access to commonly used products.





FEATURES:

Units come in half size (54 can) and full size (162 can) models

All models can be equipped with (4) 5" swivel casters (2 locking)

Half size unit available with an optional poly or stainless work top

Gravity feed system allows easy access to cans on all levels

Constructed from heavy wall aluminum tube and heavy duty aluminum runners

Both racks accept #10 cans

OPTIONS:

Poly top on half size model (Contact your customer sales representative)

Stainless steel top on half size model (Contact your customer sales representative)

Mobile unit and stationary unit


REPLACEMENT PARTS:

(2) 5" x 1.25" polyurethane wheels replacement order #B000312.


(2) 5" x 1.25" polyurethane wheels with brake replacement order #B000435.



NMFC Code: 164390-S2












8040677



Mobile Rack

Order#	Model	W	L	Ι	Capacity	Weight
8040710	AL-MCR-54-SST-FS	25 1/4"	36 11/16"	36"	54	68 lbs.
8040711	AL-MCR-54-PT-FS	25 1/4"	36 11/16"	36"	54	69 lbs.
8040687	AL-MCR-54-FS	25 1/4"	36 11/16"	36"	54	44 lbs.
8040709	AL-MCR-162-FS CAN RACK	25 1/4"	39 1/2"	77''	162	91 lbs.


Stationary Rack

Order#	Model	W	L	Τ	Capacity	Weight
8040677	AL-CR-162-FS CAN RACK (stationary)	25 1/4"	35"	71"	162	75 lbs.

ALUMINUM DOLLIES

Traditionally used to transport product from loading dock to cooler and cooler to preparation areas.

Conveniently sized to provide maximum efficiency while occupying minimal space.









FEATURES:

Solid unit is designed and constructed from heavy gauge sanitary aluminum

Solid unit comes with a flat surface that features folded edges and hole for an optional pull handle

Tubular unit is all welded heavy duty sanitary aluminum tube that allows for greater capacities and better air circulation

OPTIONS:

Pull Handle (PH) Order #8040408

REPLACEMENT PARTS:

(4) $5'' \times 1.25''$ flat plate swivel casters with polyurethane wheels.

Caster/Wheel Replacement Order number for all dollies except 8040476 #B000312. Fasteners Order #B000543 and #B001257.


8040476 Replacement Caster/Wheel Order #B000312. Fasteners Order #B000102 and #B000059.



8040408

Food Service






Order #8040297, 8040298, 8040408, 8040476. Freight Class: 300


NMFC Code: 164390-S2

Order #8040300, 8040301, 8040570,

8040299. Freight Class: 100 NMFC Code: 188560-S2




8040570



8040476









Order#	Model	Description	W	L	Н	Cart Capacity	Weight
8040297	AL-BBD-2428 BOXED BEEF DOLLY	Solid Design	24"	28"	7''	1000 lbs.	20 lbs.
8040298	AL-BBD-2433 BOXED BEEF DOLLY	Solid Design	24"	33"	7"	1000 lbs.	25 lbs.
8040300	AL-BBD-2440 BOXED BEEF DOLLY	Solid Design	24"	40"	7"	1000 lbs.	30 lbs.
8040301	AL-BBD-2733 BOXED BEEF DOLLY	Solid Design	27"	33"	7"	1000 lbs.	25 lbs.
8040299	AL-BBD-2433-T TUBULAR BXD BEEF DOLY	Tube Design	24"	33"	8"	1000 lbs.	20 lbs.
8040476	AL-BBD-2428-T TBLR BXD BEEF DOLLY	Tube Design	24"	28"	8"	1000 lbs.	19 lbs.
8040570	AL-UDK-2733 ALUM. UNIVERSAL DOLLY	Solid Design	27"	33"	8"	750 lbs.	20 lbs.
8040408	PH-1 PULL HANDLE FOR CHICKEN DOLLY	-	-	30"	-	-	2 lbs.

CHICKEN DOLLIES

This durable low profile dolly is perfect for transporting boxed poultry from back room to sales floor.

It can also be used to move fried chicken with the optional drip pan.



STAINLESS STEEL FEATURES:

(8050041)

Constructed from all welded stainless steel

Top pan works as a drip free prep area

Runners below fit 18 x 26 pans

ALUMINUM FEATURES: (

8040235)

Constructed from all welded sanitary aluminum tube

Ships fully assembled

Dolly reduces spoilage and permits air circulation

Optional drip pan catches all drippings from thawing boxes (Does not come with dolly. Order separately)

Angular drip flange diverts drippings to drip pan

OPTIONS:

Pull Handle (PH-1) Order #8040408

Drip Pan (AL-DP) Order #8041004


REPLACEMENT PARTS:

Maneuvers easily on (4) 5" x 1.25" swivel casters with polyurethane wheels. Replacement Order #B000025






Freight Class: 300 NMFC Code: 164390-S2



Order#	Model	W	L	Н	Capacity	Weight	NSF	Material
8050041	SS-CFD-2027 CHICKEN FRY DOLLY	23"	27"	36.4"	500 lbs.	82 lbs.	NO	Stainless Steel
8040235	SS-CD-2127 CHICKEN DOLLY 500# CAP.	23"	27"	14"	500 lbs.	19 lbs.	YES	Aluminum
8040408	PH-1 PULL HANDLE FOR CHICKEN DOLLY	5"	=	36"	n/a	2 lbs.	NO	Stainless Steel
8041004	AL-DP DRIP PAN, CHICKEN DOLLY	21"	27"	3"	n/a	4 lbs.	NO	Aluminum

DUNNAGE RACKS

Securely stores product off the floor and allows air to flow around the entire product. Prolong package life while permitting cleaning under the product.



FEATURES:

All welded sanitary aluminum


Heavy duty tube provides a long and durable, rustproof life

Durable, yet light weight

Wide base for sturdy storage


REPLACEMENT PARTS:

Base cap replacement. Order #B000407







NMFC Code: 164390-S2



8040085





Order #	Model	W	L	Н	Capacity	Weight
8040065	AL-DR18368 DUNNAGE RACK, 3,000 LB	18"	36"	8"	3000 lbs.	9 lbs.
8040066	AL-DR18488 DUNNAGE RACK, 2,500 LB	18"	48"	8"	2500 lbs.	11 lbs.
8040067	AL-DR18608 DUNNAGE RACK, 2,000 LB	18"	60"	8"	2000 lbs.	13 lbs.
8040068	AL-DR183612 DUNNAGE RACK, 3,000 LB	18"	36"	12"	3000 lbs.	10 lbs.
8040069	AL-DR184812 DUNNAGE RACK, 2,500 LB	18"	48"	12"	2500 lbs.	11 lbs.
8040070	AL-DR186012 DUNNAGE RACK, 2,000 LB	18"	60"	12"	2000 lbs.	13 lbs.
8040071	AL-DR20368 DUNNAGE RACK, 3,000 LB	20"	36"	8"	3000 lbs.	9 lbs.
8040072	AL-DR20488 DUNNAGE RACK, 2,500 LB	20"	48"	8"	2500 lbs.	11 lbs.
8040073	AL-DR20608 DUNNAGE RACK, 2,000 LB	20"	60"	8"	2000 lbs.	13 lbs.
8040074	AL-DR20728 DUNNAGE RACK, 2,000 LB	20"	72"	8"	2000 lbs.	15 lbs.
8040075	AL-DR203612 DUNNAGE RACK, 3,000 LB	20"	36"	12"	3000 lbs.	10 lbs.
8040076	AL-DR204812 DUNNAGE RACK, 2,500 LB	20"	48"	12"	2500 lbs.	12 lbs.
8040077	AL-DR206012 DUNNAGE RACK, 2,000 LB	20"	60"	12"	2000 lbs.	14 lbs.
8040078	AL-DR207212 DUNNAGE RACK, 2,000 LB	20"	72"	12"	2000 lbs.	16 lbs.
8040079	AL-DR24368 DUNNAGE RACK, 3,000 LB	24"	36"	8"	3000lbs.	11 lbs.

			_		i	
Order #	Model	W	L	Н	Capacity	Weight
48040080	AL-DR24488 DUNNAGE RACK, 2,500 LB	24"	48"	8"	2500 lbs.	13 lbs.
8040081	AL-DR24608 DUNNAGE RACK, 2,000 LB	24"	60"	8"	2000 lbs.	15 lbs.
8040082	AL-DR24728 DUNNAGE RACK, 2,000 LB	24"	72"	8"	2000 lbs.	17 lbs.
8040083	AL-DR243612 DUNNAGE RACK, 3,000 LB	24"	36"	12"	3000 lbs.	11 lbs.
48040084	AL-DR244812 DUNNAGE RACK, 2,500 LB	24"	48"	12"	2500 lbs.	14 lbs.
8040085	AL-DR246012 DUNNAGE RACK, 2,000 LB	24"	60"	12"	2000 lbs.	16 lbs.
8040086	AL-DR247212 DUNNAGE RACK, 2,000 LB	24"	72"	12"	2000 lbs.	21 lbs.
8040087	AL-DR30368 DUNNAGE RACK, 3,000 LB	30"	36"	8"	3000 lbs.	12 lbs.
8040088	AL-DR30488 DUNNAGE RACK, 2,500 LB	30"	48"	8"	2500 lbs.	14 lbs.
8040089	AL-DR30608 DUNNAGE RACK, 2,000 LB	30"	60"	8"	2000 lbs.	16 lbs.
8040090	AL-DR30728 DUNNAGE RACK, 2,000 LB	30"	72"	8"	2000 lbs.	18 lbs.
8040091	AL-DR303612 DUNNAGE RACK, 3,000 LB	30"	36"	12"	3000 lbs.	13 lbs.
8040092	AL-DR304812 DUNNAGE RACK, 2,500 LB	30"	48"	12"	2500 lbs.	16 lbs.
8040093	AL-DR306012 DUNNAGE RACK, 2,000 LB	30"	60"	12"	2000 lbs.	21 lbs.
8040094	AL-DR307212 DUNNAGE RACK, 2,000 LB	30"	72"	12"	2000 lbs.	25 lbs.

PLASTIC DUNNAGE RACK

Securely stores product off floor as well as permitting air flow around the entire product. Prolong package life while permitting cleaning under the product.

This plastic dunnage rack is very versatile looks great in back rooms and storage areas, or as a display merchandiser on the store floor.



FEATURES:

One piece seamless construction that requires no assembly

Rust and corrosion free

Heavy duty construction can hold up to 3,000 pounds

Molded of 100% recyclable material

Durable, yet light weight

Wide base for sturdy storage


Corner pockets allow dunnage rack to be stackable for storage or shipping needs

Stackable for easy storage














Freight Class: 100 NMFC Code:156600-S6







Order #	Model	W	L	Н	Capacity	Weight
5000150	PL-DR-224812-BLK, PLASTIC DUNNAGE RACK	22"	48"	12"	3000 lbs.	21 lbs.

ALUMINUM END LOADING PAN RACK

These sturdy aluminum pan racks are suitable for many different applications.

Available in both end loading and side loading models for $18" \times 26"$ pans.



FEATURES:

Sanitary square aluminum tube

Radius corners for comfort when pushing

Heavy gauge aluminum angle runners with two position weld

Standard rack includes (4) swivel casters with polyurethane wheels

OPTIONS:


(4) 5" x 1.25" flat plate swivel casters with Heavy duty caster channel. Channel protects the caster from the environment and prolongs the useful life of the casters (inquire with your customer service representative)

Tray Stop (inquire with your customer service representative)

REPLACEMENT PARTS:

(4) $5" \times 1.25"$ swivel casters with polyurethane wheels. Replacement order #B000025






End Load







8040959




Freight Class: 300

NMFC Code: 164390-S2







Base assembly for plate swivel casters

Order#	Model	W	L	Н	Shelf Spacing	Pan Capacity	Weight
8040959	AL-1810B END LOAD PAN RACK	20 3/8"	26"	70"	6"	10	22 lbs.
8040960	AL-1812B END LOAD PAN RACK	20 3/8"	26"	70"	5"	12	37 lbs.
8040902	AL-1815B END LOAD PAN RACK	20 3/8"	26"	70"	4"	15	42 lbs.
8040903	AL-1818B END LOAD PAN RACK	20 3/8"	26"	70"	3"	18	42 lbs.
8040904	AL-1820B END LOAD PAN RACK	20 3/8"	26"	70"	3"	20	48 lbs.
8040905	AL-1830B END LOAD PAN RACK	20 3/8"	26"	70"	2"	30	61 lbs.

ALUMINUM SIDE LOADING PAN RACK

These sturdy aluminum pan racks are suitable for many different applications.

Available in both end loading and side loading models for 18" x 26" pans.



FEATURES:

Sanitary square aluminum tube

Radius corners for comfort when pushing

Heavy gauge aluminum angle runners

Standard Rack includes (4) swivel casters with polyurethane wheels

OPTIONS:


(4) 5" x 1.25" flat plate swivel casters with Heavy duty caster channel. Channel protects the caster from the environment and prolongs the useful life of the casters (inquire with your customer service representative)

Tray Stop (inquire with your customer service representative)

REPLACEMENT PARTS:


(4) 5" x 1.25" swivel casters with polyurethane wheels. Replacement order #B000025







NMFC Code: 164390-S2



Order#	Model	W	L	Н	Shelf Spacing	Pan Capacity	Weight
8040907	AL-2610B AL SIDE LOAD PAN RACK	28 3/8"	18"	70"	6"	10	32 lbs.
8040961	AL-2612B SIDE LOAD PAN RACK	28 3/8"	18"	70"	5"	12	35 lbs.
8040962	AL-2615B SIDE LOAD PAN RACK	28 3/8"	18"	70"	4"	15	35 lbs.
8040910	AL-2618B SIDE LOAD PAN RACK	28 3/8"	18"	70"	3"	18	37 lbs.
8040911	AL-2620B SIDE LOAD PAN RACK	28 3/8"	18"	70"	3"	20	42 lbs.
8040912	AL-2630B SIDE LOAD PAN RACK	28 3/8"	18"	70"	2"	30	49 lbs.

ALUMINUM Z-STYLE NESTING PAN RACK

Ideal pan rack for the crowded back rooms.

Racks are nestable when not in use to help conserve space, yet equal in strength to standard units.



FEATURES:

Z-Style nesting capabilities

Fully welded aluminum design

Save valuable space when storing these carts


Heavy duty construction

REPLACEMENT PARTS:

(4) 5" x 1.25" swivel casters with polyurethane wheels. Replacement order #B000312


Fasteners: Hex head cap screw order #B000221 and lock washer order #B000090






Shown Nested






NMFC Code: 164390-S2

8041244







Order#	Model	W	L	Н	Shelf Spacing	Pan Capacity	Weight
8041244	AL-1820, HD Z RACK	20 3/8"	26 5/8"	69 1/4"	3"	20 pans	55 lbs.

ALUMINUM VALULINE PLATTER AND BUN PAN

These sturdy aluminum racks offer an economical and durable alternative to transporting and storing product on meat platters and bun pans.









Freight Class: 85 NMFC Code: 163980

5040001





Order#	Model	W	L	Н	Shelf Spacing	Pan Capacity	Weight
5040001	AL-1820-B-KD, KNOCK-DOWN RACK	20 1/2"	26"	69"	3"	20	25 1/2 lbs.

ENCLOSED CABINETS

These mobile cabinets are ideal for in store use as well as shipping of product from commissary to store.

The cabinet is available in regular and heavy duty models.









8040552 Base -Heavy Duty

FEATURES:

All welded sanitary aluminum

1.5" spacing between pans

Door mounted with 3 heavy duty hinges that assure years of easy operation

Designed for use with pans sized 18 x 26" pan

REGULAR UNIT:

(4) 5" x 1.25" swivel casters with polyurethane wheels. Replacement order #B000312

Fasteners replacement order #B5000543 and #B001257

HEAVY DUTY UNIT:

Reinforced under carriage (heavy duty only)

Heavy duty unit includes extra inside tubular support and 4 aluminum corner bumpers

Extra corner gussets provide increased support (heavy duty only)


(4) 5" x 2" flat plate swivel casters with polyurethane wheels. Replacement order #B000626

Fasteners replacement order #B000060 and #B001225




Food Service






Freight Class: 125

NMFC Code: 081570-S3





NOTE: CABINETS ARE DESIGNED FOR USE WITH PANS SIZED 17.813" to 18.125" IN WIDTH

Order#	Model	W	L	Н	Shelf Spacing	Pan Capacity	Weight
8040169	AL-1840-EC AL. 40 PAN CAP. LT. DUTY	21"	27''	68"	1 1/2"	(40) 18" x 26" Pans	99 lbs.
8040552	AL-1840-EC-HD, ENCL CABINET	21"	27"	68"	1 1/2"	(38) 18" x 26" Pans	118 lbs.

Can't find exactly what you need? Give us a call and we'll help you with the perfect solution!

- 27.00" —

MEAT PLATTER CARTS

These sturdy aluminum runner platter carts are the most economical way to transport product from the meat room to the sales floor. We carry a variety of models to fit all meat platters.

Spacing allows maximum storage with minimal clutter and confusion.



8040959

8040892

FEATURES:

Constructed from sanitary aluminum square tube

Radius corners for comfort when pushing

Heavy gauge aluminum platter runners

Unit comes fully welded and assembled for immediate use

Accommodates 10", 12", or 18" wide trays

REPLACEMENT PARTS:

(4) 5" x 1.25" swivel casters with polyurethane wheels. Replacement Order #B000025







8040893



NMFC Code: 164390-S2

8040892






70.00"

26.00"

8040959



8040893

Order#	Model	W	L	Н	Shelf Spacing	Capacity	Tray Size	Weight
8040892	AL-106 B AL END LOAD RACK	13"	26"	43"	6"	6	10"	37 lbs.
8040893	AL-1010B AL END LOAD RACK	13"	26"	70"	6"	10	10"	37 lbs.
8040894	AL-1012B AL END LOAD RACK	13"	26"	70"	5"	12	10"	47 lbs.
8040895	AL-126 B AL END LOAD RACK	15 1/4"	26"	43"	6"	6	12"	37 lbs.
8040958	AL-1210B-LE END LOAD RACK	15 1/4"	26"	70"	6"	10	12"	31 lbs.
8040897	AL-1212B AL END LOAD RACK	15 1/4"	26"	70"	5"	12	12"	47 lbs.
8040899	AL-186B AL END LOAD RACK	20 3/8"	26"	43"	6"	6	18"	35 lbs.
8040959	AL-1810B END LOAD RACK	20 3/8"	26"	70"	6"	10	18"	22 lbs.
8040960	AL-1812B END LOADRACK	20 3/8"	26"	70"	5"	12	18"	24 lbs.

PRODUCE CRISPING RACK

Sturdy aluminum racks suitable for storage and transportation of produce from the prep area to the sales floor.

This mobile rack accepts 26" x 29" produce crisping baskets.



FEATURES:

Constructed from heavy duty square aluminum tube

Heavy duty aluminum runners

Fully assembled and ready to use

Drip Tray included

Rack fits 26" x 29" crisping baskets. Rack does not include baskets. Order #5000572


REPLACEMENT PARTS:

- (2) Swivel 5" x 1.25" polyurethane wheels with brakes. Replacement Order #B000491
- (2) Square stem 5" x 1.25" polyurethane wheels. Replacement Order #B000025.


Fasteners replacement order #B000198 (nut) #B000439 (bolt) and #B000606 (washer)








NMFC Code: 164390-S2





	Order#	Model	W	L	Н	Shelf Spacing	# of Shelves	Weight
Γ	8041016	AL-PCR-2906 PRODUCE CRISPING RACK	26"	32"	65"	10 3/4"	6	50 lbs.
	8041125	AL-PCR-2907 PRODUCE CRISPING RACK	26"	32"	75 3/5"	10 3/4"	7	54 lbs.


PRODUCT LUG CARTS

Designed for transporting, storing and handling all types of meat, poultry and produce products.



Food Service





Order#	Model	W	L	Н	Capacity (Lugs)	Weight
8040402	AL-L-1-HD (1) LUG CAP, RUNNER STYLE	16"	24 1/2"	19"	1	10 lbs.
8040007	AL-L-2, 2-LUG CAP ALUM	16"	28 1/2"	34 1/2"	2	18 lbs.
8040008	AL-L-3, 3-LUG CAP ALUM RUNNER STYLE	19"	26"	41"	3	25 lbs.
8040009	AL-L-4, 4-LUG CAP ALUM RUNNER STYLE	19"	26"	51"	4	27 lbs.
8040957	AL-L-6-LE, 6-LUG CAPACITY FINAL ASY	19"	26"	71"	6	30 lbs.
8040344	AL-L-10-2, 5 SIDE/SIDE 10 LUG CART	37"	26"	61 1/2"	10	51 lbs.

UNIVERSAL PAN RACKS

Sturdy aluminum racks suitable for storage and transportation of steam table pans, meat trays, or bun pans.

This rack accepts 12" meat trays, 18" x 26" pans or trays, standard steam table pans and several sizes of oval trays.



FEATURES:

Constructed from heavy duty square aluminum tube

Heavy duty 4" aluminum runners

Fully assembled and ready to use

REPLACEMENT PARTS:


(4) Swivel 5" x 1.25" polyurethane wheels. Replacement Order #B000312







NMFC Code: 164390-S2



Order#	Model	W	L	Н	Shelf Spacing	# of Shelves	Weight
8040704	AL-UPC-12-FS	21 7/8"	26"	69"	5"	12	52 lbs.
8040705	AL-UPC-20-FS	21 7/8"	26"	69"	3"	20	70 lbs.
B001140	Steam Pan 1210	10 3/8"	12 3/4"	4"	NA	NA	2 lbs.
B001139	Steam Pan 1220	12 3/4"	20 7/8"	3 7/8"	NA	NA	4 lbs.

UNIVERSAL SHELF/PLATTER CARTS

These versatile, durable carts are ideal for all departments: bakery, deli, seafood, salad bars, produce and meat.

This cart transports and stores product from prep areas to sales floor.



Shown with optional platters and lugs

FEATURES:

Constructed from sanitary aluminum tube

Units come fully assembled

Will not rust

Shelves are recessed to hold platters or lugs in place

REPLACEMENT PARTS:

(4) 5" x 1.25" swivel casters with polyurethane wheels. Replacement Order #B000025

OPTIONS:

Plastic Lugs shown in image. Order #5000031

Plastic Platters in image.


10" x 30" Order #5000024 12" x 24" Order #5000025 12" x 30" Order #5000026 18" x 26" Order #5000027





Food Service





Order#	Model	W	L	Н	Shelf Spacing	# of Shelves	Weight
8040095	AL-UNAL-4-STD, UNIV STYLE 4 SHELF	20 1/2"	27"	45"	10 1/2"	4	27 lbs.
8040098	AL-UNAL-5-NAR, UNIV STYLE 5 SHELF	16"	32"	43"	6 3/4"	5	30 lbs.
8040096	AL-UNAL-6-STD, UNIV STYLE 6 SHELF	20 1/2"	27"	67"	10 1/2"	6	33 lbs.
8040101	AL-UNAL-7-WD UNIV STYLE 7 SHELF	28"	32"	68"	8 1/2"	7	64 lbs.
8040100	AL-UNAL-8-NAR UNIV STYLE 8 SHELF	16"	32"	67"	6 3/4"	8	39 lbs.
8040097	AL-UNAL-8-STD, UNIV STYLE 8 SHELF	20 1/2"	27"	67"	6 3/4"	8	39 lbs.
8040102	AL-UNAL-8-WD UNIV STYLE 8 SHELF	28"	32"	67"	6 3/4"	8	66 lbs.


PLATTERS AND LUGS

Store or display your products on our durable platters and in our durable lugs.



Food Service





Order#	Model	Description	Color	W	L	D
5000024	P-1030, PLASTIC MEAT PLATTERS, WHT	Meat Platter	White	10 1/2"	30"	3/4"
5000025	P-1224, PLASTIC MEAT PLATTERS, WHT	Meat Platter	White	12 1/2"	24"	3/4"
5000026	P-1230, PLASTIC MEAT PLATTERS, WHT	Meat Platter	White	12 1/2"	30"	3/4"
5000027	P-1826, PLASTIC MEAT PLATTERS, WHT	Meat Platter	White	18"	26"	1"
5000031	SNL-8, GREY PLASTIC LUG	Product Lug	Gray	16"	26 1/2"	8"
5000079	SNL-8-C, LUG LID, GRAY	Lug Lid	Gray	16"	26 1/2"	8"

PREPARATION TABLES

These heavy duty tables are perfect for all departments that require food preparation and will provide the perfect surface for all preparation needs.





FEATURES:

Table frame constructed from all welded sanitary aluminum tube

Adjustable leg levelers on all models

Unit comes in a variety of sizes and styles

Can be supplied with a stainless steel or thick poly top


Back splashes are constructed from Stainless Steel


Lower shelves are constructed from aluminum

Table Frames with Stainless Steel Top and Backsplash


Order#	Model	W	L	Н	Weight
8041018	AL-ATF-2436-ST-BS,SS TOP W/BACKSPSH	24"	36"	40"	20 lbs.
8041035	AL-ATF-2448-ST-BS,SS TOP W/BACKSPSH	24"	48"	40"	22 lbs.
8040973	AL-ATF-2460-ST-BS,SS TOP W/BACKSPSH	24"	60"	40"	24 lbs.
8041136	AL-ATF-2472-ST-BS TABLE W/SS TOP+BS	24"	72"	40"	26 lbs.
8041137	AL-ATF-2484-ST-BS TABLE W/SS TOP+BS	24"	84"	40"	29 lbs.
8041138	AL-ATF-2496-ST-BS TABLE W/SS TOP+BS	24"	96"	40"	31 lbs.
8040974	AL-ATF-3036-ST-BS,SS TOP W/BACKSPSH	30"		40"	
8041134	AL-ATF-3048-ST-BS,SS TOP W/BACKSPSH	30"	48"	40"	23 lbs.
8040975	AL-ATF-3060-ST-BS,SS TOP W/BACKSPSH	30"	60"	40"	25 lbs.
8040976	AL-ATF-3072-ST-BS,SS TOP W/BACKSPSH	30"	72"	40"	27 lbs.
8040977	AL-ATF-3084-ST-BS,SS TOP W/BACKSPSH	30"	84"	40"	30 lbs.
8040978	AL-ATF-3096-ST-BS,SS TOP W/BACKSPSH	30"	96"	40"	32 lbs.
	7127111 0070 01 80,00 101 117 8710101011	00	, ,		52 105.








Freight Class: 200 NMFC Code: 82105-S1





8040262 Shown with 8040286 and 8040404

Table Frames with Poly Top and No Backsplash

Order#	Model	W	L	Н	Weight
8040261	AL-ATF-2436-PT TABLE FRAME W/POLY	24"	36"	34"	43 lbs.
8040262	AL-ATF-2448-PT TABLE FRAME W/POLY	24"	48"	34"	53 lbs.
8040263	AL-ATF-2460-PT TABLE FRAME W/POLY	24"	60"	34"	62 lbs.
8040264	AL-ATF-2472-PT TABLE FRAME W/POLY	24"	72"	34"	72 lbs.
8040265	AL-ATF-2484-PT TABLE FRAME W/POLY	24"	84"	34"	83 lbs.
8040266	AL-ATF-2496-PT TABLE FRAME W/POLY	24"	96"	34"	92 lbs.
8040267	AL-ATF-3036-PT TABLE FRAME W/POLY	30"	36"	34"	44 lbs.
8040268	AL-ATF-3048-PT TABLE FRAME W/POLY	30"	48"	34"	54 lbs.
8040269	AL-ATF-3060-PT TABLE FRAME W/POLY	30"	60"	34"	63 lbs.
8040270	AL-ATF-3072-PT TABLE FRAME W/POLY	30"	72"	34"	73 lbs.
8040271	AL-ATF-3084-PT TABLE FRAME W/POLY	30"	84"	34"	84 lbs.
8040272	AL-ATF-3096-PT TABLE FRAME W/POLY	30"	96"	34"	93 lbs.

Under Shelf for Both Sets of Table Frames

Order #	Model	W	L	Н	Weight
8040285	AL-AUS-2436 AL. UNDER SHELF	12 1/2"	36"	NA	9 lbs.
8040286	AL-AUS-2448 AL. UNDER SHELF	12 1/2"	48"	NA	11 lbs.
8040287	AL-AUS-2460 AL. UNDER SHELF	12 1/2"	60"	NA	13 lbs.
8040288	AL-AUS-2472 AL. UNDER SHELF	12 1/2"	72"	NA	16 lbs.
8040289	AL-AUS-2484 AL. UNDER SHELF	12 1/2"	84"	NA	18 lbs.
8040290	AL-AUS-2496 AL. UNDER SHELF	12 1/2"	96"	NA	20 lbs.
8040291	AL-AUS-3036 AL. UNDER SHELF	18 1/4"	36"	NA	12 lbs.
8040292	AL-AUS-3048 AL. UNDER SHELF	18 1/4"	48"	NA	14 lbs.
8040293	AL-AUS-3060 AL. UNDER SHELF	18 1/4"	60"	NA	17 lbs.
8040294	AL-AUS-3072 AL. UNDER SHELF	18 1/4"	72"	NA	20 lbs.
8040295	AL-AUS-3084 AL. UNDER SHELF	18 1/4"	84"	NA	23 lbs.
8040296	AL-AUS-3096 AL. UNDER SHELF	18 1/4"	96"	NA	25 lbs.

Table Frames with Stainless Steel Top and No Backsplash

Order#	Model	W	ш	Н	Weight
8040273	AL-ATF-2436-ST TABLE FRAME W/SS TOP	24"	36"	34"	37 lbs.
8040274	AL-ATF-2448-ST TABLE FRAME W/SS TOP	24"	48"	34"	48 lbs.
8040275	AL-ATF-2460-ST TABLE FRAME W/SS TOP	24"	60"	34"	53 lbs.
8040276	AL-ATF-2472-ST TABLE FRAME W/SS TOP	24"	72"	34"	63 lbs.
8040277	AL-ATF-2484-ST TABLE FRAME W/SS TOP	24"	84"	34"	73 lbs.
8040278	AL-ATF-2496-ST TABLE FRAME W/SS TOP	24"	96"	34"	84 lbs.
8040279	AL-ATF-3036-ST TABLE FRAME W/SS TOP	30"	36"	34"	44 lbs.
8040280	AL-ATF-3048-ST TABLE FRAME W/SS TOP	30"	48"	34"	54 lbs.
8040281	AL-ATF-3060-ST TABLE FRAME W/SS TOP	30"	60"	34"	63 lbs.
8040282	AL-ATF-3072-ST TABLE FRAME W/SS TOP	30"	72"	34"	73 lbs.
8040283	AL-ATF-3084-ST TABLE FRAME W/SS TOP	30"	84"	34"	84 lbs.
8040284	AL-ATF-3096-ST TABLE FRAME W/SS TOP	30"	96"	34"	93 lbs.

WHEN ORDERING SHELVES MATCH UP THE LENGTH OF YOUR TABLE WITH THE LENGTH OF THE SHELF

Backsplashes for Tables with Poly Top

Order#	Model	V	Ш	Т	Weight
8040404	BACKSPLASH, 48.00 SS	NA	48"	6"	13 lbs
8040405	BACKSPLASH, 36.00 SS	NA	36"	6"	11 lbs.
8040406	BACKSPLASH, 96.00 SS	NA	96"	6"	21 lbs.
8040407	BACKSPLASH, 72.00 SS	NA	72"	6"	17 lbs.
8040409	BACKSPLASH, 60.00 SS	NA	60"	6"	15 lbs.
8040479	BACKSPLASH, 84.0 SS	NA	84"	6"	19 lbs.

ADJUSTABLE SANI SHELVING

Adjustable Sani Shelving can be used in all of your departments. These shelves are perfect for coolers, freezers, prep areas, or wherever product or supplies must be stored.

This product allows you to design shelving to meet your specific needs or situation, like using a tubular shelf for heavy boxed items on the bottom with solid shelves for small items on the top.

48040131 8040542 48040165 and 48040131 48040157 shown assembled

FEATURES:

All welded sanitary aluminum tube

Great cleanliness and air circulation


2000 lb. unit capacity with evenly distributed weight

Heavy duty solid reinforced shelves are constructed from aluminum sheet metal with double reinforced and hemmed edges

All shelves of similar length and width are interchangeable

Uprights are made from heavy duty aluminum tube

Casters and wheels can be purchased and installed easily to increase shelf mobility





To assemble, slide shelves into place and secure with set screw





NATIONAL CART CO

48040165



48040165 and 48040131 shown assembled





Freight Class: 110 NMFC Code: 82273-S1

Order#	Model	Description	W	L	Laterals	Weight
8040103	AL-SAS-T-1530 HD ADJ SANI-SHELF	Tube Style	15"	30"	3	5 lbs.
8040104	AL-SAS-T-1536 HD ADJ SANI-SHELF	Tube Style	15"	36"	3	5 lbs.
8040105	AL-SAS-T-1542 HD ADJ SANI-SHELF	Tube Style	15"	42"	3	7 lbs.
8040106	AL-SAS-T-1548 HD ADJ SANI-SHELF	Tube Style 15" 48" 3		3	8 lbs.	
8040107	AL-SAS-T-1554 HD ADJ SANI-SHELF	Tube Style	15"	54"	3	9 lbs.
8040108	AL-SAS-T-1560 HD ADJ SANI-SHELF	Tube Style	15"	60"	3	9 lbs.
8040109	AL-SAS-T-1566 HD ADJ SANI-SHELF	Tube Style	15"	66"	3	10 lbs.
8040110	AL-SAS-T-1572 HD ADJ SANI-SHELF	Tube Style	15"	72"	3	11 lbs.
8040111	AL-SAS-T-1830 HD ADJ SANI-SHELF	Tube Style	18"	30"	3	7 lbs.
8040112	AL-SAS-T-1836 HD ADJ SANI-SHELF	Tube Style	18"	36"	3	8 lbs.
8040113	AL-SAS-T-1842 HD ADJ SANI-SHELF	Tube Style	18"	42"	3	9 lbs.
8040114	AL-SAS-T-1848 HD ADJ SANI-SHELF	Tube Style	18"	48"	3	10 lbs.
8040115	AL-SAS-T-1854 HD ADJ SANI-SHELF	Tube Style	18"	54"	3	11 lbs.
8040116	AL-SAS-T-1860 HD ADJ SANI-SHELF	Tube Style	18"	60"	3	12 lbs.
8040117	AL-SAS-T-1866 HD ADJ SANI-SHELF	Tube Style	18"	66"	3	13 lbs.
8040118	AL-SAS-T-1872 HD ADJ SANI-SHELF	Tube Style 18" 72"		3	14 lbs.	
8040119	AL-SAS-T-2030 HD ADJ SANI-SHELF	Tube Style 20" 30"		4	7 lbs.	
8040120	AL-SAS-T-2036 HD ADJ SANI-SHELF	Tube Style	20"	36"	4	8 lbs.
8040121	AL-SAS-T-2042 HD ADJ SANI-SHELF	Tube Style	20"	42"	4	9 lbs.
48040122	AL-SAS-T-2048 HD ADJ SANI-SHELF	Tube Style	20"	48"	4	10 lbs.
8040123	AL-SAS-T-2054 HD ADJ SANI-SHELF	Tube Style	20"	54"	4	11 lbs.
8040124	AL-SAS-T-2060 HD ADJ SANI-SHELF	Tube Style	20"	60"	4	12 lbs.
8040125	AL-SAS-T-2066 HD ADJ SANI-SHELF	Tube Style	20"	66"	4	13 lbs.
8040126	AL-SAS-T-2072 HD ADJ SANI-SHELF	Tube Style	20"	72"	4	14 lbs.
8040127	AL-SAS-T-2096 HD ADJ SANI-SHELF	Tube Style	20"	96"	4	19 lbs.
8040128	AL-SAS-T-2430 HD ADJ SANI-SHELF	Tube Style	24"	30"	5	9 lbs.
8040129	AL-SAS-T-2436 HD ADJ SANI-SHELF	Tube Style	24"	36"	5	10 lbs.
8040130	AL-SAS-T-2442 HD ADJ SANI-SHELF	Tube Style	24"	42"	5	11 lbs.
48040131	AL-SAS-T-2448 HD ADJ SANI-SHELF	Tube Style	24"	48"	5	12 lbs.
8040132	AL-SAS-T-2454 HD ADJ SANI-SHELF	Tube Style	24"	54"	5	14 lbs.
8040133	AL-SAS-T-2460 HD ADJ SANI-SHELF	Tube Style	24"	60"	5	15 lbs.
8040134	AL-SAS-T-2472 HD ADJ SANI-SHELF	Tube Style	24"	72"	5	18 lbs.
8040135	AL-SAS-T-2496 HD ADJ SANI-SHELF	Tube Style	24"	96"	5	24 lbs.
8040136	AL-SAS-SR-1530 HD SLD DK ADJ SANI-S	Solid Reinforced	15"	30"	1	6 lbs.

Order#	Model	Description	W	L	Laterals	Weight
8040138	AL-SAS-SR-1542 HD SLD DK ADJ SANI-S	Solid Reinforced	15"	42"	1	7 lbs.
8040139	AL-SAS-SR-1548 HD SLD DK ADJ SANI-S	Solid Reinforced	15"	48"	1	8 lbs.
8040140	AL-SAS-SR-1554 HD SLD DK ADJ SANI-S	Solid Reinforced	15"	54"	1	9 lbs.
8040141	AL-SAS-SR-1560 HD SLD DK ADJ SANI-S	Solid Reinforced	15"	60"	2	12 lbs.
8040142	AL-SAS-SR-1830 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	30"	1	6 lbs.
8040143	AL-SAS-SR-1836 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	36"	1	7 lbs.
8040144	AL-SAS-SR-1842 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	42"	1	8 lbs.
8040145	AL-SAS-SR-1848 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	48"	1	9 lbs.
8040146	AL-SAS-SR-1854 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	54"	2	12 lbs.
8040147	AL-SAS-SR-1860 HD SLD DK ADJ SANI-S	Solid Reinforced	18"	60"	2	13 lbs.
8040148	AL-SAS-SR-2030 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	30"	2	8 lbs.
8040149	AL-SAS-SR-2036 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	36"	2	9 lbs.
8040150	AL-SAS-SR-2042 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	42"	2	10 lbs.
8040151	AL-SAS-SR-2048 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	48"	2	11 lbs.
8040152	AL-SAS-SR-2054 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	54"	2	12 lbs.
8040153	AL-SAS-SR-2060 HD SLD DK ADJ SANI-S	Solid Reinforced	20"	60"	2	13 lbs.
8040154	AL-SAS-SR-2430 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	30"	2	8 lbs.
8040155	AL-SAS-SR-2436 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	36"	2	10 lbs.
8040156	AL-SAS-SR-2442 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	42"	2	11 lbs.
48040157	AL-SAS-SR-2448 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	48"	2	12 lbs.
8040158	AL-SAS-SR-2454 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	54"	2	13 lbs.
8040159	AL-SAS-SR-2460 HD SLD DK ADJ SANI-S	Solid Reinforced	24"	60"	2	15 lbs.
8040515	AL-SAS-TB-1536 HD ADJ SANI-SHELF	T-Bar Style	15"	36"	9	7 lbs.
8040522	AL-SAS-TB-1830 HD ADJ SANI-SHELF	T-Bar Style	18"	30"	7	7 lbs.
8040523	AL-SAS-TB-1846 HD ADJ SANI-SHELF	T-Bar Style	18"	36"	9	8 lbs.
8040525	AL-SAS-TB-1848 HD ADJ SANI-SHELF	T-Bar Style	18"	48"	11	10 lbs.
8040526	AL-SAS-TB-1854 HD ADJ SANI-SHELF	T-Bar Style	18"	54"	12	11 lbs.
8040542	AL-SAS-TB-2448 HD ADJ SANI-SHELF	T-Bar Style	24"	48"	11	12 lbs.
8040160	AL-SAS-P12 POLE W/PLUG B.E.	Upright Poles	-	12"	-	1.0 lbs.
8040161	AL-SAS-P34 POLE W/PLUG B.E.	Upright Poles	-	34"	-	2.0 lbs.
8040162	AL-SAS-P48 POLE W/PLUG B.E.	Upright Poles	-	48"	-	2.5 lbs.
48040164	AL-SAS-P68 POLE W/PLUG B.E.	Upright Poles	-	68"	-	3.5 lbs.
48040165	AL-SAS-P76 POLE W/PLUG B.E.	Upright Poles	-	76"	-	4.0 lbs.
48040166	AL-SAS-P84 POLE W/PLUG B.E.	Upright Poles	-	84"	-	4.5 lbs.
1500036	AL-SAS-C5	5 x 1.25" Swivel Caster	-	-	-	2.25 lbs.

ALUMINUM CANTILEVERED SHELVING

This versatile shelving system can be used in all departments. Its cantilevered design allows easy access from three sides and has a fully welded aluminum frame for extra strength.

These units are usually placed in rows along cooler walls and are perfect for use in freezers, coolers, or preparation areas.



8041022 and 8041027 Shown Assembled



1. Slide Shelf into frame



2. Push shelf down

FEATURES:

Fully welded heavy duty aluminum frame

Custom design shelving system to fit specific areas

Virtually eliminates wasted floor space.

No anchoring required

Easily adjustable (no tools required)

700 lb. capacity per shelf


Available in tubular, T-bar, and solid reinforced styles

REPLACEMENT PARTS:

Comes with leg levelers. Replacement Order #B000194















Order#	Model	W	L	Н	Weight
8041022	AL-CS-2436 CANTILEVERED SHELF FRAME	24"	36"	72"	26.5 lbs.
8041023	AL-CS-2448 CANTILEVERED SHELF FRAME	24"	48"	72"	28 lbs.
8041024	AL-CS-2460 CANTILEVERED SHELF FRAME	24"	60"	72"	39 lbs.
8041025	AL-2436-SCS, SOLID CANTILEVER SHELF	24"	32 3/4"	2.5"	12.5 lbs.
8041026	AL-2436-TBCS, TBAR CANTILEVER SHELF	24"	32 3/4"	2.5"	11 lbs.
8041027	AL-2436-TUCS, TUBE CANTILEVER SHELF	24"	32 3/4"	2.5"	8.5 lbs.
8041028	AL-2448-SCS, SOLID CANTILEVER SHELF	24"	44 3/4"	2.5"	15.5 lbs.
8041029	AL-2448-TBCS, TBAR CANTILEVER SHELF	24"	44 3/4"	2.5"	13.5 lbs.
8041030	AL-2448-TUCS, TUBE CANTILEVER SHELF	24"	44 3/4"	2.5"	10 lbs.
8041031	AL-2460-SCS, SOLID CANTILEVER SHELF	24"	56 3/4"	2.5"	19 lbs.
8041032	AL-2460-TBCS, TBAR CANTILEVER SHELF	24"	56 3/4"	2.5"	16 lbs.
8041033	AL-2460-TUCS, TUBE CANTILEVER SHELF	24"	56 3/4"	2.5"	24 lbs.

ALUMINUM WALL SHELVES

Maximize your square footage with an ideal product to help organize any working or storage area. Perfect for use above sinks and working surfaces for storage and organization without using valuable floor space.

Creatively install our shelves to fit your individual needs.



FEATURES:

All aluminum construction


All welded sanitary aluminum tube

Easy installation

Sizes to fit any need


Solid surface shelves ship knocked down and require assembly





Food Service





Order#	Model	Description	W	D	Shelf Capacity	Weight
8040715	AL-WS-TB-2036, T-BAR WALL SHELF	Tube Shelf	36"	20"	700 lbs.	11 lbs
8040565	AL-WS-TB-2048, T-BAR WALL SHELF	Tube Shelf	48"	20"	600 lbs.	13 lbs.
8040716	AL-WS-TB-2060, T-BAR WALL SHELF	Tube Shelf	60"	20"	500 lbs.	16 lbs.
8040717	AL-WS-TB-2460, T-BAR WALL SHELF	Tube Shelf	60"	24"	500 lbs.	26 lbs.
8040718	AL-WS-TB-2036-PH, T-BAR WALL SHELF	Shelf With Pot Holders	36"	20"	700 lbs	15 lbs.
8040566	AL-WS-TB-2048-PH, T-BAR WALL SHELF	Shelf With Pot Holders	48"	20"	600 lbs.	21 lbs.
8040719	AL-WS-TB-2060-PH, T-BAR WALL SHELF	Shelf With Pot Holders	60"	20"	500 lbs.	26 lbs.
8040697	AL-WS-1224-KD SET	Solid Surface Shelf	24"	12"	200 lbs.	6 lbs.
8040698	AL-WS-1236-KD SET	Solid Surface Shelf	36"	12"	150 lbs.	8 lbs.
8040699	AL-WS-1248-KD SET	Solid Surface Shelf	48"	12"	125 lbs.	9 lbs.
8040700	AL-WS-1260-KD SET	Solid Surface Shelf	60"	12"	100 lbs.	10 lbs.

BOAT RACK

Provides a product storage area for Styrofoam boats and trays used to package meats and poultry products.







FEATURES:

All welded sanitary aluminum tube

Perforated aluminum backing provides a smooth non-bacteria collecting surface

Perfect for organizing scattered trays and boats

OPTIONS:

Ceiling Mount (CL)

Table Mount (TM)


Wall Mount (WAL)

Divider Bracket (BRD)

REPLACEMENT PARTS:

Replacement Hanger Bracket Order #3040291

Boat Rack Divider Bracket Order #8040671



Food Service





Freight Class: 300

NMFC Code: 164390-S2

8040024







Order#	Model	Description	W	L	Н	Weight
8040022	AL-1348-BR-WAL 4'BOAT RACK WALL	Wall Mount 48"	13"	48"	25"	14 lbs.
8040023	AL-1360-BR-WAL 5'BOAT RACK WALL	Wall Mount 60"	13"	60"	25"	17 lbs.
8040024	AL-1372-BR-WAL 6'BOAT RACK WALL	Wall Mount 72"	13"	72"	25"	20 lbs.
8040025	AL-1396-BR-WAL 8'BOAT RACK WALL	Wall Mount 96"	13"	96"	25"	23 lbs.
8040026	AL-1348-BR-CL, AL BOAT RACK CEILING	Ceiling Mount 48"	13"	48"	25"	19 lbs.
8040027	AL-1360-BR-CL, AL BOAT RACK CEILING	Ceiling Mount 60"	13"	60"	25"	22 lbs.
8040028	AL-1372-BR-CL, AL BOAT RACK CEILING	Ceiling Mount 72"	13"	72"	25"	25 lbs.
8040029	AL-1396-BR-CL, AL BOAT RACK CEILING	Ceiling Mount 96"	13"	96"	25"	28 lbs.
8040030	AL-1348-BR-TM, AL BOAT RACK TABLE	Table Mount 48"	13"	48"	25"	19 lbs.
8040031	AL-1360-BR-TM, AL BOAT RACK TABLE	Table Mount 60"	13"	60"	25"	22 lbs.
8040032	AL-1372-BR-TM, AL BOAT RACK TABLE	Table Mount 72"	13"	72"	25"	25 lbs.
8040033	AL-1396-BR-TM, AL BOAT RACK TABLE	Table Mount 96"	13"	96"	25"	28 lbs.
8040671	AL SOLID BOAT RACK DIVIDER	Divider	12"	1 1/2"	22"	2 lbs.

COOLER SHELVING

This free standing unit is perfect for all coolers and prep rooms. Cooler Shelving keeps merchandise off of the floor while allowing maximum air flow and maintaining product freshness.

These are also a great way to increase the storage capacity of your walk in coolers.



FEATURES

Heavy duty aluminum sanitary tube construction


Unit comes fully welded with 4 leg levelers for sloping cooler floors

Spacing of shelves allows for maximum air flow

Convenient shelf height


REPLACEMENT PARTS:

Optional leg levelers available. Replacement Order #B000194









Order#	Model	W	L	Н	# of Shelves	Weight	Capacity per Shelf
8040309	AL-CS-2060-2, AL COOLER SHELF W/2	20"	60"	60"	2	35 lbs.	1,500 lbs.
8040312	AL-CS-2072-2, AL COOLER SHELF W/2	20"	72"	60"	2	38 lbs.	1,500 lbs.
8040315	AL-CS-2436-2, AL COOLER SHELF W/2	24"	36"	60"	2	31 lbs.	1,500 lbs.
8040318	AL-CS-2448-2, AL COOLER SHELF W/2	24"	48"	60"	2	35 lbs.	1,500 lbs.
8040321	AL-CS-2460-2, AL COOLER SHELF W/2	24"	60"	60"	2	40 lbs.	1,500 lbs.
8040324	AL-CS-2472-2, AL COOLER SHELF W/2	24"	72"	60"	2	44 lbs.	1,500 lbs.
8040304	AL-CS-2036-3, AL COOLER SHELF W/3	20"	36"	60"	3	33 lbs.	1,500 lbs.
8040307	AL-CS-2048-3, AL COOLER SHELF W/3	20"	48"	60"	3	39 lbs.	1,500 lbs.
8040310	AL-CS-2060-3, AL COOLER SHELF W/3	20"	60"	60"	3	45 lbs.	1,500 lbs.
8040313	AL-CS-2072-3, AL COOLER SHELF W/3	20"	72"	60"	3	51 lbs.	1,500 lbs.
8040316	AL-CS-2436-2, AL COOLER SHELF W/2	24"	36"	60"	3	39 lbs.	1,500 lbs.
8040319	AL-CS-2448-3, AL COOLER SHELF W/3	24"	48"	60"	3	46 lbs.	1,500 lbs.
8040322	AL-CS-2460-3, AL COOLER SHELF W/3	24"	60"	60"	3	54 lbs.	1,500 lbs.
8040325	AL-CS-2472-3, AL COOLER SHELF W/3	24"	72"	60"	3	61 lbs.	1,500 lbs.
8040323	AL-CS-2460-4, AL COOLER SHELF W/4	24"	60"	60"	4	67 lbs.	1,500 lbs.
8040320	AL-CS-2448-4, AL COOLER SHELF W/4	24"	48"	60"	4	59 lbs.	1,500 lbs.
8040317	AL-CS-2436-4, AL COOLER SHELF W/4	24"	36"	60"	4	47 lbs.	1,500 lbs.

MOBILE COOLER/FREEZER SHELF TRUCK

This all welded sanitary aluminum shelf truck is perfect for storage in meat, produce, dairy, deli and bakery coolers.

Saves labor by putting your product on wheels.



FEATURES:

Constructed from rectangular heavy duty aluminum tube

Moves easily under heavy loads

Will withstand drastic temperature changes from freezer to prep area

REPLACEMENT PARTS:

(2) rigid 6" x 2" polyurethane casters. Replacement Order #B000507.


(2) swivel 6" x 2" polyurethane casters. Replacement Order #B000508.

Fastener Replacement Order #B000060 and #B001225











Freight Class: 150

NMFC Code: 164390-S4





8040382

Order#	Model	W	L	Н	# of Shelves	Weight	Cart Capacity
8040236	AL-AMC-2051-2 MOBILE COOLER TRUCK	20"	51"	67 1/2"	2	63 lbs.	2000 lbs.
8040237	AL-AMC-2051-3 MOBILE COOLER TRUCK	20"	51"	67 1/2"	3	55 lbs.	2000 lbs.
8040239	AL-AMC-2063-3 MOBILE COOLER TRUCK	20"	63"	67 1/2"	3	65 lbs.	2000 lbs.
8040240	AL-AMC-2451-2 MOBILE COOLER TRUCK	24"	51"	67 1/2"	2	65 lbs.	2000 lbs.
8040382	AL-AMC-2451-3 MOBILE COOLER TRUCK	24"	51"	67 1/2"	3	63 lbs.	2000 lbs.
8040243	AL-AMC-2463-2 MOBILE COOLER TRUCK	24"	63"	67 1/2"	2	65 lbs.	2000 lbs.
8040244	AL-AMC-2463-3 MOBILE COOLER TRUCK	24"	63"	67 1/2"	3	66 lbs.	2000 lbs.
8040246	AL-AMC-2763-2 MOBILE COOLER TRUCK	27"	63"	67 1/2"	2	72 lbs.	2000 lbs.
8040248	AL-AMC-2763-3 MOBILE COOLER TRUCK	27"	63"	67 1/2"	3	65 lbs.	2000 lbs.

QUEEN MARY CART

The Queen Mary Cart is ideal for banquets, catering and bussing.

This cart is built to handle the big loads and is a must in any high volume situation.









Freight Class: 300

NMFC Code: 164390-S2

8040481





Order#	Model	W		Ι	Shelf Spacing	# of Shelves	Weight
8040481	AL-QMT-2760-5 'QUEEN MARY' SH. TRUCK	29"	62"	66"	12"	5	147 lbs.
8040708	AL-QMT-2760-6'QUEEN MARY' SH. TRUCK	21 1/2"	62"	69"	9"	6	156 lbs.

THERMAL WRAPPER

Easily seal in the freshness and prolong the shelf life of your products.

Our new Thermal Wrapping station is an essential edition to any meat, seafood or prepared foods department.



FEATURES:

Constructed from heavy duty aluminum and stainless steel

Heated cut off rod

Non stick Teflon cover on hot plate

Powered by standard US power outlet

Fully assembled and ready to use

Fed Ex / UPS friendly

1 year warranty

UL Listed


REPLACEMENT PARTS:

Fuse order# 5000148


Cut Off Bar Assembly order# 5000565

Teflon Cover order# 5000553


Hot Plate Assembly order# 5000569








Freight Class: 85 NMFC Code: 186590





Order#	Model	W	L	Τ	Weight
5000156	THERMAL HANDWRAP 1-ROLL	23"	26"	8"	28 lbs.

MATERIAL HANDLING







Carts
Box Bin Cart215-216
Foldable Aluminum L-Cart217-218
Furniture Cart219-220
Metal Platform Trucks (Flat Cart)221-222
Nesting Carts223-224
Plastic Flat Carts225-226
Utility Carts227-228
Wire Nesting Carts229-230
Dollies
Lock and Load Dolly231-232
Garden
Garden Center Cart233-234
Garden Wagons235-236
Plastic Deck Garden Cart237-238
Hand Trucks 239-240
Lumber Carts
Flat Lumber Cart241-242
Lumber Cart243-244
Ladder Carts
Racks
Garment Racks247-248
Stock Carts
5 Shelf Back Stock Cart249-250
Back Stock Carts251-252
HBC Restock Advantage Cart253-254
Stock Picker Cart
Security
Mobile Security Cages257-258
HBC Restock Advantage Cart253-254
U-Boat
Aluminum Utility Carts (U-Boat)259-260
Heavy-Duty U-Boats
Spring Loaded U-Boat263-264
U-Pick U-Boat265-266



For Product Safety and Operation Manuals please visit our website at www.nationalcart.com

BOX BIN CART

This all welded steel box bin is for everyday use to store and transfer cardboard boxes within your facility or take to unload in a dumpster.

The steel construction withstands heavy loads up to 750 pounds and provides years of fuss-free service.





FEATURES:

All welded steel construction

Durable gray powder coat finish


Large opening and the top and partial opening on the side makes it easy to place cardboard boxes

REPLACEMENT PARTS:

(2) 6" x 2" swivel casters with polyurethane wheels. Replacement order #B000507.

(2) 6" x 2" swivel casters with polyurethane wheels. Replacement order #B000508.


Fasteners order #B001257 (nut) and #B00060 (bolt).







Freight Class: 300

NMFC Code: 164390-S2



8000059





Order#	Model	W	L	Н	Capacity	Weight
8000376	BB-3072, BOX BIN CART	30"	72"	60"	750 lbs.	170 lbs.

FOLDABLE ALUMINUM L-CART

This six wheel L-cart design allow the cart to rotate within its own lengths and be easily maneuvered through busy aisles and tight areas in the back room.

This L-Cart folds up to stand vertically and minimizes valuable storage and shipping space, saving you money!





FEATURES:

All welded aluminum frame

Durable attractive blue powder coat finish

Traditional six wheel design, 2 center rigid and 4 corner swivel bolt on casters

Handle folds down to collapse and minimize storage and shipping space

L-Cart folds together and stands vertically when not in use

REPLACEMENT PARTS:

(2) 8" x 2" rigid polyurethane center wheels ensure easy rolling and longer life. Replacement order #B000024

(4) 4" x 1.25" corner swivel casters. Replacement order #B000027

L-Carts Shown in use




L-Carts Shown Folded for Shipping and Storage



U-Boats

Freight Class: 70

NMFC Code: 188560-S2



Order#	Model	W	L	Н	Cart Capacity	Weight
8001341	FSC-2050-ALH; FOLDING STOCK CART	20"	55.45"	52.58"	1000 lbs.	46 lbs.

FURNITURE CART

This sturdy utility cart will safely transport large, hard to handle boxes of furniture, lumber, doors, etc. Efficiently transports materials from loading dock to sales floor, or sales floor to parking lot.

High steel sides provide superior control over cart and load.



FEATURES:

All welded heavy duty steel tube construction

Durable and attractive powder coated finish

Traditional 4 wheel design for easy maneuvering

Fully welded side handles to secure load

REPLACEMENT PARTS:


(2) 5" x 1.25" polyurethane swivel casters. Replacement order #B000312.

(2) 5" x 1.25" polyurethane rigid casters. Replacement order #B000325.

Fasteners order #B000689.









Freight Class: 150

NMFC Code:188560-S4

8000056





Order#	Model	W	L	Н	Cart Capacity	Weight
8000056	FUC-2436, FURNITURE CART BEIGE	24"	39"	50"	1000 lbs.	129 lbs.

METAL PLATFORM TRUCKS (FLAT CART)

These heavy duty stock trucks won't back down from heavy loads. A variety of sizes are available to handle all of your stocking, storing and transportation needs. From loading dock to sales floor, this cart does it all.





All welded steel deck with steel chassis frame

Heavy duty handle is welded in fixed position

Gusseted and reinforced with pipe socket at the high stress areas

Bolt on casters

OPTIONS.

Front corner bumpers

SST-3060-6 is a 6 wheel version with 8" x 2" polyurethane center wheels

REPLACEMENT PARTS:

4-Wheel Model

(2) 6" x 2" polyurethane rigid casters. Replacement order #B000508.

(2) 6" x 2" polyurethane swivel casters. Replacement order #B000507.

Fasteners replacement order #B000696 (bolt)


6-Wheel Model

(2) 8" x 2" polyurethane rigid casters. Replacement order #B000542. (4) 6" x 2" polyurethane swivel casters. Replacement order #B000507.


Fasteners replacement order #B000696 (bolt) and #B000183 (nut).



8000024







Order#	Model	W	L	н	Cart Capacity	Weight	Bumpers	# of wheels
8000024	SST-2448-P/U, PLATFORM TRUCK, BLUE	24"	50"	40"	2000 lbs.	80 lbs.	No	4
8000450	SST-2448-CB, PLTFRM TRK, BLU W/BMPR	24"	50"	40"	2000 lbs.	80 lbs.	Yes	4
8000025	SST-2460-P/U, PLATFORM TRUCK, BLUE	24"	62"	40"	2000 lbs.	90 lbs.	No	4
8000026	SST-3060-P/U, PLATFORM TRUCK, BLUE	30"	62"	46"	2000 lbs.	120 lbs.	No	6

NESTING CARTS

This high quality, versatile cart can be used both by store personnel and your customers. Customers can use the cart for large items, while placing small purchases in the optional mid utility basket. These carts nest into less than 33% of their normal length, thus freeing up valuable floor space.





All welded steel construction

Gusseted and reinforced in high stress areas

Nestable for easy storage

OPTIONS:

Mid Utility Basket (MB)

Zinc plated or powder coated finish for your convenience

REPLACEMENT PARTS:

Model #3060

(2) rear swivel $8" \times 2"$ polyurethane, replacement order #B000541. (2) front rigid $8" \times 2"$ polyurethane, replacement order #B000542.

Fasteners order #B000503 (bolt) and #B000183 (nut).

Model #2448

(2) rear swivel 6" \times 2" polyurethane, replacement order #B000507. (2) front rigid 6" \times 2" polyurethane, replacement order #B000508.


Fasteners order #B000060 (bolt) and #B001225 (nut).






Material Handling





Freight Class: 100 NMFC Code: 188560-S6



8000047



					Cart				
Order#	Model	W	L	Η	Capacity	Finish	Color	Accessory	Weight
8000043	2448-NCPC-PU. NESTING CART, BLUE	30"	58"	40"	2000 lbs.	Powder Coated	Blue	-	142 lbs.
8000044	2448-NCZP-PU, NESTING CART	30"	58"	40"	2000 lbs.	Zinc Plated	NA	-	142 lbs.
8000045	3060-NCPC-PU,NESTING CART	36"	70"	40"	2000 lbs.	Powder Coated	Green	-	153 lbs.
8000047	2448-NCZP-PU-MB, NESTING CART W/BSK	30"	58"	40"	2000 lbs.	Zinc Plated	NA	Basket	142 lbs.
8000344	2448-NCPC-PU-MB, NEST CART W/BSK GY	30"	58"	40"	2000 lbs.	Powder Coated	Gray	Basket	142 lbs.
8000048	3060-NCZP-PU-MB NESTING CART W/BSK	36"	70"	40"	2000 lbs.	Zinc Plated	NA	Basket	153 lbs.
8000107	3060-NCPC-PU-MB NESTING CART W/BSK	36"	70"	40"	2000 lbs.	Powder Coated	Green	Basket	153 lbs.

PLASTIC FLAT CARTS

These heavy duty plastic flat carts won't back down from heavy loads. A variety of sizes are available to handle all of your stocking, storing and transportation needs.

From loading dock to sales floor, this cart does it all.



FEATURES:

Ideal for Indoor and outdoor use.

Plastic deck features a ribbed design for a durable yet light weight product

Anti-skid deck is easy to clean and will look great for years to come

All welded steel tube powder-coated steel chassis

Plastic decks will not chip or rust

Heavy duty steel handle

Bolt on casters

OPTIONS:

Nesting or Non-nesting option available for purchase

REPLACEMENT PARTS:

(2) 6" x 2" cimor rigid casters. Replacement order #B000652.

(2) 6" x 2" cimor swivel casters. Replacement order #B000653.

Fastener replacement order #B000060 (bolt) and #B001257 (nut)







Carts shown nested together







Freight Class: 100 NMFC Code:188560-S6





Nesting Plastic Flat Carts

Order#	Model	W	L	Н	Capacity	Weight
8000396	NC-2448-PC NESTING CART WITH DECK	28 1/8"	54 1/4"	40 1/4"	1500 lbs.	68 lbs
8000365	NC-3060-PC NESTING CART WITH DECK	34 1/8"	66 1/4"	40 1/4"	1500 lbs.	105 lbs.

Non-Nesting Plastic Flat Carts

Order#	Model	W	L	Н	Capacity	Weight
8000455	PT-2448-PC PLATFORM TRUCK WITH DECK	28 1/8"	54 1/4"	40 1/4"	2200 lbs.	63 lbs.
8000456	PT-3060-PC PLATFORM TRUCK WITH DECK	34 1/8"	66 1/4"	40 1/4"	2200 lbs	99 lbs.



UTILITY CARTS

This versatile utility cart is perfect for all your material handling needs. Turn the heaviest loads into the easiest jobs.





FEATURES:

Constructed from all welded tubing

Rounded corner frame protects doors and fixtures

Maneuvers easily with traditional 6 wheel tilt design

Sturdy handle is removable for freight savings

Cart has a durable powder coat finish

REPLACEMENT PARTS:

8000027 & 8000451

(2) center 8" x 2" polyurethane rigid. Replacement order #B000024

Fasteners Replacement order #B000332 (nut) and #B000021 (axle)

(4) corners 5" x 1.25" polyurethane swivel casters. Replacement order #B000359

Fasteners Replacement order #B000332 (nut) #B000075 (flat washer)


8041131

(2) center $6" \times 2"$ polyurethane rigid with brake. Replacement order #B000334

Fasteners Replacement order #B000060 (bolt) and #B000183 (nut).


(4) corners 5" \times 1.25" polyurethane swivel casters. Replacement order #B000312

Fasteners Replacement order #B000062 (bolt) and #B001257 (nut).



8000027





Order#	Model	W	L	Н	Cart Capacity	Weight	Material
8000027	ST-1854-PC, UTILITY CART	18"	56"	39"	1500 lbs.	75 lbs.	Steel
8041131	AL-ST-1854 AL LOW BOY CART	18"	56"	42"	1500 lbs	46 lbs.	Aluminum
8000451	ST-1854-PC, WITH SHELF,STONE FLEX	18"	64 1/2"	40 3/4"	1500 lbs.	95 lbs	Steel

WIRE NESTING CART

This high quality, versatile cart can be used both by store personnel and your customers. Customers can use the cart for large items, while placing small purchases in the mid utility basket. These carts nest into less than 33% of their normal length, thus freeing up valuable floor space.



FEATURES:

All welded steel construction

Gusseted and reinforced in high stress areas

Nestable for easy storage

Mid Utility Basket (MB)

Zinc Plated Finish

REPLACEMENT PARTS:

(2) 5" x 1 1/4" casters. Replacement order #B000001. Fastener replacement order #B000332(nut)


(2) 5" x 1 1/4" swivel casters. Replacement order #B00059. Fastener replacement order #B000673 (bolt), B000198 (nut) and B000606 (washer)

(1) Bottom tray. Replacement order #5000567



Material Handling






Freight Class: 175

NMFC Code: 189430-S2

5000562





Order#	Model	W	L	Н	Capacity	Weight
5000562	WIRE NESTING CART	24"	44 1/2"	37 1/2"	300 lbs.	32 lbs.

LOCK AND LOAD DOLLY

The heavy-duty Lock and Load Dolly is your ultimate tote transporter and is suitable for all departments. The Lock and Load dolly turns transporting heavy loads into a one person job and transports totes and boxes with ease.

The pedal locking mechanism locks the dolly in place for safe loading and unloading of products.



Heavy-duty steel construction

Custom Colors

Available

Powder-coated safety yellow

Red pedal activates brake system

Green pedal deactivates brake system

Carts are stackable when not in-use to reduce storage space

OPTIONS:

23.5"L x 15.625"W Tote (custom sizes available)

REPLACEMENT PARTS:

(2) 5 x 1.25" Rigid casters


(2) 5" x 1.25" swivel casters with central locking brakes. Brake system total locks front two swivels





Two totes in tandem


Single tote fit



Dollies shown stacked








Order#	Model	W	L	Н	Cart Capacity	Weight
8000564	TD-3224-2-TL, STEEL TOTE DOLLY- RH	24.9"	49.8"	39.1"	500 lbs.	97 lbs.

GARDEN CENTER CART

This heavy duty cart is perfect for any garden center. Garden Center Carts can be used to transport shrubs, balled trees, flowers, or any pre-bagged material as well as decorative stone edging.

This product features a rugged design and is intended for rugged use.





FEATURES:

Heavy duty steel angle design withstands the heaviest of loads

Perforated deck allows the cart to transport wet products and ensures easy cleaning

Bolt on polyurethane wheels are standard to provide years of easy maneuverability

Large welded handle for superior comfort and control

REPLACEMENT PARTS:

(2) front 6" x 2" rigid wheels, replacement order #B000508


(2) rear 6" x 2" swivel wheels, replacement order #B000507

Fastener replacement order #B001225 (nut) and #B000503 (bolt).



24.00"

Freight Class: 150 NMFC Code:188560-S4



Order#	Model	W	L	Н	Capacity	Weight	Color
8000284	GDC-2448, GARDEN CART	24"	55"	41"	2000 lbs.	82 lbs.	Green
8000331	GDC-2448; GARDEN CART - RED	24"	55"	41"	2000 lbs.	82 lbs.	Red
8000170	GDC-2448; GARDEN CART	24"	55"	41"	2000 lbs.	82 lbs.	Orange

GARDEN WAGONS

These heavy duty pull wagons are perfect for any garden center. Garden carts can be used to transport shrubs, balled trees, flowers, or any pre-bagged material as well as decorative stone edging.

This product features either plastic honeycombed decking or powder coating over galvanized steel. Both deck types are perfect for wet products and are easy to clean while being able to deliver years of performance.





STEEL FEATURES:

Heavy duty steel frame design withstands the heaviest of loads and handle is welded in a fixed position

Powder coated galvanized steel deck resists corrosion

Bolt on heavy duty casters and wheels come standard to provide years of easy maneuverability

PLASTIC FEATURES:

Heavy duty steel frame design withstands the heaviest of loads


Plastic decks resist corrosion 100% and provide years of performance

Large retractable handle for superior comfort and control

Bolt on heavy duty casters and wheels come standard to provide years of easy maneuverability


REPLACEMENT PARTS:

(2) 6" x 2" cimor swivel wheels, replacement order #B000653. (2) 6" x 2" cimor rigid wheels, replacement order #B000652. Fastener replacement order #B001225 (nut) and #B000503 (bolt)



Material Handling





Order#	Model	W	L	Н	Deck	Capacity	Weight
8000460	GCPW-2334,PULL WAGON PLAIN DECK	23 1/2"	60 1/4"	31 1/4"	Powder Coated Galvanized Steel	1000 lbs.	60 lbs.
8000461	GCPW-2440,PULL WAGON PLASTIC DECK	24"	61 1/2"	33 1/4"	Plastic	1000 lbs.	65 lbs.

PLASTIC DECK GARDEN CART

This heavy duty plastic tiered cart is perfect for any garden center. This plastic garden cart can be used to transport shrubs, balled trees, flowers, or any pre-bagged material as well as decorative stone edging.

This product features plastic honeycombed decking that is perfect for wet products and easy cleaning. Retractable top shelf allows loading of the lower shelf and transportation of tall items.





FEATURES:

Heavy duty steel frame design withstands the heaviest of loads

Honeycombed plastic deck allows rust free life

Bolt on polyurethane wheels are standard to provide years of easy maneuverability

Large welded handle for superior comfort and control

Top shelf is retractable to allow loading of the lower shelf and easy transportation of tall items.

REPLACEMENT PARTS:

(2) 5" x 1.25" polyurethane swivel casters. Replacement order #B000359. Fastener replacement order #B000332 (nut)


(2) 5" x 1.25" polyurethane wheel, replacement order #B000962. Fastener replacement order #B000673 (bolt), B000198 (nut) and B000606 (washer)







Freight Class: 100

NMFC Code: 188560-S6







Order#	Model		L	Н	Capacity	Weight	
8000366	8000366 GC-2436-PC-5-POLY-U WITH DECKS		41 1/2"	38"	500 lbs.	91 lbs.	

HAND TRUCKS

This heavy duty hand truck is suitable for all departments. Turn transporting heavy loads into a one person job.





Durable powder coated finish

Can be shipped via UPS

Heavy duty steel construction

Tapered toe plate

REPLACEMENT PARTS:

10" semi-pneumatic wheels for easy maneuvering. Replacement order #B000889.






8000385

Material Handling






8000276


Freight Class: 70 NMFC Code: 189035

8000385

Freight Class: 100

NMFC Code: 188560-S6





Order#	Model	W	L	Н	Handle Type	Capacity	Weight
8000276	HT2H-10SP, PIN-DOUBLE HT 48	19"	16 1/4"	46 1/2"	Twin	500 lbs.	32 lbs.
8000385	HAND TRUCK W/ WHEEL GUARDS	19"	20 5/8"	46 1/2"	Twin	500 lbs.	43 lbs.

FLAT LUMBER CART

This heavy duty cart is used to handle lumber, plywood and sheet rock. The 6 wheel design allows easy handling and maneuverability when the cart is heavily loaded.

Flat Lumber Carts are the perfect height for easy and safe maneuvering of heavy loads.



FEATURES:

All welded heavy duty steel tube chassis design

6 wheel tilt design for easy handling with polyurethane wheels standard

Ships fully assembled ready for use


REPLACEMENT PARTS:

(2) $6" \times 2"$ bolt on rigid polyurethane center wheels

Replacement order #B000508.

(4) $5'' \times 2''$ swivel corner polyurethane wheels. Replacement order #8001198.








Freight Class: 150

NMFC Code: 188560-S4

1885



Order#	Order# Model		L	Н	Cart Capacity	Weight
8000500	FLC-3272-L, FLAT LUMBER CART	32"	72"	29.42"	2500 lbs.	120 lbs.

LUMBER CART

These heavy duty versatile carts will safely handle a variety of products in the hardware and home center industries.

Center bay tube supports will handle sheet material (drywall, plywood, paneling, etc.), while outside tube bay will handle 2×4 's, pipe, conduit, etc.



FEATURES:

All welded heavy duty steel chassis

Six wheel tilt design allows cart to be easily maneuvered with the heaviest of loads

Tube uprights are fully welded and reinforced with pipe sockets at high stress areas

Powder coated blue for a long lasting attractive finish

Polyurethane wheels are standard

REPLACEMENT PARTS:

(2) 8" x 2" bolt on rigid center wheels. Replacement order #B000542,

(4) $6" \times 2"$ swivel casters. Replacement order #B000507.


Fasteners replacement order #B001225 .





Freight Class: 150

NMFC Code: 188560-S4



Order#	Model		_	Н	Cart Capacity	Weight	
8000055	LC-3048PU, LUMBER CART, COMP. BLUE	30"	51"	47 1/4"	2000 lbs.	140 lbs.	

LADDER CART

This heavy-duty ladder cart is the ideal cart for stocking and picking. The ladder cart combines easy access to products while maintaining a stocking cart work environment.







FEATURES:

Heavy-duty steel construction

Cart features a three step, spring-loaded ladder

The welded and bolted extra-wide steps equipped with non-slip safety tape, enhances user safety

Large two-handed handles provide balance when climbing

Fixed casters under ladder, swivel casters in front

Rounded edges to prevent damage to store fixtures

Ladder Capacity: 300 lbs. Shelf Capacity: 350 lbs. per shelf. Total cart capacity: 1,000 lbs.


REPLACEMENT PARTS:

(2) 5 x 1.25" polyurethane rigid casters. Replacement order #B000325

(2) 5" x 1.25" polyurethane swivel casters. Replacement order #B000312







Order#	Model	W		I	Cart Capacity	Weight
8000546	MLC-2048 MOBILE LADDER CART	20"	49.19"	55.3"	500 lbs.	97 lbs.

GARMENT RACKS

Ideal rack to transport clothing from back room to sales floor. Unit is often used as display on sales floor. The best way to display and transport your garments.





FEATURES:

Fully welded powder coated beige base with galvanized uprights and horizontal bar

Nests cleanly to maximize storage space when not in use

Bottom frame has unique bumpers to protect your doors and fixtures (8000282)

OPTIONS:

Additional hanger bars (inquire with your customer service representative)

REPLACEMENT PARTS:

80000282

(2) $5" \times 1.25"$ polyurethane swivel casters. Replacement order #B000445.

(2) 5" x 1.25" polyurethane rigid caster. Replacement order #B000444.

Fastener order #B000076 (washer) and #B000077 (nut).


8000458

(4) $5" \times 1.25"$ polyurethane swivel casters. Replacement order #B000445.


Fastener order #B000076 (washer) and #B000077 (nut).



Racks Shown Nested









Freight Class: 300

NMFC Code: 164390-S2





Order#	Model		L	Н	Cart Capacity	Weight
8000282 I-GR-65, I-GARMENT RACK		24"	65"	78"	300 lbs.	44 lbs.
8000458 Z-GR-65-1, Z-GARMENT RACK		24"	65"	78"	300 lbs.	44 lbs.
7000069	hanger tube assy, gr-65 option	1 1/4"	65"	3"	NA	14 lbs.

5 SHELF BACK STOCK CART

This cart allows you to sort and transport a wide range of products. The three sided enclosure offers increased security while the see through sides and back offer increased visibility.





FEATURES:

Durable powder coat finish

Corner bumpers provide fixture protection

Locking casters secure load while working from cart

Built in handle for easy mobility

3 sided enclosure increases security


See through sides and back

REPLACEMENT PARTS:


(4) $5'' \times 1.25''$ swivel casters. Replacement order #B000312.

(2) 5" x 1.25" swivel casters with brake. Replacement order #B000435.

Fasteners order #B000543 and #B001257.









Freight Class: 150

NMFC Code: 188560-S4

8000318





Order#	Model	W	L	Н	Cart Capacity	Weight
8000318	5 SHELF BACK STOCK CART	20"	56 1/4"	68"	1000 lbs.	190 lbs.

BACK STOCK CARTS

This all purpose mover is ideal for all your stocking needs.

Back Stock Carts come with four heavy duty shelves to sort your products and securely transport them from back room to sales floor.





8000059 with raised shelf lips and heavy duty casters and frame



8000297 with tall raised shelf lips



8000201 with lowered shelf lips



8000351 with raised shelf lips, heavy duty casters and frame and donut bumpers

nationalcart.com

FEATURES:

Constructed from heavy duty all welded steel

Powder coated shelves are supported by 1" square tube

Heavy duty tube frame under carriage

Large space between shelves accommodates products of all sizes

OPTIONS:

Donut Bumpers (inquire with your customer service representative for ordering)

Raised edge for added strength and security to keep products from sliding (lips up)

Lowered edge to allow products to easily slide on and off the shelf for stocking (lips down)

REPLACEMENT PARTS:

8000059 and 8000351

(2) 6" x 2" polyurethane rigid casters Replacement order #B000508. (2) 6" x 2" polyurethane swivel casters. Replacement order #B000507

Fasteners replacement order #B000183 (nut) and #B000503 (bolt).

8000297

(2) 5" x 1.25" polyurethane rigid casters.
Replacement order #B000325.
(2) 5" x 1.25" polyurethane swivel casters with brakes.
Replacement order #B000435.

Fasteners replacement order #B001257 (nut) and #B000062 (bolt).

8000201

(2) 5" \times 1.25" polyurethane swivel casters. Replacement order #B000312. (2) 6" \times 2" polyurethane swivel casters with brakes. Replacement order #B000435.


Fasteners replacement order #B001257 (nut) and #B000543 (bolt).






Freight Class: 150

NMFC Code: 188560-S4





					# of					
Order#	Model	W	L	Н	Shelves	Weight	Color	Edge	Bumpers	Capacity
8000201	SUC-3-LD 3 SHELF UTILITY CART	20"	46"	70"	3	98 lbs.	Beige	Lowered	No	1000 lbs.
8000059	SUC-4, 4-SHELF UTILITY CART	21"	44"	71"	4	125 lbs.	Blue	Raised	No	1500 lbs.
8000351	SUC-4-58, 4 SHELF CART, 58 WIDE	20 3/8"	58"	71"	4	125 lbs.	Blue	Raised	Yes	1500 lbs.
8000297	SUC-4-TF-GRN, TALL SHELF FLANGE	18"	50"	64 3/4"	4	138 lbs.	Green	Raised	No	1000 lbs.

HBC RESTOCK ADVANTAGE CART

These small goods, health and beauty care stocking carts are highly efficient and will give you a Restock Advantage for stocking and replenishing many different types of products. The HBC Restock Advantage Carts will help keep your stocking area lean, clean, and organized. Available for general HBC products, Cosmetics and also a Cosmetics Security Cart.





8000534





Side storage area for dividers



Pull out shelves

Custom Colors Available



FEATURES:

Minimize restocking time and maximize productivity for an instant ROI

Highly efficient replenishment process

Reduces backroom inventory and eliminates multiple touches

Adjustable shelves and dividers accommodate various product sizes

Cart features solid surface shelves

Pull out shelves allow easy access to merchandise

Organizes backroom and product groups

Cart boosts visibility of products in the backroom

Fully welded, heavy-duty, metal design provides increased durability

(18) dividers and (80) peg hooks included for each relevant cart

Cosmetics cart and Cosmetics Security cart features hooks to display merchandise

Cosmetics Security Cart features a metal wiregrid cage to secure products when not stocking

Ships fully assembled for immediate use


REPLACEMENT PARTS:


(4) 5" x 1.25" polyurethane swivel casters with brakes

Dividers order #3002402. 18 included per cart


Product hooks order #7000176. 80 included per cart

















Order#	Model	W	_	H	Capacity	Weight
8000533	PBSC-3230-5, PHARM 5 SHELF STK CART	32"	28.63"	67.63"	500 lbs.	150 lbs.
8000534	NHMCC-3230-3, COSMETICS CART	32"	28.63"	67.63"	500 lbs.	115 lbs.
8000536	NHMCC-3230-3, COSMETICS SECURITY CT	32.83"	28.77"	67.8"		231 lbs.

STOCK PICKER

This versatile stock pick cart can be adapted for use via man power or vertical forklift. Featuring heavy duty steel pockets that accept forklifts, as well as heavy duty phenolic wheels and casters for effortless man powered movement. The stowable shelf provides an easily accessible workstation and the inset handle pockets protect associates hands from harm.





FEATURES:

Heavy duty steel construction powder-coated stone flex

Wire grid is sturdy but lightweight to secure products within cart

Ships fully assembled and ready for immediate use

Universal fork lift accepting pockets for use via verticle forklift

Hide-away shelf slides easily in and out for easy access to the perfect sized work station. Shelf dims $23'' \times 18''$

Inset handle pockets protect employees hands from harm when using the cart in congested areas

Foot activated stomp break safely secures the cart when loading and unloading

Ease of mobility with swivel casters in the rear next to the stomp break prevents damage done to products on the cart and store fixtures

1250 lb. capacity

REPLACEMENT PARTS:

(2) $8" \times 2"$ phenolic swivel casters in the rear next to stomp break, replacement order #B001920

(2) 8" x 2" phenolic rigid casters at the front, replacement order #B001921

(1) Stomp break in rear next to swivel casters, replacement order #B002204




nationalcart.com

Material Handling



Freight Class: 150

NMFC Code: 188560-S4



Order#	Model	W	L	Н	Cart Capacity	Weight
8000593	STP-2460-1, W/DWR, NO SWIVEL LOCKS	24"	60"	64.93"	1250 lbs.	305 lbs.

MOBILE SECURITY CAGES

This cart allows you to sort and transport a wide range of products, all while keeping them secured and locked up when needed. The four sided enclosure offers increased security while the see-through sides and backing offer increased visibility.





Four sided enclosure increases security

Units can secured with pad locks.

See-through sides and back for constant visibility

Heavy duty powder coated steel construction 8000405: Sheet Metal Construction, powdercoated gray 8000449: Wire Metal Construction, powdercoated gray

Moveable and replaceable shelving.

REPLACEMENT PARTS:

8000405:

(2) 6" x 2" phenolic swivel casters with brake. Replacement order #B001242.

(2) 6" x 2" phenolic rigid caster. Replacement order #B001243.

Fasteners order #B000060 (bolt) and #B001257 (nut).

Shelf Clip order #B001241

8000449:

(2) 5" x 2" polyurethane swivel casters with brake. Replacement order #B000880.

(2) 5" x 2" polyurethane swivel caster. Replacement order #B001168.

Hardware Kit order #7000001

Shelf Stop Kit order #7000002



8000449




8000405


Material Handling












8000449



8000449


Freight Class: 70 NMFC Code: 95190

8000405

Freight Class: 150

NMFC Code: 188560-S4

8000405



Order#	Model	W	L	Н	Cart Capacity	Weight
8000449	MSC-2444, MOBILE SEC CAGE-ASSEMBLED	25"	45 1/4"	60"	1000 lbs.	145 lbs.
8000405	SC-3048, SECURITY CART	31 1/4"	52 1/2	62"	1000 lbs.	115 lbs.

ALUMINUM UTILITY CARTS (U-BOAT)

This heavy duty cart is slightly larger than its standard counterpart, but is equipped with the same unique features.

The aluminum construction and 6 wheel design provides a durable yet lightweight cart. Great for use in stock rooms and may be stacked to save space when not in use.

High quality design standards allow superior control over cart and load.

8041021

8040590

(Shown with optional cardboard holder. Contact your customer service representative for more information.)

FEATURES:

Constructed of heavy duty square sanitary aluminum tube

Heavy duty steel powder coated handles

Light weight cart can be stood on end when not in use in order to maximize space

Unit comes standard with corner bumpers to help prevent fixture damage


REPLACEMENT PARTS:


(2) 6" \times 2" polyurethane center swivel casters with brakes, replacement order #B000312 Fasteners order #B000543 (bolt) and #B0001257 (nut)


(4) 5" x 1.25" flat plate bolt on polyurethane corner wheels, replacement order #B000334 Fasteners order #B000006 (bolt) and #B001225 (nut)











Order#	Model	W	L	Н	Cart Capacity	Weight
8040590	AL-UB-2260-2H U-BOAT W/2 STD.HNDLS	22"	60"	63 3/4"	2000 lbs.	85 lbs.
8040743	AL-UB-2260-W/2 ALUM HANDLES	22"	60"	63 3/4"	2000 lbs.	76 lbs.
8041021	AL-UB-2248-1PH	22"	48	63 3/4	2000 lbs.	63 lbs.

HEAVY DUTY U-BOATS

This style cart has been used by leading grocers and retailers world-wide as the most efficient way to move product from the back room to the sales floor.

High end handles improve handling and help secure merchandise while in transit. The 16" width and six wheel design allow the cart to rotate within its own lengths and be easily maneuvered through busy aisles. Add our heavy duty accessories to customize your U-Boat to fit your specific needs!



5000101 U-Boat Shown with removable shelf #3000068

5000101 U-Boat Shown with Garment Rack #5000229 and Cardboard holder #48010108



5000101 U-Boat shown with Slant Shelf #8010218 great for stocking and picking with bins



Shelves and Slant Shelves are removable

FEATURES:

All welded steel tube frame with heavy duty steel diamond deck

2 Removable heavy gauge steel tube handles

Durable attractive blue powder coat finish

Traditional six wheel design, 2 center rigid and 4 corner swivel bolt on casters

OPTIONS:

Removable shelf (U-Boats will take two additional shelves)

60" Garment Rack


Cardboard holder attachment (attaches to a side handle)

Slant Picking Shelf

REPLACEMENT PARTS:

(2) 8" x 2" rigid polyurethane center wheels ensure easy rolling and longer life. Replacement Order #B000024

(4) 4" x 1.25" corner swivel casters. Replacement Order #B000027








U-Boats

Freight Class: 70

NMFC Code: 188560-S2

Accessories Freight Class: 70

NMFC Code: 188560-S9





U-Boats

Order#	Model	W	L	Н	Cart Capacity	Weight
5000102	1648-DD, STD HNDL 2 ENDS, BLUE	16"	51"	61"	2200 lbs	90 lbs.
5000101	1660-DD, STD HNDL 2 ENDS BLUE UBOAT	16"	63"	61"	2200 lbs.	92 lbs.

U-Boat Accessories

					Compatible	
Order#	Model	W	L	Н	U-Boat	Weight
3000340	Shelf, removable steel u-boat 1648	16"	48"	ı	5000102	19 lbs.
3000068	Shelf, removable steel u-boat 1660	16"	60"	i	5000101	27 lbs.
5000229	GR-60 - 60" Garment Rack for 16-60DD Uboat	-	60"	-	5000101	6.7 lbs.
8010218	RMS-1660 SLANT SHELF	16"	60"	ı	5000101	31 lbs.
48010108	STEEL U-BOAT CARDBOARD HOLDER	14"	9.25	36"	Both U-Boats	16 lbs.

SPRING LOADED U-BOAT

Transform your u-boat into the perfect stocking cart with the spring leveling shelf. The heavy-duty spring allows for easy and ergonomic access to merchandise when stocking shelves.

The spring compresses to the perfect ergonomic work height, when loaded with the minimum weight of 400 lbs. The high end handles improve handling and help secure merchandise in place while in transit. The 16" width and six wheel design allow the cart to rotate within its own lengths and be easily maneuvered through busy aisles.



1660 u-boat #5000197 shown with spring leveling shelf #8010159 and cardboard holder attachment #48010108

FEATURES:

All welded steel tube frame with heavy duty steel diamond deck

2 removable heavy gauge steel tube handles

Durable attractive blue powder coat finish

Traditional six wheel design, 2 center rigid and 4 corner swivel bolt on casters

Spring compresses completely when loaded with the minimum weight of 400 pounds

Spring leveled deck travels from 26 inches to 6.3 inches when compressed

OPTIONS:

Spring leveling shelf can be added to your existing 1660 u-boat with the purchase of two handles. Single handle part #1000199

*If adding spring leveling shelf to existing 1660 u-boat (part #5000101) New handles are required to prevent pinch points

Cardboard holder attachment #48010108 (attaches to a side handle)

Ergonomic spring leveling shelf #8010159

REPLACEMENT PARTS:

(2) 8" x 2" rigid polyurethane center wheels ensure easy rolling and longer life.
Replacement order #B000024

(4) 4" x 1.25" corner swivel casters. Replacement order #B000027



Material Handling



U-Boats

Freight Class: 70


NMFC Code: 188560-S2


Accessories


Freight Class: 70

ID: 16.19

NMFC Code: 188560-S9







U-Boat

Order#	Model	W	L	Τ	Cart Capacity	Weight
5000197	1660-DD, TUBULAR HDL BOTH END UBOAT	16"	60"	61"	2200 lbs.	111 lbs.

U-Boat Spring Leveling Shelf

Order#	Model	W	L	Н	Compatible U-Boat	Weight
8010159	SHELF, SPRING LOADED, UBOAT 1660	16"	58"	26"	5000197 or 5000101 with added handles	84 lbs.

^{*}The spring leveling shelf can be added to an existing 1660 u-boat (part #5000101) with the purchase of two additional handles. Single handle part #1000199



U-PICK U-BOAT

Transform your u-boat into the Perfect Picking machine with the U-Pick U-boat! This is the Cadillac of U-Boats with a la carte style customization that allows you to make the perfect picking cart for your specific process.

The high end handles improve handling and help secure merchandise in place while in transit. The 16" width and six wheel design allow the cart to rotate within its own lengths and be easily maneuvered through busy aisles. Add our heavy duty accessories to customize your u-boat to fit your specific picking needs!



U-Pick U-boat shown with two slant shelves #8010218 24" x 16" stack & nest totes #5000190 clipboard holder #1000171 scan gun holder #3002132 pick cart basket #3001572



5000101 U-Boat Shown with removable shelf #3000068

5000101 U-Boat Shown with Garment Rack #5000229 and Cardboard holder #48010108

FEATURES:

All welded steel tube frame with heavy duty steel diamond deck

2 removable heavy gauge steel tube handles

Durable attractive blue powder coat finish

Traditional six wheel design, 2 center rigid and 4 corner swivel bolt on casters

OPTIONS:

5000101 Standard U-Boat

Shelves and Slant

Shelves are removable

shown with Slant Shelf #8010218 great for stocking and picking with bins Removable Shelf #3000068 (U-boats will take two additional shelves)

60" Garment Rack #5000229

Cardboard holder attachment #48010108 (attaches to a side handle)

Slant Picking Shelf #8010218

24" x 16" stack & nest totes #5000190

Picking Cart clip-board holder #1000171


Scan gun holder #3002132

Pick cart basket #3001572

REPLACEMENT PARTS:

(2) 8" x 2" rigid polyurethane center wheels ensure easy rolling and longer life.
Replacement order #B000024


(4) 4" x 1.25" corner swivel casters. Replacement order #B000027





Material Handling






48010108 - CARDBOARD HOLDER: CAN BE USED IN ANY VARIATION

PRODUCT CATALOG 2017

MERCHANDISING





PRODUCT APPLICATIONS: Sign Frames
Bread Display Rack
Chalkboard Display
Flower & Plant Displays
A-Frame Basket Hanger273-274
Fold-A-Bench275-276
Rolling Plant Cart277-278
Sampling Stand
Slant Merchandiser.
Stack Basket
Wire Mini Platform









For Product Safety and Operation Manuals please visit our website at www.nationalcart.com.

NCC PRODUCT APPLICATIONS - SIGN FRAMES

STORE SIGNAGE SOLUTIONS

Display permanent to temporary signage with National Cart's sign frames. These frames make it easy to install and maintain a signage system at your store.

Give your customers an attractive and clear message that flows with their shopping route.

This modular system is available in 3 different lengths and 3 different styles.

HANGING FRAMES AVAILABLE IN 3 DIFFERENT LENGTHS

- Single
- Double
- Quadruple


POINT-OF-PURCHASE SIGN FRAMES AVAILABLE IN 3 DIFFERENT STYLES

- Free-Standing
- Floor Display
- Single Frame

The adjustable hanging signage allows you to slide and adjust signs to fit your stores current layout

Simple snap together design makes assembly fast and eliminates spare parts and the need for tools







Let us Work With You for Your Best In-Store Signage Solution!











Sign frames for pallets, open refrigerators and free standing displays.

Contact a customer service representative for your custom order!

BREAD DISPLAY RACK

This adjustable rack is ideal for displaying daily bread specials. Unit has unique angle design that showcases a product's best features for quick turnover.





Frame easily adjusts to accommodate

FEATURES:

Unique adjustable frame fits most bread trays

Durable beige powder coat finish (custom colors available, contact your customer service representative)

(4) 5" swivel casters for easy mobility

Ships knocked down for freight savings

Comes standard with two front brakes

REPLACEMENT PARTS:

(2) 5" x 1.25" swivel caster with polyurethane wheel. Order #B000025


(2) 5" x 1.25" swivel caster with polyurethane wheel, square stem and brake. Order #B000491

Fasteners: Hex head cap screw order #B000576 and two way lock nut order #B000198








Freight Class: 85 NMFC Code: 163980



8000158







Maximum Size

Order#	Model	W	_	Ι	Capacity	Weight
8000158	SAV-8-BR SLANT DISPLAY BREAD RACK	27"-33"	24"	79"	8	87 lbs.

CHALKBOARD DISPLAY

A chalkboard display is a great addition to your stores marketing and sales effort.

The display is the perfect size to advertise store specials, new products, and other messages you want to tell the general public. The rust free finish is perfect for inside use or outside that will not corrode.



FEATURES:

Heavy duty steel construction that looks great and will not corrode if displayed outside

Galvanized finish

Fully assembled and ready to use

Chalkboard display is mobile which makes it great for inside and outside use

Wheels come with locking brakes to keep the display from moving

OPTIONS:


Customize your chalkboard stand with your stores name or logo on the top header (inquire with your customer service representative)

REPLACEMENT PARTS:


(4) heavy duty rubber swivel casters with brakes. Order #B000144








NMFC Code: 189430-S2





Order#	Model	W	L	Н	Weight
8000371	SCS-2449 SIDEWALK CHALKBOARD DISPLY	30 1/2"	24 1/2"	48"	83 lbs.

A FRAME BASKET HANGER

This mobile free standing floral merchandiser effectively displays hanging baskets.

Merchandiser allows 360 degree viewing of the product while gaining maximum use of space. The design of this unit allows your product to become the center of attention.




FEATURES:

Sides of frame are made of 1.66" galvanized tubing. Cross members made with 1.16" galvanized tubing.

Ships (KD) knock down for freight savings


Assembles easily with minimal tools

Unit comes standard with 4 locking casters




Merchandising





Freight Class: 85 NMFC Code: 163980

8000302





Order#	Model	W	L	Н	Weight
8000302	a frame basket hanger	75"	79"	82"	148 lbs.

FOLD-A-BENCH

Our Fold-A-Bench is an economical way to merchandise hanging plant baskets, potted plants and bedding trays.

This unit folds up when not in use to reduce storage requirements. The optional wreath hanger allows you to attractively display holiday wreaths.

FEATURES:

Folding plant display

Sets up in minutes

No tools required

Folds away for easy storage

Galvanized steel construction

Ships knocked down for freight savings

Creates large displays economically

Holds up to 15 flats, 10-12 hanging baskets, and 6-9 potted plants

Includes corrugated plastic flats

OPTIONS:

Wreath Hanger Display. Attaches onto Fold a Bench with 9 posts to hang wreaths.









Optional Wreath Hanger

nationalcart.com



Merchandising






8010078

Freight Class: 110 NMFC Code: 82273-S1


8010102

Freight Class: 250

NMFC Code: 178690-S3



8010078



Order#	Model	W	L	Ι	Capacity	Weight
8010078	GFAB-3672-3, FOLDING PLANT DISPLAY	36"	73"	86"	500 lbs.	190 lbs.
8010102	WR-GFB-9, WREATH RACK 9 POST ACSRY	73"	19"	70"	-	40 lbs.

ROLLING PLANT CART

This mobile plant transport cart is perfect for merchandising potted plants and flowers with adjustable shelves that can be displayed flat or angled for optimal visibility.

The heavy duty perforated plastic desk shelves support heavy loads while ensuring proper drainage during plant watering.







FEATURES:

Ideal for indoor and outdoor use

Heavy duty steel construction, powder-coated gray

Heavy duty plastic deck shelves feature perforated design for proper drainage during watering and easy cleaning

Plastic deck shelves will not chip or rust and are durable yet lightweight product

3 Adjustable shelves can be displayed flat or at a 25 degree angle

7 Adjustable shelf positions

Ships (KD) knock down for freight savings

Assembles easily with minimal tools

250 lb. shelf capacity with 1,000 lbs overall cart capacity

Unit comes standard with two foot-activated brakes


REPLACEMENT PARTS:


(4) $4^{\prime\prime}$ x 1.5" swivel casters with phenolic wheels. Replacement order #B000660.





NMFC Code: 163980





Order#	Model	W	L	Н	Weight
8000577	FPC-2460-4-KD FLOWER POWER CART	25"	63"	79"	205 lbs.

SAMPLING STAND

This self-service food sampling display is the perfect way to enticecustomers to try new products and recipes in your store.

Stainless steel construction looks great and is easy to clean and sanitize.



FEATURES:

Made of heavy duty stainless steel construction

The open top design allows customers to access goods from any direction

Anti-slip mat on the base prevents the stand from moving on the floor

Raised edges keep products in place


OPTIONS:

Plastic turn n' serve dome keeps food fresh


Plastic serving tray allows food to be easily transported from prep areas to the sales floor








NMFC Code: 178690-S3





Order#	Model	W	Н	Weight
8050003	ss-ss, s/s sampling stand	16 3/8"	321/4"	25 lbs.
5000128	PLASTIC TURN N SERVE DOME, 15 X 8	15"	8"	1 lb.
5000129	PLASTIC TRAY, 15 X 1, BLACK	15"	1"	1 lb.

SLANT MERCHANDISER

This attractive merchandiser can be used to showcase products for the entire department or as a spot merchandiser to highlight certain products.

The unit can be easily moved for cleaning or repositioning throughout the store. Deck angle is adjustable for maximum flexibility in product positioning.



FEATURES:

Increase product visibility

Maximize sales floor space

All aluminum construction

Collapsible design saves space when stored


REPLACEMENT PARTS:

(2) 5" x 1.25" swivel casters with polyurethane wheels. Replacement order #B000312.


(2) $5" \times 1.25"$ swivel casters with polyurethane wheels and brakes. Replacement order #B000435.








NMFC Code: 164390-S2





Order#	Model	W	L	Н	Weight
8040953	AL-PSM-2448	24.25"	28"	26"/43"	39 lbs.
8040737	AL-PSM-3648	36.25"	38"	26"/43"	45 lbs
8040967	AL-PSM-4848	48.25"	38"	26"/43"	65 lbs

STACK BASKET

This stack basket set comes on four swivel wheels making it easy to transfer and move products efficiently and with two brakes to lock the cart into place.

The open wire construction provides quick visual checks of inventory and improves air flow around all products.



FEATURES:

Constructed from heavy duty steel

Zinc plated finish

Front 2 brakes lock this cart safely into place

Ships knocked down for economical shipping


4 stackable baskets

REPLACEMENT PARTS:

(2) Swivel 4" x 1.25" rubber wheels. Replacement Order #B000027


(2) Swivel with brakes 4" x 1.25" rubber wheels. Replacement Order #B000647

Fasteners replacement order #B001257 (nut) and #B000222 (bolt)





nationalcart.com





NMFC Code: 178690-S3





Order#	Model	W	L	Н	Shelf Spacing	# of Baskets	Weight
5000555	STACK BASKETS KD W/WHEELS 1 PER BOX	24 3/4"	23 3/4"	41 1/2"	8.5"	4	48 lbs.

WIRE MINI PLATFORM

The wire mini platform lifts products off from the floor permitting air flow around the entire product.

Prolong package life while permitting cleaning under the product.





Solid metal construction


Fully assembled and ready to use

Nestable design takes up less storage space when not in use

Durable beige powder coat finish (custom colors available contact your customer service representative)








Platforms Nest When Not in Use



NMFC Code: 188560-S6



Order#	Model	W	اــ	Ι	Weight
5000161	WMP-1420, WIRE MINI PLATFORM	14"	21"	8"	5 lbs.

PRODUCT CATALOG 2017
PICKING
CARTS







PRODUCT APPLICATIONS: E-Commerce Picking Cart
Dollies
Lock and Load Dolly
Forklift Accepting Carts
Forklift Order Picking Cart
Stock Picker
Shelf Picking
2 Shelf Distribution Cart
Aluminum Distribution Cart
Bulk Pick Cart
Tote Pick Carts
Aisle Picking Cart301-302
Tote Picking Cart w/ Ergonomic Handles
Tote Picking Cart w/ Stowable Dolly
U-Boat Picking
Spring Loaded U-Boat
U-Pick U-Boat









PRODUCT APPLICATIONS: E-COMMERCE PICKING CARTS

Increase productivity and maximize profits with our ergonomic E-COMMERCE PICKING CARTS!

Our purpose-built picking carts are the perfect solution to increase efficiency in your warehouse or on your sales floor!

We provide innovative and custom solutions for all types of distribution and sorting outlets.

Let us collaborate with you to increase your ROI.

Custom solutions for tote size, distribution center conveyors, and truck delivery methods.



Reduce work place injuries and worker fatigue with our carts' ergonomic designs and cross-functional use.





Tote and cart combinations provide a superior way to pick, organize, and deliver your e-commerce orders.



YOUR INTERNET ORDER FULFILLMENT CART PROVIDER





- iPad holders
- Work shelves
- Scan gun holder
- Supply trays and bins
- Label holders
- Pen and paper holders

Call for your custom order!



LOCK AND LOAD DOLLY

The heavy-duty Lock and Load Dolly is your ultimate tote transporter and is suitable for all departments. The Lock and Load dolly turns transporting heavy loads into a one person job and transports totes and boxes with ease.

The pedal locking mechanism locks the dolly in place for safe loading and unloading of products.







Two totes in tandem



Single tote fit



Dollies shown stacked

FEATURES:

Heavy-duty steel construction

Powder-coated safety yellow

Red pedal activates brake system

Green pedal deactivates brake system

Carts are stackable when not in-use to reduce storage space

OPTIONS:

23.5"L x 15.625"W Tote (custom sizes available)


REPLACEMENT PARTS:

(2) 5 x 1.25" Rigid casters

(2) $5'' \times 1.25''$ swivel casters with central locking brakes. Brake system total locks front two swivels








Order#	Model	W		Ι	Cart Capacity	Weight
8000564	TD-3224-2-TL, STEEL TOTE DOLLY- RH	24.9"	49.8"	39.1"	500 lbs.	97 lbs.

FORKLIFT ORDER PICKING CART

This versatile order picking cart can be adapted for use via man power or vertical forklift. Featuring heavy duty steel pockets that accept forklifts, as well as heavy duty polyurethane and phenolic wheels and casters for man powered movement. The removable and stowable shelves allow you to adjust your cart as needed.







FEATURES:

Heavy duty steel construction

Wire grid is sturdy but lightweight to secure products within cart

Ships fully assembled and ready for immediate use

Designs for Raymond, Crown, and Hyster fork lifts

2" x 4" wooden grip board secures forklift in place

Removable/stowable shelves allow you to adjust your cart as needed

Shelves stow away vertically in the rear of the cart when not in use

Ease of mobility with swivel casters reduces damage done to products on the cart and store fixtures

1000 lb. capacity

REPLACEMENT PARTS:

8000509

- (2) 6" x 2" polyurethane swivel casters in the rear, replacement order #B000507.
- (2) 6" x 2" polyurethane rigid casters at the front, replacement order #B000508.


8000574 & 8000575


- (2) 6" x 2" phenolic swivel casters in the rear, replacement order #B001242
- (2) 6" x 2" phenolic rigid casters at the front, replacement order #B001243





Freight Class: 150 NMFC Code: 188560-S4





Order#	Model	W	L	Н	Cart Capacity	Weight	Lift Type
8000509	BLPC-4048-2, PICKING CART, RAYMOND	40"	54.6"	76.7"	1000 lbs.	378 lbs.	Raymond
8000574	BLPC-4048-2, PICK CRT, CROWN, ORNG	40"	54.6"	77.5"	1000 lbs.	390 lbs.	Crown
8000575	BLPC-4048-2, PICK CART, HYSTER,ORNG	40"	54.6"	78.4"	1000 lbs.	403 lbs.	Hyster

STOCK PICKER

This versatile stock pick cart can be adapted for use via man power or vertical forklift. Featuring heavy duty steel pockets that accept forklifts, as well as heavy duty phenolic wheels and casters for effortless man powered movement. The stowable shelf provides an easily accessible workstation and the inset handle pockets protect associates hands from harm.





FEATURES:

Heavy duty steel construction powder-coated gray

Wire grid is sturdy but lightweight to secure products within cart

Ships fully assembled and ready for immediate use

Universal fork lift accepting pockets for use via vertical forklift

Hide-away shelf slides easily in and out for easy access to the perfect sized work station. Shelf dims $23" \times 18"$

Inset handle pockets protect employees hands from harm when using the cart in congested areas

Foot activated stomp break safely secures the cart when loading and unloading

Ease of mobility with swivel casters in the rear next to the stomp break prevents damage done to products on the cart and store fixtures

1250 lb. capacity

REPLACEMENT PARTS:


- (2) $8" \times 2"$ phenolic swivel casters in the rear next to stomp break, replacement order #B001920
- (2) 8" x 2" phenolic rigid casters at the front, replacement order #B001921
- (1) Stomp break in rear next to swivel casters, replacement order #B002204



nationalcart.com



NMFC Code: 188560-S4



Order#	Model	W	L	Н	Cart Capacity	Weight
8000593	STP-2460-1, W/DWR, NO SWIVEL LOCKS	24"	60"	64.93"	1250 lbs.	305 lbs.

2 SHELF DISTRIBUTION CART

Invest in your supply chain with our 2 Shelf Distribution Carts. These nestable carts are perfect for replacing your need for pallets, pallet jacks, and shrink wrap while providing extra storage space. They are capable of carrying 500 lbs of goods per shelf from your warehouses to your stores. A durable zinc plated finish and a convenient cardboard holder come standard.





FEATURES:

Nestable "L" design saves space when nested together

Convenient cardboard holder

Durable zinc plated finish

500 lb. capacity per shelf

Heavy duty steel construction

REPLACEMENT PARTS:

(2) 5" x 2" polyurethane wheels with rigid casters. Replacement Order #B001090.

(2) 5" x 2" polyurethane wheels with swivel casters. Replacement Order #B0001091.

Fasteners Replacement Order #B000543 (bolt) and #B001257 (nut).



Cardboard holder folds out when needed



1. Clear shelf of any material



2. Fold up shelves




3. Fold in left side of cart




 Nest carts together for storing




NMFC Code: 189430-S2










Order#	Description	W	L	Н	Cart Capacity	Weight
48000363	HDSC-2852-2S-COL, 2 SHELF STOCK CART	28 1/2"	53 1/2"	70"	1000 lbs.	200 lbs.

ALUMINUM DISTRIBUTION CART

This Aluminum Distribution Cart is an innovative offering from National Cart that provides you the flexibility and speed needed for applications including warehouse, distribution centers, truck and route delivery.

The lightweight aluminum construction is durable and easy to maneuver, while the heavy duty nylon straps and buckles will ensure a long useful life.





Adjustable nylon straps with buckles

FEATURES:

Lightweight, yet durable aluminum construction

Nestable "L" design saves space when nested together

Ease of mobility reduces damage done to products on the cart and store fixtures

Strong adjustable nylon strapping and buckles keep boxes and totes safely on the cart

1000 lb. capacity

Ergonomic pull handles on both sides of the cart

Ships fully assembled and ready for immediate use

REPLACEMENT PARTS:

Cart moves easily on hard surfaces with (4) $6'' \times 2''$ polyurethane wheels with swivel casters. Replacement Order #B000507



2. Fold in left side of cart





3. Nest carts together for storing


1. Release buckles and fold up shelves



NMFC Code: 188560-S4







Order#	Model	W		Η	Cart Capacity	Weight
8041184	AL-FRD-4767	22.3"	47"	70.1"	1000 lbs.	120 lbs.

BULK PICKING CART

Increase your productivity with our quality purpose built bulk picking carts. This shelf picking cart provides a superior way to pick, organize, and deliver your bulk e-commerce orders.

The six wheel design allow the picking cart to rotate within its own lengths and be easily maneuvered through busy back rooms and aisles.







FEATURES:

Heavy duty steel construction

Traditional six wheel design, 2 center rigid and 4 corner swivel bolt on casters, allows cart to rotate within its own lengths

Slanted top shelf provides ergonomic access to heavy products. (8000515, not slanted)

Ergonomic handles provide associates ease of handling

Full width length bumpers with reinforced corner bumpers protect cart from damage

Includes storage bin for miscellaneous materials

Ships fully assembled and ready for immediate use

Durable orange powder coat finish

750 lb. capacity

REPLACEMENT PARTS:

(2) $6" \times 2"$ rigid polyurethane center wheels ensure easy rolling and longer life. Replacement order #B000508

(2) $5" \times 1.25"$ polyurethane swivel casters. Replacement order #B000312

(2) $5" \times 1.25"$ polyurethane swivel casters with brakes at end with basket. Replacement order #B000435











Freight Class: 150

NMFC Code: 188560-S4





Order#	Model	W		Н	Cart Capacity	Weight	# of Shelves
8000513	DPC-2460-2-6, DISCRETE PICK CART	24"	60"	53"	750 lbs.	165 lbs.	2
8000514	BPC-2472-2-6, BULK PICK CART	24"	72"	53"	750 lbs.	180 lbs.	2
8000515	RSC-2472-3-6, RESTOCK CART	24"	72"	68.4"	750 lbs.	225 lbs.	3

AISLE PICKING CART

Increase your productivity with our quality purpose built e-commerce tote picking carts. This pick to tote cart provides a superior way to pick, organize, and deliver your e-commerce orders.



FEATURES:

Light weight aluminum design

Cart designed to be pushed width-wise down an aisle for picking between gondolas

Value engineered with strength in right areas

Ease of mobility with (4) swivel casters gives your associates maximum maneuverability in tight aisles

Ergonomic full length handle provides associates ease of handling

Top storage shelf features 0.5" lip to keep merchandise from falling

9 tote capacity with maximum dims of 17.25 W x 22 L x 13.5 H $\,$

 $2'' \times 4''$ tote tag plates keep e-commerce orders organized

Ships fully assembled and ready for immediate use

300 lb. capacity

REPLACEMENT PARTS:

(4) $5" \times 1.25"$ polyurethane swivel casters. Replacement order #B000312


OPTIONS:

Totes not included. Inquire within to order.



Freight Class: 150

NMFC Code: 188560-S4



Order#	Description	W	L	Η	Cart Capacity	Weight
8041328	AL-SPC-2556-3, PICKING CART, TUBE	25.25"	56.5"	66.6"	300 lbs.	200 lbs.

TOTE PICKING CART - WITH ERGONOMIC HANDLES

Increase your productivity with our quality purpose built e-commerce tote picking carts. This tote and cart combination provides a superior way to pick, organize, and deliver your e-commerce orders.







FEATURES:

Heavy duty steel construction

Anti-slip tape on runners keeps empty totes in place

Ease of mobility with (4) swivel casters gives your associates maximum maneuverability in tight aisles

Corner bumpers

Ergonomic handle provides associates ease of handling

Top storage shelf features 0.75" lip to keep merchandise from falling

6 tote capacity

Includes bag holder and miscellaneous materials holder

Ships fully assembled and ready for immediate use

1000 lb. capacity

REPLACEMENT PARTS:

(2) $5" \times 1.25"$ polyurethane swivel casters with brake. Replacement order #B000435

(2) 5" x 1.25" polyurethane rigid casters at the handle. Replacement order #B000325


OPTIONS:


Totes not included, please inquire within to



Freight Class: 150

NMFC Code: 188560-S4






Order#	Model	W		Ι	Cart Capacity	Weight
8000518	TPC-2536-6	25"	47.9"	47.1"	1000 lbs.	100 lbs.

TOTE PICKING CART - WITH STOWABLE DOLLY

Increase your productivity with our quality purpose built e-commerce tote picking carts. This tote and cart combination provides a superior way to pick, organize, and deliver your e-commerce orders.





Graphic sign frame

(Graphic Not Included)

FEATURES:

Heavy duty steel construction

Anti-slip tape keeps empty totes in place

Ships fully assembled and ready for immediate use

Durable stone flex powder coat finish

1000 lb. capacity

8000524

10 tote capacity

Stowable drop down dolly for handling additional totes, boxes, or materials too large for totes

Slotted hinges allow dolly to drop into an "UP" position. The "L" bracket secures the dolly when it is folded up.

Includes adjustable tablet holder, miscellaneous materials holder, printer holder, and mop holder

(2) 5" x 1.25" polyurethane rigid casters on dolly, replacement order #B000325

8000510

8 tote capacity

Includes adjustable palm holder, miscellaneous materials holder, printer holder, and sign frame for graphics and advertising

REPLACEMENT PARTS:

(2) $5'' \times 1.25''$ polyurethane swivel casters with brakes at handle end of cart, replacement order #B000435

(2) 5" x 1.25" polyurethane swivel casters at the front of the cart, replacement order #B000312


OPTIONS:


 $24^{\prime\prime}\,x$ $16^{\prime\prime}$ Tote with stack and nest features in dark green. Part #5000190




Freight Class: 150

NMFC Code: 188560-S4







Order#	Model	W	L	Н	Cart Capacity	Weight	# of Totes
8000524	WMPC-2638-S	26.7"	82.4"	58.6"	1000 lbs.	165 lbs.	10
8000510	WMHDC-2747-8-DL	26.7"	47.1"	47.6"	1000 lbs.	110 lbs.	8

SPRING LOADED U-BOAT

Transform your u-boat into the perfect stocking cart with the spring leveling shelf. The heavy-duty spring allows for easy and ergonomic access to merchandise when stocking shelves.

The spring compresses to the perfect ergonomic work height, when loaded with the minimum weight of 400 lbs. The high end handles improve handling and help secure merchandise in place while in transit. The 16" width and six wheel design allow the cart to rotate within its own lengths and be easily maneuvered through busy aisles.



1660 u-boat #5000197 shown with spring leveling shelf #8010159 and cardboard holder attachment #48010108

FEATURES:

All welded steel tube frame with heavy duty steel diamond deck

2 removable heavy gauge steel tube handles

Durable attractive blue powder coat finish

Traditional six wheel design, 2 center rigid and 4 corner swivel bolt on casters

Spring compresses completely when loaded with the minimum weight of 400 pounds

Spring leveled deck travels from 26 inches to 6.3 inches when compressed

OPTIONS:

Spring leveling shelf can be added to your existing 1660 u-boat with the purchase of two handles. Single handle part #1000199

*If adding spring leveling shelf to existing 1660 u-boat (part #5000101) New handles are required to prevent pinch points

Cardboard holder attachment #48010108 (attaches to a side handle)

Ergonomic spring leveling shelf #8010159

REPLACEMENT PARTS:

(2) 8" x 2" rigid polyurethane center wheels ensure easy rolling and longer life. Replacement order #B000024

(4) 4" x 1.25" corner swivel casters. Replacement order #B000027





16.00

58.00

U-Boats


Freight Class: 70


NMFC Code: 188560-S2

Accessories

Freight Class: 70

NMFC Code: 188560-S9





U-Boat

Order#	Model	W	L	Н	Cart Capacity	Weight
5000197	1660-DD, TUBULAR HDL BOTH END UBOAT	16"	60"	61"	2200 lbs.	111 lbs.

U-Boat Spring Leveling Shelf

Order#	Model	w	L	Н	Compatible U-Boat	Weight
8010159	SHELF, SPRING LOADED, UBOAT 1660	16"	58"	26"	5000197 or 5000101 with added handles	84 lbs.

^{*}The spring leveling shelf can be added to an existing 1660 u-boat (part #5000101) with the purchase of two additional handles. Single handle part #1000199



U-PICK U-BOAT

Transform your u-boat into the Perfect Picking machine with the U-Pick U-boat! This is the Cadillac of U-Boats with a la carte style customization that allows you to make the perfect picking cart for your specific process.

The high end handles improve handling and help secure merchandise in place while in transit. The 16" width and six wheel design allow the cart to rotate within its own lengths and be easily maneuvered through busy aisles. Add our heavy duty accessories to customize your u-boat and to fit your specific picking needs!



shown with two slant shelves #8010218 24" x 16" stack & nest totes #5000190 clipboard holder #1000171 scan gun holder #3002132 pick cart basket #3001572



5000101 U-Boat Shown with removable shelf #3000068



U-Boat



Shelves and Slant Shelves are removable



5000101 U-Boat shown with Slant Shelf #8010218 great for stocking and picking with bins

5000101 U-Boat Shown with Garment Rack #5000229 and Cardboard holder #48010108



FEATURES:

All welded steel tube frame with heavy duty steel diamond deck

2 removable heavy gauge steel tube handles

Durable attractive blue powder coat finish

Traditional six wheel design, 2 center rigid and 4 corner swivel bolt on casters

OPTIONS:

Removable Shelf #3000068 (U-boats will take two additional shelves)

60" Garment Rack #5000229

Cardboard holder attachment #48010108 (attaches to a side handle)

Slant Picking Shelf #8010218

24" x 16" stack & nest totes #5000190

Picking Cart clip-board holder #1000171


Scan gun holder #3002132

Pick cart basket #3001572

REPLACEMENT PARTS:

(2) 8" x 2" rigid polyurethane center wheels ensure easy rolling and longer life. Replacement order #B000024

(4) 4" x 1.25" corner swivel casters. Replacement order #B000027



ACCESSORIES

7000202

BASKET

8010218 SLANT SHELF

FLAT SHELF

7000203 CLIPBOARD


ACCESSORY

MAX OF 2 TOTAL SHELVES

MAX OF 1 GARMENT RACK

MAX OF 3 TOTAL ACCESSORIES; 1 OF EACH





48010108 - CARDBOARD HOLDER: CAN BE USED IN ANY VARIATION

SHELF

MAX OF 2 TOTAL SHELVES

MAX OF 1 GARMENT RACK

5000229 GARMENT

RACK

GARMENT RACK

Can't find exactly what you need? Give us a call and we'll help you with the perfect solution!

7000201 SCAN GUN

ACCESSORIES ONLY

7000203

CLIPBOARD

MAX OF 3 TOTAL ACCESSORIES; 1 OF EACH

BASKET

5000229 GARMENT

RACK

3000068 FLAT SHELF 7000201 SCAN GUN CUP SHOPPING CARTS







PRODUCT APPLICATIONS: ReCoat Shopping Carts
PRODUCT APPLICATIONS: Used Shopping Carts
Express Shopping Cart
Hand Baskets
Recoated Technibilt 6242 Shopping Carts







For Product Safety and Operation Manuals please visit our website at www.nationalcart.com

NCC PRODUCT APPLICATIONS - RECOAT SHOPPING CARTS

ReCoat your current fleet of shopping carts to look and perform like NEW!

National Cart can take your old carts and make them look and perform to the quality and standard of NEW carts, for almost HALF the price!

With our proven 8-step process, the life of your current fleet of carts can be extended for up to 7 more years!

Extend the life of your carts up to <u>7 years</u>, for half the price of NEW!

Recoated carts support green initiatives and decrease your carbon foot print.

Recoated carts appear, perform, and are warranted as new for one full year.

NCC has an inventory of recoated carts in stock if additional carts are needed for your store.





FROM OLD TO NEW!





Independent testing performed by Global Testing Services Inc. Kokomo, IN (report available for review)



Our 8-Step Process Provides You Shopping Carts SAFER, BETTER, FASTER!

















Give us a call to ReCoat your shopping carts!

NCC PRODUCT APPLICATIONS - USED SHOPPING CARTS

Purchase From Our Large Inventory of Used Shopping Carts

National Cart recycles over 100,000 shopping carts per year and an inventory of thousands of used shopping carts available for purchase.

Our used cart inventory includes plastic and metal carts of all different types, with our inventory changing daily. Inquire with your customer service representative for up-to-date inventory.



PRODUCT OFFERING INCLUDES:

- ReCondition
- ReCoat

Trade-in's welcome

ReConditioned process is for metal and plastic carts. Includes repair, cleaning, touch up, and replacement parts.

ReCoat is for metal carts. The used shopping carts are recoated through-out a 8-step process which transforms theused asset to "Like New" condition.





RECOAT CARTS INCLUDE:

- Finish Removal
- Repair of Welds and Wires
- Prime and Top Coat Finish
- New Handles
- New Seat belts
- New Leg Holders
- New Seat
- New Wheels/Casters



Our Used Carts Provide You Shopping Carts SAFER, BETTER, FASTER!

All carts are prepared to safe operational standards.

Most makes and models are available for purchase. Callacustomerservice representative for available inventory.

COMMON CART MODELS INCLUDE:

Rehrig

Precision Technibuilt

United Wire & Steel

Unarco

Tote

ReConditioned and ReCoated carts are warranted as new for one full year.



Give us a call to order your used shopping carts!



EXPRESS SHOPPING CART

These express carts are ideal for crowded aisles and small to medium grocery lists. Give your customers a larger alternative to the standard hand basket.

Includes 3 basket compartments of all different sizes to secure fragile groceries and to maximize storage space while shopping.



FEATURES:

Constructed from heavy duty steel with double wire support in upper and lower baskets

E-Coated adhesion with stone flex, powder-coated top-coat

3 baskets all different sizes to accommodate a wide range of products

Recessed bottom basket and increased wheel base, deters shin contact

Corner bumpers on top and bottom baskets

Gray plastic channels cover top rim of all baskets

Grommets added to reduce noise on closing points while nesting

Perfect for small stores, small to medium grocery lists, and quick trips for customers

High maneuverability makes is great for crowded aisles

Nestable design

OPTIONS:


Custom handles available (inquire with your customer service representative)






Freight Class: 175

NMFC Code: 189430-S2





Order#	Model	W	L	Н	Weight
6500090	EXPRESS CART - TAPERED LOWER BASKET	23.47"	24.17"	40.38"	39 lbs.



HAND BASKETS

These hand baskets are made for smaller orders and the customer that needs to just "pick up a few things". Comes in a wide range of colors and custom printing and branding for your store is available.



Hand Basket Kit (24 Baskets, Sign, and Stand)

FEATURES:

Heavy duty full plastic molded basket design

Perfect for small stores, small grocery lists, and quick trips for customers

Great for crowded aisles

Comes with full year parts and labor guarantee

Nestable design

OPTIONS:

Imprinting of company name and logo available

Colors available:

















Individual Hand Baskets





Freight Class: 125

NMFC Code: 156600-S5

When making a custom order please contact one of our customer service representatives.

Every basket is available with or without your stores name and/or logo. Order #'s below do not include imprinting.

Hand Basket Ordering Options:

- 1. Single Hand basket
- 3. Kit of 12 hand baskets with a stand and sign

Color	Individual Basket Order #	Hand Basket Kit Order#
Black	6500038	6500055
Blue	6500058	6500044
Green	6500057	6500063
Red	6500049	6500039
Orange	6500067	6500064
Yellow	6500068	6500065
Gray	6500069	6500066

RE-COATED TECHNIBILT 6242 SHOPPING CARTS

These shopping carts are recoated as well as remanufactured and can be powder coated and accessorized to customers specifications. Cup holder and coupon tray are included at no additional cost. This shopping cart additionally features an extended lower tray that is easily accessible and perfect for heavier items and beverage cases.





Coupon tray/cup holder



Extended lower tray

FEATURES:

All carts are recoated and remnaufactured to customers specifications

Carts look, perform, and are warrantied to the standard of new carts

Powder coat color to your specifications

Cup holder and coupon holder available at no additional cost or comes standard

Extended lower tray

Higher base than standard shopping carts

Nests at 12 3/4"

11,300 cubic inches of basket capacity

Large volume available over next two years

Available for quick ship

450 shopping carts per truckload

OPTIONS:

Custom handles available (inquire with your customer service representative)

Optional full length bumpers




Optional full length bumpers



Freight Class: 175

NMFC Code: 189430-S2



Model	W	L	Н	Weight
RECOAT TECHNIBILT 6242	25 1/4"	38 1/8"	42"	61 lbs.

WAREHOUSE









....

Dock Plate 321-322
Fork Extensions 323-324
Lockers
Employee Lockers325-326
Electronic Storage Cabinet
Till Lockers329-330
Mobile Security Cages
Pallet Jacks 333-334
Receivers Desks
Safety Barricade Gates











For Product Safety and Operation Manuals please visit our website at www.nationalcart.com.

DOCK PLATES

This heavy duty steel dock plate makes it easy for forklifts to load and unload products on and off trailers. The all welded steel construction withstands heavy loads up to 10,000 pounds and provides years of service. Dock plates speed up loading operations and prevent accidents.





FEATURES:

Heavy duty all welded steel construction


Diamond plate anti-slip surface for maximum safety

Safety curb provides edge to keep wheels and product on plate


Durable black powder coat finish

Adjustment lever for positioning and lifting from the entry end allows for easy fork truck mobility

Beveled end edge provides smooth entry and exit of products



Freight Class: 85 NMFC Code: 163980



Order#	Model	W	L	Н	Capacity	Weight
5000232	DOCK PLATE	60"	60"	16 3/8"	10,000 lbs.	600 lbs.

FORK EXTENSIONS

For extra large pallets or large loads, our fork lift extensions provide an economical alternative to purchasing a completely new set of large forks. These fork extensions slide easily in place with little to no labor time to change them out. Work with all standard fork lift forks.



FEATURES:

Heavy duty steel construction

Slide easily onto truck forks

Secured with quick release pins

Economical alternative to new fork truck

Sold in pairs

Durable safety yellow powder coating

REGULATIONS:

Fork extensions reduce the capacity of the lift truck

OSHA requires contacting the manufacturer of the forklift for written approval for the use of any fork truck attachments


Forklift extensions should not exceed length of forks on which they are installed by more than 50%



nationalcart.com

Freight Class: 85 NMFC Code: 163980







Order#	Model	\vee		Ι	Weight
5000237	fork extensions (pair)	7''	72"	2"	110 lbs.

LOCKERS

Show your associates you care by protecting the things they care about. Lockers provide a secure organized storage area for employee personal items. A coat rod can be added to organize employee garments.



5000119 1000 HARD I 111111

FEATURES:

Grid doors provide secure environment to reduce shrink and allow maximum ventilation


Units ship fully assembled in group of: 18 (NC-618), 18 (NC-618-KP), 6 (NC-600). Assembly required: 16 with coat rod (NC-16U-GR)

Comes with standard friction catch door hasp with padlock latch (padlocks not included)


Can also be fitted with built-in lock

Beige baked enamel finish


For safety purposes we strongly recommend that all lockers be either floor or wall anchored



nationalcart.com



Freight Class: 100 NMFC Code: 111755-S1



Order#	Model	Description	W	Н	D	Weight
5000119	NC-618	18 Lockers, 6 High x 3 Wide	36"	85"	12"	152 lbs.
8010122	NC-618-KP	18 Lockers, 6 High x 3 Wide w/ Kickplate	36 "	85"	12"	160 lbs.
5000125	NC-600-KP	6 Lockers, 6 High x 1 Wide w/ Kickplate	12"	85"	12"	51 lbs.
5000060	NC-16-GR	16 Lockers w/Garment Rod and Kickplate	70"	78"	18"	162 lbs.

ELECTRONIC STORAGE CABINET

The To Go Storage Cabinet provides a secure and organized area for store supplies and valuables. The top shelves provide easy access to everyday items, while the lower locked shelves offer a secured environment to reduce shrink.

Lower grid side and rear panels allow maximum ventilation for

safe electronic storage.





FEATURES:

(3) Adjustable shelves allow you to customize shelf

Fixed center shelf has additional tube support for heavy items

Lower grid side and rear panels allows maximum ventilation for electronics and provide secure environment to reduce shrink

Barrel keyed cam-lock prevents theft and makes it difficult to pick the lock or duplicate keys


Silver smooth powder-coat finish

Units ship fully assembled for immediate use

Adjustable leg levelers for sloping floors included

For safety purposes we strongly recommend that all lockers be either floor or wall anchored

Freight Class: 100 NMFC Code: 111755-S1





Order#	Model	W	L	т	Weight
8010146	1832 LOCKABLE CABINET	17.75"	31.5"	79.3"	690 LBS.

TILL LOCKERS

Till lockers provide secure storage for cash register returns and other valuables. These till lockers function either as stand alone lockers or can be installed around cabinetry for a finished look.









FEATURES:

Units ship fully assembled

Solid panel doors provide secure environment to reduce shrink and theft

For safety purposes we strongly recommend that all lockers be either floor or wall anchored

8010045

(2) large single drawers at top of cabinet secure any valuables with lock.

Large drawer dims: 35" W x 20" L x 5.3" H

(12) numbered till lockers lock individually with double lock for additional security. Access requires both a employee and manager key.

Till drawer dims: 17.6" W x 20" L x 4" H

Plastic perimeter bumpers protects locker from damage

Silver smooth powder coat finish

Wedge anchors secure cabinet to the floor

8010137

Standard full piano hinge secure all tills

(10) till drawers lock with single padlock (Padlock not included)

Till drawer dims: 11.75" W x 15.75" L x 3.25" H


Electric grey powder coat finish

Kick plate protects locker from damage and prevents shin injury

Bolt through anchor points at base secure unit to floor

REPLACEMENT PARTS:

For 8010045, replacement anchor wedge order #B000052



Order#	Model	W	L	Η	Weight
8010045	TILL LOCKER 12-DRAWER, CSM POD	20"	36.2"	47.4"	420 LB.
8010137	tillocker-sch-stacked	12.10"	16.46"	39"	78 LBS.

MOBILE SECURITY CAGES

This cart allows you to sort and transport a wide range of products, all while keeping them secured and locked up when needed. The four sided enclosure offers increased security while the see-through sides and backing offer increased visibility.







nationalcart.com

FEATURES:

Four sided enclosure increases security

Units can secured with pad locks.

See-through sides and back for constant visibility

Heavy duty powder coated steel construction

8000405: Sheet Metal Construction, powder coated gray

8000449: Wire Metal Constructio, powder coated gray

Moveable and replaceable shelving.

REPLACEMENT PARTS:

8000405:

(2) 6" x 2" phenolic swivel casters with brake. Replacement order #B001242.

(2) 6" x 2" phenolic rigid caster. Replacement order #B001243.

Fasteners order #B000060 (bolt) and #B001257 (nut).

Shelf Clip order #B001241

8000449:


(2) $5'' \times 2''$ polyurethane swivel casters with brake. Replacement order #B000880.

(2) 5" x 2" polyurethane swivel caster. Replacement order #B001168.

Hardware Kit order #7000001

Shelf Stop Kit order #7000002

Warehouse J



8000449

Freight Class: 70 NMFC Code: 95190

8000405

Freight Class: 150

NMFC Code: 188560-S4

Order#	Model	W	L	Н	Cart Capacity	Weight
8000449	MSC-2444, MOBILE SEC CAGE-ASSEMBLED	25"	45 1/4"	60"	1000 lbs.	145 lbs.
8000405	SC-3048, SECURITY CART	31 1/4"	52 1/2	62"	1000 lbs.	115 lbs.

Can't find exactly what you need? Give us a call and we'll help you with the perfect solution!

62.00"

52.50" -

PALLET JACKS

Pallet Jacks are an essential component of any material handling operation. These provide an easy way to move pallets around without the use of a fork lift in warehouses, shops, or industrial environment. Heavy duty steel frame allows pallet jack to withstand heavy use and provide years of service.



FEATURES:

3 function handle control to raise, lower, and neutralise pallet jack

Spring loaded loop handle allows an easy grip from any angle

Made out of heavy duty steel that can hold up to 5,500 pounds

Heavy duty non-marring polyurethane wheels

Powder coated safety yellow

Tapered forks for easy entry into skids

OPTIONS:

Forks available in narrow or wide





Order#	Model	W	L	Н	Capacity	Weight
5000233	PALLET JACK 41246 Narrow	20"	62 1/2"	47 3/4"	5500 lbs.	140 lbs.
5000234	PALLET JACK BEA-00104 Wide	27"	62 1/2"	47 3/4"	5,500 lbs.	242 lbs.

RECEIVERS DESKS

The perfect work desk for receivers and all department managers. These units feature convenient work surfaces at the most ergonomic height for maximum comfort and can be fitted with casters to provide additional versatility.





FEATURES:

Sloping front to provide a comfortable and convenient writing surface

Cabinet unit comes with a built-in lock on doors and all units with drawers are lockable

All Units except 8000394 and 8000356 ship knocked down (KD) for freight savings

REPLACEMENT PARTS:

For 8000356. (2) 5" x 1.25" polyurethane swivel casters with brakes. Replacement order #B000491.

(2) 5" x 1.25" polyurethane stem casters, replacement order #B000025. Fasteners replacement order #B000236 (bolt) and #B000198 (nut).

For 8000394. (4) 5" x 1.25" polyurethane swivel casters with brakes. Replacement order #8000491.


Fasteners replacement order #B000236 (bolt) and #B000198 (nut).

For 8000387. (2) $3'' \times 1''$ rubber swivel casters with brakes. Replacement order #B000431. (2) $3'' \times 1''$ rubber swivel casters. Replacement order #B000432.









8000394 & 8000356
Freight Class: 100
NMFC Code: 81190-S1

8000387, 5000023, 5000049 &5000145 Freight Class: 85

NMFC Code: 81190-S2

								Wheels/	
Order#	Model	W		Н	Weight	Color	Base Type	Size	
5000145	RD-650 SHOP DESK, WALL MOUNT	24"	22 3/8"	12"	35 lbs.	BLUE	Wall Mount	No	No
5000023	rd-620 shop desk, open	29"	34 7/10"	52"	90 lbs.	GREY	Open Base	No	Yes
5000049	rd-640 shop desk, cabinet, no whls	34 3/4"	29 1/8"	52"	150 lbs.	GREY	Cabinet Base	No	Yes
8000394	enclosed shop desk	24"	24"	50 1/2"	150 lbs.	RED	Cage Base	Yes / 5"	Yes
8000387	rd-620 shop desk with wheels	34 3/4"	30"	55"	60 lbs.	GREY	Open Base	Yes / 3"	Yes
8000356	RD-620-MU SHOP DESK ROLLING	24"	24"	50"	105 lbs.	BLUE	Open Base	Yes / 5"	No

SAFETY BARRICADE GATES

This unique product is ideal to temporarily block access to restricted areas. Keep customers and employees safe with this attractive gate.



FEATURES:

Heavy duty steel frame with aluminum slats

8000291 & 8000292 expands up to 20 feet in length and is 45" high when fully open

8000338 expands up to 15 1/2 feet in length and is 40" high when fully open


Powder coated in bright safety colors to promote visibility

Comes with standard safety signage

REPLACEMENT PARTS:

(6) 3" x 1" swivel casters. Replacement order #B000684.

Fastener order #B000708 (nut)




nationalcart.com





Freight Class: 77.5 NMFC Code: 68025-03



Order #	Model	W	L	Н	Max. Length	Weight	Color
800029	EXPANDABLE SAFTY GATE -THD(ORANGE)	20'	18"	55"	237.00"	116 lbs.	ORANGE
800029	EXPANDABLE SAFTY GATE -(YELLOW)	20'	18"	55"	237.00"	116 lbs.	YELLOW
800033	EXPANDABLE GATE, 21 X 41 YELLOW/BLK	15 1/2′	14 1/2"	41"	185.00"	98 lbs.	YELLOW/BLACK